

BAXTER

COMFORT AND INGENUITY

BAXTER offers total comfort thanks to its wrap-around frame. With its waterproof foam and ingenious system for attaching the strap, BAXTER offers effective protection against sprays of solids, liquids, and against dust.

 PLATINUM



1678101 : Clear Lens



1678102 : Smoke Lens



1678118 : CSP Lens



1678107: Grey Polarised



49 g



Foam and strap



Attachment system

- + INCREASED PROTECTION**
- + WRAP-AROUND FRAME**
- + WATERPROOF FOAM AND REMOVABLE STRAP**
- +  PLATINUM () COATING**
- + GREY POLARISED VERSION PROVIDES TRUE COLOUR DEFINITION WHILST FIGHTING HARSH GLARE**

bolle
SAFETY

BAXTER

COMFORT AND INGENUITY

MODEL	VERSIONS	PRODUCT CODE	LENS MARKING	FRAME MARKING	COATINGS
BAXTER	 Clear	1678101	IO	AS/NZS 1337.1.2010	Anti-scratch/Anti-fog/Platinum 
	 Smoke	1678102	I3	AS/NZS 1337.1.2010	Anti-scratch/Anti-fog/Platinum 
	 CSP	1678118	I1	AS/NZS 1337.1.2010	Anti-scratch/Anti-fog/Platinum 
	 Grey Polarised	1678107	I3	AS/NZS 1337.1.2010	Anti-scratch/Anti-fog/Platinum 

LENS MARKING

-  Platinum is a permanent coating applied on both sides of the lens that gives a high resistance to scratching (1.4 cd / m²) and to the most aggressive chemicals, and delays the onset of fogging for two minutes, as per the testing requirements of EN166.
- I**. The letter 'I' signifies 'Medium Impact' approval.
- O**. The letter 'O' marking signifies that the product has been approved for the use both outdoors and indoors, and the terminology used by Australian standards is 'outdoor un-tinted'. This marking appears on all clear, amber and contrast lenses.

OCULAR LENS CATEGORY:

- O**. Range of luminous transmittance 80-100% (Clear).
- 1**. Range of luminous transmittance 43 -88% (CSP).
- 3**. Range of luminous transmittance 8 -18% (Smoke & Grey Polarised).

TECHNOLOGIES

PLATINUM

The new exclusive scratch and fog resistant PLATINUM® coating guarantees even more safety, reliability and comfort. Washable (water and soap), this permanent coating applied on both sides of the lens makes it highly scratch resistant and effectively delays the appearance of fogging.

CSP

This innovative coating is an effective solution for all activities that alternate exposure to bright light and low light, while also being suitable for extreme hot and cold temperature environments. CSP is also combined with the exclusive PLATINUM® coating that effectively combats fogging.

LENSES

- 2mm polycarbonate
- 8 base curve
- Platinum coating on both sides of lenses: Clear, Smoke, Grey Polarised and CSP
- 99.9% UV 385 – Clear
- 99.9% UV 400 – Smoke, Polarised and CSP

FRAME MARKING

AS/NZS 1337.1.2010: Tested and approved to. AS/NZS 1337.1.2010 - Medium Impact protection. Resists a 6mm at 45 m/s.

CLEANING AND STORAGE

CLEANING: The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.

MAINTENANCE: Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.

STORAGE: All products must be stored in a dry and clean environment.

CHARACTERISTICS	
LENSES	PC - 2,2 mm - Curve 8
FRAME	PC
TEMPLES	PC
STRAP	Nylon
FOAM	Applicable
SPARE LENSES	PC + EVA

11/04/2019

ASIA/PACIFIC HEADQUARTERS:

Bollé Safety AU Pty Limited
32-40 Fairchild Street
Heatherton VIC 3202
T: 1300 138 098
E: safety@bolle.com.au

bollesafety.com.au

NEW ZEALAND:

T.: 0800 2655 369
E: bolle@bolle.co.nz

bolle
SAFETY