



Face Protection
Products



Re-engineered Face Protection

Bullard's redesigned line of nylon dielectric brackets offers superior protection with increased versatility and comfort. Users can choose band or slot-mounted styles that securely attach to their cap model hats. Enhancements made to the re-engineered line of brackets include:

- Stylish, sleek, cohesive look throughout the line
- Ergonomic design with easy-to-grip knobs
- Flexibility to accommodate all Bullard Hard Hats and the Bullard Bump Cap
- Band-mounted brackets that fit competitor models
- Visor retainer system that securely locks visor in place

Bullard's nylon dielectric brackets are made from lightweight, durable nylon that is ideal for general-duty applications.



**SAFETY
FIRST**
**WEAR FACE
SHIELD WHEN
USING GRINDER**



Cap Style



300B
(Band mount)



300BW
(Band mount with debris guard)




400
(Slot mount)



400W
(Slot mount with debris guard)

Re-engineered Face Protection

When the job calls for both head and face protection, choose Bullard's re-engineered line of nylon dielectric brackets which are available in slot and band-mounted styles for full-brim hat models. Our brackets are equipped with a visor retainer system that securely attaches to the hat.



CAUTION
FACE SHIELD
MUST BE WORN
WHEN OPERATING
THIS EQUIPMENT



Full-Brim Style



Model 312
(Slot mount)



Model 312B
(Band mount)

Aluminized Brackets

Bullard Gold Line® brackets are constructed from rugged, gold anodized aluminum and are perfectly suited for chemical handling and high-heat industrial applications. Gold Line brackets are highly resistant to corrosion and heat.



Model 100G
(Cap style models,
front mount)

Model 110G
(Cap style models,
back mount)

Model 112G
(Full-brim models)


Sentinel Series

The Bullard Sentinel Series headgear offers the ultimate value in lightweight, comfortable face protection. Sentinel models are equipped with Bullard's re-engineered, easy-to-grip knobs. The Sentinel Series is available in two styles:

- Sentinel 1 features a black ABS crown protector to help shield the forehead
- Sentinel 2 features a crown and chin protector for full face protection

Sentinel Series headgear includes height and head sizing features for enhanced comfort. Additional features include the Flex-Gear® ratchet which adjusts to accommodate head sizes from 6 1/2" to 8" and the Sportek® brow pad that pulls moisture away from the skin, creating a drier, more comfortable fit.

Sentinel easily accommodates both primary eye protection and half facepiece style respirators. Sentinel meets or exceeds ANSI/ISEA Z87.1 standard when used with Bullard visors. Headgear visors and chin protectors sold separately.



⚠ DANGER
Wear face shield and rubber gloves when handling chemicals.



Sentinel 1



Sentinel 2
(With black ABS chin protector)



CP2
(Clear polycarbonate chin protector)

Visors

POLYESTER

General Use, Z87



840ME




E840ME


Bullard visors are designed to help provide protection to the face from many hazards. When used with Bullard brackets, all visors conform to ANSI/ISEA Z87.1 for faceshields.

ACETATE

Chemical Resistance, Z87 or Z87-S



640M




640G*†



840M



1040




840MG†



840MH*



860H*



CS40

POLYCARBONATE


Impact and High-Heat, Z87+



640PW3*



640PW5*




680P*•



840P•



840PW3



840PW5



860P•



880P•



WS60PM

TRITAN™

Chemical Resistance and Impact, Z87+



680T*•



840T•



860T•



880T•




WS60TM

MESH

Fog-free, General Use, Z87-S Special Purpose



6S24†
(plastic)



8S24†
(metal)

*indicates the visor is not multi-fit

• indicates the visor is heat-formed for ease of attachment

† indicates the visor meets ANSI/ISEA Z87.1





Bullard Center
2421 Fortune Drive
Lexington, KY 40509 • USA
877-BULLARD (285-5273)
Tel: +1-859-234-6616
Fax: +1-859-246-0243


Americas Operations
1898 Safety Way
Cynthiana, KY 41031 • USA
877-BULLARD (285-5273)
Tel: +1-859-234-6616
Fax: +1-859-234-8987

Bullard GmbH
Lilienthalstrasse 12
53424 Remagen • Germany
Tel: +49-2642 999980
Fax: +49-2642 9999829

Bullard Asia-Pacific Pte. Ltd.
LHK Building
701, Sims Drive, #04-03
Singapore 387383
Tel: +65-6745-0556
Fax: +65-6745-5176



©2018 Bullard. All rights reserved.
Bullard is a registered trademark of Bullard.

 California Proposition 65 WARNING:
Cancer and Reproductive Harm - www.P65Warnings.ca.gov

8328 (0918)

www.bullard.com