









PIG® Burpless® Steel Drum Funnel

DRM1125 For 20 to 55 gal. Plastic or Steel Drums w/ 2" NPT,11.25" x 15" x 13"

Patented Burpless design delivers fast, no-splash pouring and one-handed access for easy reg compliance.

- Secure closure helps you meet closed container regs; opens and closes instantly using only one hand
- Lets you pour without venting through 3/4"
 bung, a possible closed container reg violation if left open
- Nitrile gasket and locking mechanism completely seal lid to help reduce vapor emissions
- FM Approved for flammable liquids when equipped with a PIG Drum Funnel Flame Arrestor (DRM617, sold separately)
- Lockable to prevent unauthorized access
- Durable, chemical-resistant powder coat helps ensure long service life
- Multiple lid color options let you segregate drums

Item#	Description	Dimensions	Weight
DRM1125-BK-NPT	NPT Threads	11.25" W x 15" L x 13" H	14 lbs.
DRM1125-RD-NPT	NPT Threads	11.25" W x 15" L x 13" H	14 lbs.
DRM1125-YW-NPT	NPT Threads	11.25" W x 15" L x 13" H	14 lbs.

Metric Equivalent:

Item#	Description	Dimensions	Weight
DRM1125-BK-NPT	NPT Threads	28.6cm W x 38.1cm L x 33cm H	6.4 kg
DRM1125-RD-NPT	NPT Threads	28.6cm W x 38.1cm L x 33cm H	6.4 kg
DRM1125-YW-NPT	NPT Threads	28.6cm W x 38.1cm L x 33cm H	6.4 kg

Specifications

Flame Arrestor	Sold Separately
Overfill Preventer	Sold Separately

Style	Steel Drum Funnel
Use With	20 to 55 gal. Plastic or Steel Drums w/ 2" NPT
Dimensions	11.25" W x 15" L x 13" H
Brand	PIG
Drainage Space	2.75" H x 10.5" Dia. Draining Area
Drum Bung Opening	2" NPT Bung
Drum Size	20 gal.; 30 gal.; 55 gal.
Drum Type	Steel Drum; Poly Drum
Lid Type	Latching/Locking Lid
Special Feature	Burpless; Vapor Control; Padlockable
Use With Flammables	Yes
Sold as	1 each
Weight	14 lbs.
New Pig Patent	5,676,185
# per Pallet	50
Composition	Funnel - Powder-Coated Steel Lid Gasket - Nitrile Bung Gasket - PTFE
UNSPSC	27112902
Pigalog® Page Number	Page 297
Metric Equivalent	
Dimensions	28 6cm W x 38 1cm L x 33cm H

Dimensions	28.6cm W x 38.1cm L x 33cm H
Weight	6.4 kg

Technical Information

Technical Documents

29 CFR 1910.106(e)(2)(i)

29 CFR 1910.22(a)

40 CFR 262.15

40 CFR 262.16(b)(2)(iii)

40 CFR 262.17(a)(1)(iv)

40 CFR 264.1086(c)(1)(ii)

