







PIG® Grippy® Adhesive-Backed Floor Mat

GRP36301 High-Traction, Self-Sticking Entrance & Walkway Runner, Heavyweight, 3' x 50'

Hassling with rubber-backed floor mats or rental mats? Make the switch to the mat that sticks; our super-safe, adhesive-backed commercial floor mat creates a safe walking surface in entrances and aisleways.

- 3' x 50' heavyweight roll allows you to customize the amount of walk off and floor coverage you need to provide a high-traction walking surface in the wettest problem spots in your facility; replaces outdated rental and rubber-backed floor mats and rugs
- Place in doorways and entrances, walkways and aisleways, transition areas, breakrooms and cafeterias, along produce walls or floral displays, on production floors, ramps and loading docks, beneath water fountains, ice machines and beverage stations or under liquid hazard areas
- Adhesive-backed floor mat stays exactly where you put it with no shifting, bunching up or ripples that cause slips and trips
- Dries out quickly without moisture soaking through to the floor; absorbs water, oil and grease and traps dirt and salt to keep it from being tracked around
- Sticks to the floor with a super-tight grip, but peels up easily without leaving a residue or damaging floors
- Weighs less than rental and rubber-backed mats for less hassle, saves you up to 50% per year on rental contracts and has a lower environmental impact
- Easy to clean: you can sweep, vacuum, mop, use your shop/wet vac or run your floor scrubber over Grippy Mat and it won't budge
- Stays in place for up to 3 to 6 months, depending on conditions and traffic patterns
- The thinnest commercial floor mat you can buy: no rippled edges to obstruct doors or create tripping hazards. ADA compliant for wheelchairs and walkers; carts and pallet jacks roll right over it
- Sticks to most commercial floor surfaces including concrete, vinyl, linoleum, ceramic tile, quarry tile and laminate flooring

- Tested and Certified by the National Floor Safety Institute (NFSI): high-traction surfaces such as PIG Grippy Floor Mat have been proven to reduce slip-and-fall claims by as much as 90%
- Mats take on the properties of absorbed liquids
 - always take proper precautions when handling saturated absorbents





Special Feature

Storage Temp Range

Temperature Limit

Traffic











Item#	Description	Dimensions	Weight
GRP36301-BK		3' W x 50' L	21 lbs.
GRP36301-GY		3' W x 50' L	21 lbs.
Metric Equivalent:			
Item#	Description	Dimensions	Weight
GRP36301-BK		91.4cm W x 15m L	9.5 kg
GRP36301-GY		91.4cm W x 15m L	9.5 kg
Specifications			
Style		High-Traction, Self-Sticking E	Entrance & Walkway Runner
Dimensions		3' W x 50' L	
Mat Weight		Heavyweight	
Absorbency		Up to 7.5 gal. per roll	
Backing Material		Adhesive-Backed	
Brand		PIG	
Category		Grippy® Floor Mat	
Core Diameter		3"	
Flammability Specifications		Flame Resistant - Will melt a	nd self-extinguish
Fluid Absorbed		Water; Grease; Oils	
Incinerable		Yes	
Industry		Grocery/Retail; Restaurant; I Facilities; Education; Hospita	
Indoor/Outdoor		Indoor Use	
Perforated		No	
0		E to About	

Extra Absorbency

Store between 32°F and 120°F

Surface temps from 55°F to 120°F

Heavy Foot Traffic; Carts & Equipment

UV Resistant	No	
Walking Surface	Absorbent Top	
Distributor Part Number	53te84;53te83;7324044;7324045;04088x00541	
Sold as	1 roll	
Weight	21 lbs.	
# per Pallet	18	
Composition	Absorbent - Polypropylene Adhesive Backing - Proprietary Adhesive Material	
UNSPSC	47131901	
Pigalog® Page Number	Page 25	

Metric Equivalent

Absorbency	Up to 28.4 L per roll
Dimensions	91.4cm W x 15m L
Weight	9.5 kg

Technical Information

Certifications, Approvals and Ratings

ADA Compliant, NFSI Certified, ANSI B101.1-2009

Technical Documents

PIG Adhesive-Backed Mats

New Pig Adhesive-Backed Mat Notice

Instructions for PIG Grippy Floor Mat

Case Study - Market Basket Foods

PIG Grippy Floor Mat Savings Worksheet

PIG® Grippy® Floor Mats

29 CFR 1910.22(a)(2)



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com