

SECUNORM PROFI40  
STARTS THERE WHERE OTHERS STOP.



THE SAFER WAY TO CUT.


**martor**

# SECUNORM PROFI40

NO. 119001



Original size




#### Long, stable blade

What does this cutter have over a standard version? The SECUNORM PROFI40 houses a blade that distinguishes itself with its impartialness to snapping. Ideal e.g. for opening sacks and for cutting paper from the reel.




#### Abrasion resistant

The plastic insert of the SECUNORM PROFI40 slots into a fully aluminium body. With its robust design, this cutter can cope with high cutting frequencies over an extended period of time.



#### Tool-less blade change

Blade change is easy to understand. Easier still to perform. Simply push the plastic insert out of the handle and with care, replace the blade.



#### For right and left handers









The SECUNORM PROFI40 is the right size for every hand. Yours too. If you are a left hander, simply turn the blade 180° and your cutting tool is ready to use.

## Deep cut. High quality.

Just like the other PROFIs, SECUNORM PROFI40 is a professional cutting tool. Particularly when it comes to cutting open all different types of sacks. Some cutting tasks demand a decent blade length. And for these tasks especially, SECUNORM PROFI40 with its 40 mm blade length is your answer. The cutter is robust, the blade resistant to breakage. If you are a left hander, turn the blade 180° and you're ready to cut!

## PRODUCT FEATURES

### Technical features

	High safety		Tool-less blade change
	Very abrasion resistant		Ergonomic
	Extended blade length		Cutting depth
	For right and left hander		Printable for promotional purposes


### Main cutting materials

	Cardboard: up to 3-ply		Wrapping, stretch, and shrink foil
	Plastic strapping band		Tape
	Bagged goods		Foam, polystyrene

### Installed blade

	<b>NO. 7940</b> 0.50 mm, 71,2 mm long
--	---------------------------------------


### Optional blade

	<b>NO. 17940</b> 0.50 mm, 71,2 mm long, stainless
--	---


### Certificates and awards



### Application



### Safety technology



#### Automatic blade retraction – a high degree of safety






The automatic blade retraction of the SECUNORM PROFI40 guarantees a high degree of safety from cut injuries. As soon as you have started to cut, take your thumb off the slider. The blade can thus withdraw back into the handle immediately after leaving the material being cut.

# THE PERFECT FIT FOR ALL. DOES THE PERFECT JOB.

## SECUNORM PROF140

- › Very large cutting depth
- › Long and stable blade
- › Very abrasion proof thanks to the aluminium
- › Automatic blade retraction
- › TÜV-certified

## PRODUCT DETAILS

<b>Order No.</b>	NO. 119001.02
<b>Packaging unit</b>	1 in single unit box (10 in multipack)
<b>Knife size (L x W x H)</b>	143 x 17 x 31 mm
<b>Main material</b>	Aluminium
<b>Weight</b>	82.0 g
<b>Cutting depth</b>	36 mm
<b>Spare blade Packaging unit</b>	NO. 7940.60 (10 in transparent packaging)
<b>Size (L x W x Thickness)</b>	71.2 x 17.7 x 0.50 mm
<b>Certified</b>	GS certificate NO. S 60112078
<b>Accessories</b>	
BELT HOLSTER S WITH CLIP	 NO. 9920
USED BLADE CONTAINER	 NO. 9810
WALL MOUNT BRACKET USED BLADE CONTAINER	 NO. 9845
SAFEBOX	 NO. 108000
SAFETY DEVICE	 NO. 9800

## CONTACT AND SERVICE

What makes our cutting solutions even safer?  
Our advisory services! We are always on hand,  
to give advice, to provide you with training ma-  
terial, to meet with you in person if necessary.

You will find further information on our website:  
[www.martor.com](http://www.martor.com)



From the first cut to changing the blade, our vi-  
deo will show you the best way to use this knife.



Everything you want to know: dimensions, pro-  
perties, special features and more about our cutting  
tools can be found in the Technical Data Sheet.



Still have questions? You can reach our service  
department on [+49 212 73870-0](tel:+49212738700)