# **DIELECTRIC MAXI OVERBOOTS**



Power Generation

Power Distribution

Telecommunications

Transport

A Class 1 electrically insulating dielectric overboot with a vulcanized rubber sole for superior slip resistance. The Workmaster<sup>™</sup> Maxi Dielectric overboot is designed to be worn over safety boots and allows live working at up to 7.5kV with every boot tested at 20kV for ASTM F1117.

### **Boot Shaft**

- Ingenious rear entry design ensures the boot is quick and easy to fit and remove
- Ideal for personnel who have to continually enter and exit hazardous areas
- Yellow dielectric compound shaft
- Seamless construction
- Kick off lug
- REACH Compliant

#### **Boot Sole**

- Dark blue vulcanized rubber sole for maximum grip 30% better than a conventional safety boot sole
- Slip resistance performance twice that required by SATRA TM144 standard
- Two to three times the wear resistance of conventional soles
- Fuel and oil resistant
- Greater cut resistance than conventional soles
- Resistance to hot contact 60 seconds 300°C.

#### Care

- Machine washable at up to 40°C
- Shelf life of over 10 years

## **Electrical Performance**

Test Voltage: 10kV ......... <10mA Leakage current 20kV ....... ASTM F1117 Max Working Voltage: 7.5kV

Certification

```
Safety Footwear
```

Electrically Insulating Footwear Dielectric Footwear Personal Protective Equipment

Sizes

	Medium	Large	Extra-Large
UK	6 - 8	9 - 11	12 - 14
EU	39 - 42	43 - 45	46 - 49
US	7 - 9	10 - 12	13 - 15

EN ISO 20347:2012 - I HRO SRC FO

ASTM F1117 (20kV)

PPE DIR 89/686/EEC

EN 50321-1:2018 Class 1









For use with safety boots (safety boots not included)