


DISPOSABLE EARPLUGS



6600, Softies Earplugs, Uncorded

SOFT COMFORTABLE FIT

Softies are made of extra-soft, extra-light foam. Their tapered design shape fits easily in the ear canal. Softies seal snugly without uncomfortable pressure. Their outer surface is smooth, so it doesn't irritate the ear canal. 100% PVC-Free.

EASY COMPLIANCE CHECKS

The bright radiant orange color of the Softies make compliance checks easy.

HIGHEST INDEPENDENTLY TESTED NRR 33

Softies offer the highest independently tested NRR 33 rating available, making them suitable for most noisy environments. They are independently tested by Michaels & Associates, Inc. and are tested to ANSI S3.19-1974. Not only are they comfortable, but they also provide serious protection.

FEATURES

- Highest independently tested NRR 33 available.
- Radiant orange color for easy compliance checks.
- Extra-soft, low-pressure foam for comfort and fit.
- Tapered shape for easy insertion and removal.
- Shaped to fit even very small ear canals.
- Non-irritating smooth surface.
- Independently tested to ANSI S3.19-1974.
- 100% PVC-Free.





DISPOSABLE EARPLUGS

PART # / DESCRIPTION	DISPLAY	CASE		
6600 Softies Earplugs, Uncorded	200 Pairs per Box	10 Boxes per Case		
6650 Softies Earplugs, Uncorded	100 Pairs per Box	20 Boxes per Case		

WARNING TO USER

- Use this laboratory-derived attenuation data for comparison purposes only.
 The amount of protection afforded in field use often is significantly lower depending on how the protectors are fitted and worn.
- 2. Failure to follow all instructions could result in hearing loss or injury.
- 3. Failure to obtain a proper fit will reduce effectiveness of hearing protectors and could result in hearing loss or injury.
- 4. Softies earplugs must only be used as part of a hearing conservation program that complies with applicable local safety and health regulations.
- Overprotection can be dangerous. The wearer must be able to hear warning signals.
- 6. Wearers with hearing loss should exercise extreme caution.
- 7. It is the employer's responsibility to ensure that the type of hearing protector and its NRR is appropriate for the user in their particular workplace.
- 8. Use caution when working around machinery or other equipment to ensure neck cord does not become caught or entangled.
- 9. Failure to follow these warnings could result in serious injury or death.

MOLDEX TECHNICAL ASSISTANCE

Moldex provides all of the technical assistance required to set up a hearing protection program. For more information call +1 (800) 421-0668 or +1 (310) 837-6500 ext. 512/550 or E-mail: tech@moldex.com or visit www.moldex.com.

Keep earplugs away from infants and small children as they may get caught in the windpipe and create a choking hazard.



CANADIAN CUSTOMER SERVICE

Fax: +1 (310) 837-9563

Tel: +1 (800) 421-0668, Ext. 550/510

DISTRIBUTED BY:

ATTENUATION DATA

Tested According to ANSI Specs S3.19-1974 Michael & Assoc., State College, PA.

Frequency (Hz)	125	250	500	1000	2000	3150	4000	6300	8000		
Mean Attenuation (dB)	42.3	43.7	46.6	40.9	38.6	44.7	46.9	49.3	48.3	NRR 33	CSA
Standard Deviation (dB)	5.0	6.0	5.8	4.2	2.8	3.2	3.3	4.2	3.6		AL



MOLDEX-METRIC, INC.

10111 Jefferson Bivd. Culver City, CA 90232 TEL: +1 (800) 421-0668 or

+1 (310) 837-6500 FAX: +1 (310) 837-9563 E-mail: sales@moldex.com www.moldex.com









