

EVA

EVOLUTIONARY AIR



EVA represents the latest in cutting-edge Powered Air-Purifying Respirator (PAPR) technology and design. Offering workers a 1,000 Assigned Protection Factor and a comfortable and reliable respirator system, EVA was engineered with direct input from end-users and experts from the field.

RELIABLE, EASY-TO-USE TECHNOLOGY

VISUAL FUEL GAUGE The easy to read fuel gauge displays remaining battery capacity at a glance. Wearers can check battery status at any time while using EVA.



ACTIVE FLOW TECHNOLOGY™ Another innovation from Bullard, Active Flow Technology automatically responds to a worker's need for more or less air flow. This intelligent system is continuously working to maintain constant air flow, regardless of filter type, hood type, filter loading, or battery capacity.

INTEGRATED ALARMS Two distinct audible alarms notify wearers of low battery and low air flow. These alarms are designed so the sound of the alarm travels through the breathing tube directly to the wearer's ear.

DURABILITY EVA is powered by a long-lasting 10,000-hour brushless motor. Unlike other motors that can quickly wear out, this durable brushless motor is designed for long-term reliable use.

SINGLE COMBINATION FILTER EVA offers a single combination filter for easy use. While other manufacturers' PAPRs may require up to three combination filters, EVA makes it simple, with an easy-to-install combination filter.

FILTER LOCKING TAB EVA helps ensure positive filter installation with a single click. The filter locking tab notifies the user that the filter is in place with both a visual indication and audible click.



CE 0194

EN 12941 TH3 20TIC, 20SIC, RT3, RT4, 20LFL, 20LFM, 20LF2L, 20LF2M, 20LF2S

EN 12941 TH2 20TICH, 20SICH, 20SICVH

INSPEC

56 Leslie Hough Way

Salford

Greater Manchester

M6 6AJ

United Kingdom



EVA Powered Air-Purifying Respirator

DESIGNED FOR COMFORT

EVA was uniquely designed for all-day worker comfort. Engineers studied the motions, actions and requests from experts in the field to design the most comfortable and user-friendly PAPR on the market.

DISTINCTIVE ERGONOMIC DESIGN The streamlined form factor of EVA makes it lightweight, eliminates bulky corners that can dig into the wearer's back and balances the unit's weight for maximum comfort.



SUPER QUIET OPERATION The ultimate in quiet operation, the EVA blower eliminates the hum and noise experienced with other PAPRs.



CONTOURED BELT This dual purpose belt incorporates the best features of both decon and comfort belts. Developed to offer both generous padding and easy decon, the contoured belt is made of closed-cell chemically-resistant foam and features a contoured design for extra comfort. Vinyl belts are also available.



TWO-SPEED OPERATION EVA features a two-speed blower, allowing the user to choose more or less cooling and air flow.




EXPERTISE, PROTECTION AND VERSATILITY

1,000 APF Bullard hoods are rated highest in the industry with regards to protection factors. Only Bullard provides up-to-date third party testing to customers, providing documentation that is scientifically valid and legally defensible.

MORE HOOD CHOICES With more hood choices than any other PAPR on the market, EVA can be paired with loose-fitting facepieces, hoods and headband-free headtops.


A VARIETY OF USES EVA is EN certified for use with CC20 Series and RT Series Hoods made from DuPont™ Tychem®, offering extreme versatility. Uses for EVA include pharmaceutical manufacturing, healthcare, painting, coatings, grinding, welding and more.



Feature	Benefits
1,000 Assigned Protection Factor (APF)	Provides superior protection, as verified in an independent laboratory respirator protection level (LRPL) study.
Fuel Gauge	Easy-to-read visual battery capacity indicator.
Active Flow Technology™	Helps maintain constant air flow. Reacts to the wearer's need for additional flow.
Two Integrated Alarms	Distinct audible alarms for both low battery and low air flow. Alarm sound travels through the breathing tube to the wearer's ear.
Brushless Motor	Durable, 10,000-hour motor for superior reliability.
Single Combination Filter	Quick and easy installation. Lower consumable costs vs. blowers that require up to three combination filters.
Filter Locking Tab	Visual and audible indication of positive filter installation.
Ergonomic Design	Lightweight, sleek and balanced. Offers superior comfort for all-day use.
Hood Choices	Choose from more than 12 hood styles, including loose-fitting facepieces, hoods and headband-free headtops.

EVA OUTPERFORMS COMPETITORS IN AIR FLOW

PAPR Performance (Hood Style Respirator)





Catalog Number Description

Hood systems*

EVA20LF2L	PAPR system, EVA blower, battery, charger, breathing tube, 20LF2L
EVA20LF2M	PAPR system, EVA blower, battery, charger, breathing tube, 20LF2M
EVA20TIC	PAPR system, EVA blower, battery, charger, breathing tube, 20TIC
EVA20SIC	PAPR system, EVA blower, battery, charger, breathing tube, 20SIC
EVA20TICH	PAPR system, EVA blower, battery, charger, breathing tube, 20TICH
EVA20SICH	PAPR system, EVA blower, battery, charger, breathing tube, 20SICH
EVART3	PAPR system, EVA blower, battery, charger, breathing tube, RT3
EVART4	PAPR system, EVA blower, battery, charger, breathing tube, RT4

Blower Assemblies*

EVA1	Blower Unit Only, EVA
EVA2	PAPR system, EVA blower, hood battery, charger, no filter
EVA3	PAPR system, EVA blower, hood battery, no charger, no filter
EVA4	EVA3, plus HE Filter

Replacement Batteries & chargers

EVABAT1	Battery (black), EVA 7-8 hour for hoods
EVASMC	Charger, EVA, single port
EVASMC2	Charger, EVA, single port analyzer
EVAGC	Charger, EVA, 6 port gang

Replacement Filter Cartridges

PAPRFC3	Filter, HEPA, EVA (6 pack) EN 12941 P R SL
PAPRFC4	Filter, OVAGHE, EVA (6 pack) EN 12941 P R SL A2 P3
PAPRSC2	Shower cap, EVA HE (3 pack)
PAPRSC3	Shower cap, EVA OVAGHE (3 pack)
PAPRPF2	Pre-Filter, EVA OVAGHE (120/PK)
PAPRPFCOVER2	Pre-Filter retainer, EVA OVAHE (3/pack)

Replacement breathing tubes

PA1BTLXL	Breathing tube assembly for hoods - extra long length
PA1BT	Breathing tube assembly for hoods - standard length
PA1BTXS	Breathing tube assembly for hoods - extra short length
PA20LFBTXL	Breathing tube assembly for loose-fitting facepieces - extra long length
PA20LFBT	Breathing tube assembly for loose-fitting facepieces - standard length
PA20LFBTXS	Breathing tube assembly for loose-fitting facepieces - extra short length

Replacement Parts & Accessories

EVABELT1	Belt, foam
EVABELT2	Belt, vinyl
EVAEXT1	Belt extender
PAPRSUSP1	PAPR suspenders

Replacement Parts & Accessories (continued)

EVALKIT	Lever lock kit
PA1AFI	Air flow indicator
20NC	Chinstrap for Dupont™ Tychem® hoods
20LCL	Mylar lens covers (25/pack for CC20 Series Dupont™ Tychem® hoods)
RTLCL	Mylar lens covers (25/pack for RT Series Dupont™ Tychem® hoods)
PAPRBAG	Vinyl duffel
PPEBAG	Rolling duffel

Replacement DuPont™ Tychem® Loose Fitting Facepieces

20LF2L	Loose-fitting facepiece large
20LF2M	Loose-fitting facepiece medium
20LF2S	Loose-fitting facepiece small

Replacement DuPont™ Tychem® QC Hoods

20TIC	Double bib with ratchet suspension
20TICN	Double bib with no suspension
20TICH	Double bib for use with hard hats
RT3	Double bib for use without headband

Replacement DuPont™ Tychem® SL (Saranex coated) Hoods

20SIC	Double bib with ratchet suspension
20SICN	Double bib with no suspension
20SICH	Double bib for use with hard hats
20SICVH	Double bib for use with hard hats (vinyl lens)
20SICV	Double bib with ratchet suspension (vinyl lens)
20SICVN	Double bib with no suspension (vinyl lens)
RT4	Double bib for use without headband

Replacement Suspensions for Hoods

20TG	Pinlock suspension
20RT	Ratchet suspension

Head Protection For Model 20TICH, 20SICH, 20SICVH, and GRH

C30P	Classic Series hard hat with six-point pinlock suspension
C30R	Classic Series hard hat with six-point ratchet suspension
S51P	Standard Series hard hat with four-point pinlock suspension
S51R	Standard Series hard hat with four-point ratchet suspension
RS6PC	Replacement six-point pinlock suspension
RS6RC	Replacement six-point ratchet suspension
RS4PC	Replacement four-point pinlock suspension
RS4RC	Replacement four-point ratchet suspension
ES42	Chinstrap for C30 and S51 hard hats

* Add DB suffix to part number for vinyl belt (example: EVA20LF2LDB)



www.buildyourbullard.com

Americas:
E.D. Bullard Company
 1898 Safety Way
 Cynthiana, KY 41031-9303
 Toll free: 877-BULLARD (285-5273)
 Tel: 859-234-6616
 Fax: 859-234-8987
 www.bullard.com

Europe:
Bullard GmbH
 Lilienthalstrasse 12
 53424 Remagen • Germany
 Tel: +49-2642 999980
 Fax: +49-2642 9999829
 www.bullardextrem.com

Asia-Pacific:
Bullard Asia Pacific Pte. Ltd.
 LHK Building
 701, Sims Drive, #04-03
 Singapore 387383
 Tel: +65-6745-0556
 Fax: +65-6745-5176
 www.bullard.com



©2012 Bullard. All rights reserved.
 Tychem is a registered trademark of E.I. du Pont de Nemours and Company.

