



PRODUCT NUMBER: 2232244  
**PERFECT CUTTING® WHITE**

**Honeywell**

## Overview

**Reference Number**

2232244

**Product Type**

Gloves

**Range**

Cut and Puncture Protection

**Line**

Cut resistant

**Brand**

Honeywell

**Brand formerly known as**

SPERIAN

**Industry**

- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Catering
- Energy or Electricity
- Glass Industries
- Logistics
- Maintenance
- Metal steel
- Paper Industries
- Services
- Telecoms
- Transportation
- Utilities

**Product Use**

For fine, dry handling with risks of cuts in a dry environment.

**Features & Benefits**

**Feature**

White Lycra® /Dyneem® knitted glove. White polyurethane coating on the palm and fingertips. Elastic wrist. Gauge 13. Length : 24 cm.

**Benefit**

**COMFORT** The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity. The glove offers maximum comfort and added sturdiness. The cool Dyneema® touch gives an added sensation of comfort. The glove's ventilated back optimises its breathability. **RESISTANCE** The Dyneema®/lycra® thread provides outstanding properties against cuts. Polyurethane coating at the palm and fingertips for outstanding abrasion resistance. **Caution!** Do not expose this glove to heat. **SAFETY** Its white colour enhances its hygiene and cleanliness properties.

**Technical Description**

**Description**

CE CATEGORY : II Intermediary risks In accordance with standards : EN 420-2003 Basic standards EN 388-2003 Mechanical hazards CHARACTERISTICS : White Lycra® /Dyneema® knitted glove. White polyurethane coating on the palm and fingertips. Elastic wrist.

**Product Technology**

Knitted Coated

**Gauge**

13

**Length**

24 cm

**Harmlessness**

In conformity with the European standards.

**Dexterity**

Class 5

**Sizes**

6 to 10

**EN 388 - Mechanical Hazards Abrasion Resistance**

Abrasion resistance	4
Cutting resistance	3
Tear resistance	4
Puncture resistance	2

**Packaging Label**

**Tagging**

CE HONEYWELL  
2232244 XX  
EN 420  
EN 388 : 4342

**Certifications**

 E.C. Declaration of Conformity

**EC Category PPE**

2

**Quality Assurance**

ISO 9001 / 2000

**EC Certificate Number**

0075/797/162/01/12/0055

**EC Attestation**

 EC Attestation

**EC Attestation Number**  
0075/797/162/01/12/0055

## Additional Information

**User Manual**

UI 102

**User Information Sheet**

102

## Maintenance

**Storage Information**

Minimum packaging : 10 pairs.  
Cartons of 100 pairs.

**Care Instructions**

This article can be cleaned. For cleaning instructions, contact Honeywell Safety Products.