

Product Family CSM Glovebox Gloves 10Y1532A

CSM Glovebox Gloves. Outstanding abrasion resistance. Superior resistance to ozone or oxidizing chemicals. Naturally soft for greater worker comfort. White surface for good visibility; will not hide contamination. Hand specific or ambidextrous, available in a variety of port diameters and sizes.



Overview

Key Features

CSM Glovebox Gloves. Outstanding abrasion resistance. Superior resistance to ozone or oxidizing chemicals. Naturally soft for greater worker comfort. White surface for good visibility; will not hide contamination. Hand specific or ambidextrous, available in a variety of port diameters and sizes.

Regulations

- ANSI/ISEA 105 ASTM D3389-05 Abrasion Test
- ANSI/ISEA 105 ASTM D412 Physical properties
- ANSI/ISEA 105 ASTM F1790-97 Cut Test
- EN374 Permiation and breakthrough time
- EN388 Mechanical risks from abrasion, cut, tear and puncture
- EN420 General Requirements This standard defines the general requirements for protective gloves in terms of construction, fitness of purpose and safety.
- OSHA Standard -29 CFR 1915.157 The employer shall ensure that each affected employee uses appropriate hand
 protection and other protective clothing where there is exposure to hazards such as skin absorption of harmful
 substances, severe cuts or lacerations, severe abrasions, punctures, chemical burns, thermal burns, harmful
 temperature extremes, and sharp objects.

Warranty Information

LIMITED WARRANTY. Except for any warranty for a particular product or part specifically stated in our product literature, we warrant all goods sold under this agreement against defects in materials and workmanship for one year from shipment. In the event of such defects, we will, at our sole option and as your exclusive remedy, repair or replace the defective product without charge, or refund the price you have paid. In order for this warranty to be effective, you must notify us within 15 days of discovery of the defect, you must return the defective product to us within the warranty period, properly packaged and with insurance and transportation costs prepaid. We will reship the product to you at our expense in the United States. Products will conform to Honeywell published specifications if properly used and maintained and will be free from defects in materials and/or workmanship. no changes to Honeywell published specifications will be valid without Honeywell written consent. This warranty does not cover defects which we determine are because of accident, alteration, modification, negligence, misuse, abuse failure to perform adequate maintenance, or normal wear and tear.

Specifications

Ambidextrous or Hand Specific

Ambidextrous

Coating

NA

Coating Color

NA

Coating Pattern

NA

Construction

Multi-Dip

Cuff

NA

Gauge / mil

• 15 mil

Glove Type

• Glovebox glove

Length

• 32 inch

Liner

None

Material

• Chlorosulfonated Polyethylene

Material Color

White

Overedge

NA

Supported or Unsupported

Unsupported

Surface Finish

Smooth

Literature & Documents

2602_pdf

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Gloves/19327356557 /1033.aspx

!"#!!\$\$!##!\$\$ %&%%"#()*()+, '-+# ,. /"0& ,.0 /" ,.0 1/.234)/ 567')62234)"23"23&485+#8+\$7\$96#':"'(+;'2(<6"'23#6"':= 2(7#3\$93)8723&4#867\$6\$23&4+) 0>'+? @ 47#+7')411)3'\$72#" ?"4A+"51

2603_pdf

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Gloves/19327356558 /1033.aspx

EC DECLARATION OF CONFORMITY The company: North Safety Products Europe by P.O. Box 5016 4330 KA, Middelburg The Netherlands Declares that the safety product described below: Drybox gloves made from Hypalon Articles: Port sizes: 5,6,7,8,10 inch Thickness: 15 and 32 mil Ambidextrous and hand specific Different lengths Ar

Technical Support

Technical Support is available Monday through Friday, 8:00 AM to 7:00 PM EST. 1.800.873.5242 hsptechsupport@honeywell.com