



PRODUCT NUMBER: AK1815O

AK - AK1815O

Handling of parts in cleanrooms, pharmaceutical...



Honeywell

Overview

Reference Number

AK1815O

Product Type

Gloves

Range

Chemical Protection

Line

Heavy chemical

Brand

Honeywell

Brand formerly known as

NORTH

Industry

- Laboratory
- Medical and Pharmaceutical

Product Use

Handling of parts in cleanrooms, pharmaceutical...

Features & Benefits

Feature

Unlined Latex glove Powderfree Diamond pattern class 100 for clean room

Benefit

COMFORT Natural rubber latex has excellent dexterity and elasticity Diamond embossed palm has excellent dry and wet grip HYGIENE Powder-free manufacturing process reduces particulate and extractable contamination Cleanroom packaged to protect gloves from airborne contamination. Double bagged with clean room compatible packaging and labeling materials Size embossed on gloves so there is no ink to contaminate process Low level of particles and extractables

Technical Description

Description

Unlined Latex glove Powderfree Diamond pattern

Product Technology

Dipped

Glove/liner color

Orange

Coating Type

Latex

Length

38 cm

Thickness

0,50 mm

Harmlessness

In conformity with the European standards.

Dexterity

Class 5

Sizes

7S, 8M, 9L, 10XL, 11XXL

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	2
Cutting resistance (Coupe test)	1
Tear resistance	1
Puncture resistance	0

EN 374-3 Resistance to

Resistance to permeation by chemicals	AKL
---------------------------------------	-----

Packaging Label

Tagging

CE0075 Honeywell AK1815O XX EN 420 EN 388 : 2110 EN 374-3 : AKL

Certifications

E.C. Declaration of Conformity

EC Category PPE

3

EC Certificate Number

0075/797/162/08/12/594

EC Attestation

EC Attestation

EC Attestation Number

0075/797/162/08/12/594

Certifications

- EN 0075/797/162/08/12/594

Additional Information

Maintenance

Storage Information

Minimum packaging : 10 pairs in a polybag Cartons of 100 pairs in a polybag.

Care Instructions

In order to keep its properties, this article should not be cleaned.