



PRODUCT NUMBER: 4402835

ARACUT SLEEVES

Protection of the forearm and palm against cuts.

Honeywell

Overview

Reference Number

4402835

Product Type

Gloves

Range

Cut and Puncture Protection

Line

Cut resistant

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Industry
- Automotive and Part Manufacturer
- Building and Construction
- Glass Industries
- Iron and steel industry
- Metal steel
- Paper Industries
- Ship Building
- Wood Industries

Product Use

Protection of the forearm and palm against cuts.

Features & Benefits

Feature

2 ply Kevlar® knitted sleeve

Thumbhole

Benefit

COMFORT

The knitting technique helps to obtain a cuff close to the hand and good dexterity.

The glove offers maximum comfort and added sturdiness.

The reinforced thumb offers greater support.

RESISTANCE

The Kevlar fibre offers good resistance to cuts and protection against thermal hazards (contact heat). Its dual thickness improves the cuff's mechanical and thermal performance.

SAFETY

Its length of 45cm ensures full protection of the forearm.

Technical Description

Description

CE CATEGORY : II Intermediary risks

In accordance with standards :

EN 420-03 EEC Basic standards

EN 388-03 Mechanical hazards

EN 407-04 Thermal hazards

CHARACTERISTICS :

2 ply Kevlar® knitted sleeve

Thumbhole

Product Technology

Knitted

Gauge

10

Coating Type

Kevlar®

Length

45 cm

Harmlessness

In conformity with the European standards

Dexterity

Class 5

Sizes

Unique size

EN 407 - Heat and/or Fire

Behaviour and/or fire	X
Resistance to contact heat	1
Resistance to convective heat	X
Resistance to radiant heat	X
Resistance to small metal splashes	X
Resistance to molten metal splashes	X

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	1
Cutting resistance (Coupe test)	3
Tear resistance	2
Puncture resistance	X

Packaging Label

Tagging

CE HONEYWELL

4402835 XX

EN 420

EN 388 : 132X
EN 407 : X1XXXX

Certifications

E.C. Declaration of Conformity

EC Category PPE

2

EC Certificate Number

0075/797/162/07/12/0584

EC Attestation

EC Attestation

EC Attestation Number

0075/797/162/07/12/0584- Ext. 01/05/09

Additional Information

User Manual

UI 106

User Information Sheet

106

Maintenance

Storage Information

Minimum packaging 10 units
Cartons of 100 units.

Care Instructions

In order to keep its properties, this article should not be cleaned.