

PRODUCT NUMBER: 1004591
ME54 - Shock Absorbing
Lanyard - 2m

Honeywell MILLER

# **Overview**

#### **Reference Number**

1004591

## **Product Type**

Fall Protection

#### Range

Shock Absorbing Lanyards

#### Brand

Miller by Honeywell

#### Industry

• Industry • Building and Construction

## **Product Use**

2m shock absorbing lanyard equipped with a 50mm opening scaffolding type hook and a carabiner, rope 12 mm

# Features & Benefits

#### **Feature**

Made of a highly resistant and durable 23mm polyester webbing or 12mm Polyamid rope for increased durability. 2m rope shock absorbing lanyard equipped with 1 ML00 karabiner and 1 scaffold hook.

#### Benefit

Adapted to harsh word conditions and difficult work environments. The lanyards offer a better comfort in case of a fall. Small size tear off dissipating element, which reduces the weight and makes the lanyard easier to handle and carry. Come with a variety of attachments and designed to better meet fall protection needs.

# **Technical Description**

# Length

2 m

## Weight

0.980 kg

#### **Breaking Strength**

> 15 KN

# **Operating Temperature**

-30°C to +50°C

## Rope

**Rope Raw Material** 

Ø12mm Polyamide

# **Rope Breaking Strength**

> 2500 daN

## **Rope Standard**

EN 696

# Connector

## **Connector Type**

Typekarabiner

#### **Connector Raw Material**

Raw MaterialGalvanised steel

## **Connector Opening**

Opening17 mm

## **Connector Breaking Strength**

Breaking Strength> 2500 daN

## **Connector Standard**

StandardEN 362

# Connector

## **Connector Type**

TypeAutomatic snap hook

#### **Connector Raw Material**

Raw Materialchromate steel

## **Connector Opening**

Opening50 mm

## **Connector Breaking Strength**

Breaking Strength> 2000 daN

#### **Connector Standard**

StandardEN 362

# **Energy Absorber**

# **Energy Absorber Raw Material**

Polyester/ Polyamide 30mm

# **Energy Absorber Breaking Strength**

for linked element: > 3200 daN, for unlinked element: > 1500 daN

# **Certifications**

E.C. Declaration of Conformity

# **EC Category PPE**

3

# **Quality Assurance**

ISO 9001 / 2000

# **EC Certificate Number**

333 AFAQ

#### **EC** Attestation

EC Attestation

#### **EC Attestation Number**

0082/490/160/12/99/0454

# **Additional Information**

**User Manual** NT90004208 IND L

**User Information Sheet** 

User manual

# **Packaging**

**EAN Code** 

7312550045916

© Honeywell International Inc.