








Product Family
Miller MightEvac
Self-Retracting Lifeline

The Miller MightEvac combines the superior performance and reliability of the best-selling MightyLite Self-Retracting Lifeline Series with a quick-activating retrieval mechanism for emergency evacuation.








[Visit MillerFallProtection.com >](http://MillerFallProtection.com)
















Product Numbers & Ordering Information

Product Numbers	Details
 8836/	Bracket Option Wall mount bracket
 8836SS/	Bracket Option Wall mount bracket - stainless steel
 9054EV/	Bracket Option Mounting bracket for MR50 unit
 9066EV/	Bracket Option Mounting bracket for MR100 and MR130 units
 MR100G/100FT	MightEvac Self-Retracting Lifeline with Emergency Retrieval 100-ft; Galvanized Wire Rope Unit (3/16"); Carabiner
 MR100GB/100FT	MightEvac SRL Unit with Emergency Retrieval; Mounting Bracket 100-ft; Galvanized Wire Rope Unit (3/16"); Mounting Bracket; Pulley; Carabiner
 MR100GB-Z7/100FT	MightEvac SRL Unit with Emergency Retrieval; Mounting Bracket 100-ft; Galvanized Wire Rope Unit (3/16"); Mounting Bracket, Pulley; Carabiner; ANSI Z359-2007 Compliant

Miller MightEvac Self-Retracting Lifeline

	MR100GC/100FT	MightEvac Complete Confined Space System 100-ft; Galvanized Wire Rope (3/16") Unit with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]
	MR100GCM/100FT	MightEvac Complete Confined Space System 100-ft; Galvanized Wire Rope (3/16") Unit with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulleys [2]; Carabiners [2]; Carrying Bags [3]; ManHandler Hoist
	MR100GC-Z7/100FT	MightEvac Complete Confined Space System 100-ft; Galvanized Wire Rope (3/16") Unit with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]; ANSI Z359-2007 Compliant
	MR100GX/100FT	MightEvac Complete Confined Space System 100-ft; Galvanized Wire Rope (3/16") Unit with Emergency Retrieval; 9-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]
	MR100GXM/100FT	MightEvac Complete Confined Space System 100-ft; Galvanized Wire Rope (3/16") Unit with Emergency Retrieval; 9-ft Tripod; Mounting Bracket; Pulleys [2]; Carabiners [2]; Carrying Bags [3]; ManHandler Hoist
	MR100S/100FT	MightEvac Self-Retracting Lifeline with Emergency Retrieval 100-ft; Stainless Steel Wire Rope Unit (3/16"); Carabiner
	MR100SB/100FT	MightEvac SRL Unit with Emergency Retrieval; Mounting Bracket 100-ft; Stainless Steel Wire Rope Unit (3/16"); Mounting Bracket; Pulley; Carabiner
	MR100SC/100FT	MightEvac Complete Confined Space System 100-ft; Stainless Steel Wire Rope Unit (3/16") with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]
	MR100SCM/100FT	MightEvac Complete Confined Space System 100-ft; Stainless Steel Wire Rope Unit (3/16") with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulleys [2]; Carabiners [2]; Carrying Bags [3]; ManHandler Hoist
	MR100SX/100FT	MightEvac Complete Confined Space System 100-ft; Stainless Steel Wire Rope Unit (3/16") with Emergency Retrieval; 9-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]
	MR130G/130FT	MightEvac Self-Retracting Lifeline with Emergency Retrieval 130-ft; Galvanized Wire Rope Unit (3/16"); Carabiner
	MR130GB/130FT	MightEvac SRL Unit with Emergency Retrieval; Mounting Bracket 130-ft; Galvanized Wire Rope Unit (3/16"); Mounting Bracket; Pulley; Carabiner
	MR130GB-Z7/130FT	MightEvac SRL Unit with Emergency Retrieval; Mounting Bracket 130-ft; Galvanized Wire Rope Unit (3/16"); Mounting Bracket; Pulley; Carabiner; ANSI Z359-2007 Compliant










Miller MightEvac Self-Retracting Lifeline

	MR130GC/130FT	MightEvac Complete Confined Space System 130-ft; Galvanized Wire Rope (3/16") Unit with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]
	MR130GC-Z7/130FT	MightEvac Complete Confined Space System 130-ft; Galvanized Wire Rope (3/16") Unit with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]; ANSI Z359-2007 Compliant
	MR130GX/130FT	MightEvac Complete Confined Space System 130-ft; Galvanized Wire Rope (3/16") Unit with Emergency Retrieval; 9-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]
	MR130S/130FT	MightEvac Self-Retracting Lifeline with Emergency Retrieval 130-ft; Stainless Steel Wire Rope Unit (3/16"); Carabiner
	MR130SB/130FT	MightEvac SRL Unit with Emergency Retrieval; Mounting Bracket 130-ft; Stainless Steel Wire Rope Unit (3/16"); Mounting Bracket; Pulley; Carabiner
	MR130SC/130FT	MightEvac Complete Confined Space System 130-ft; Stainless Steel Wire Rope Unit (3/16") with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]
	MR130SX/130FT	MightEvac Complete Confined Space System 130-ft; Stainless Steel Wire Rope Unit (3/16") with Emergency Retrieval; 9-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]
	MR40K/40FT	MightEvac Self-Retracting Lifeline with Emergency Retrieval 40-ft; Kevlar Rope Unit; Carabiner
	MR40KB/40FT	MightEvac SRL Unit with Emergency Retrieval; Mounting Bracket 40-ft; Kevlar Rope Unit; Mounting Bracket; Pulley; Carabiner
	MR40KC/40FT	MightEvac Complete Confined Space System 40-ft; Kevlar Rope Unit with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]
	MR40KCN/40FT	MightEvac Complete Confined Space System 40-ft; Kevlar Wire Rope Unit with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulleys [2]; Carabiners [2]; Carrying Bags [3]; Material Winch
	MR40KX/40FT	MightEvac Complete Confined Space System 40-ft; Kevlar Rope Unit with Emergency Retrieval; 9-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]
	MR40KXN/40FT	MightEvac Complete Confined Space System 40-ft; Kevlar Rope Unit with Emergency Retrieval; 9-ft Tripod; Mounting Bracket; Pulleys [2]; Carabiners [2]; Carrying Bags [3]; Material Winch

Miller MightEvac Self-Retracting Lifeline

	MR50G/50FT	MightEvac Self-Retracting Lifeline with Emergency Retrieval 50-ft; Galvanized Wire Rope Unit (3/16"); Carabiner
	MR50GB/50FT	MightEvac SRL Unit with Emergency Retrieval; Mounting Bracket 50-ft; Galvanized Wire Rope Unit (3/16"); Mounting Bracket; Pulley; Carabiner
	MR50GB-Z7/50FT	MightEvac SRL Unit with Emergency Retrieval; Mounting Bracket 50-ft; Galvanized Wire Rope Unit (3/16"); Mounting Bracket; Pulley; Carabiner; ANSI Z359-2007 Compliant
	MR50GC/50FT	MightEvac Complete Confined Space System 50-ft; Galvanized Wire Rope (3/16") Unit with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]
	MR50GCM/50FT	MightEvac Complete Confined Space System 50-ft; Galvanized Wire Rope (3/16") Unit with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulleys [2]; Carabiners [2]; Carrying Bags [3]; ManHandler Hoist
	MR50GCM-Z7/50FT	MightEvac Complete Confined Space System 50-ft; Galvanized Wire Rope (3/16") Unit with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulleys [2]; Carabiners [2]; Carrying Bags [3]; ManHandler Hoist; ANSI Z359-2007 Compliant
	MR50GCN/50FT	MightEvac Complete Confined Space System 50-ft; Galvanized Wire Rope (3/16") Unit with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulleys [2]; Carabiners [2]; Carrying Bags [3]; Material Winch
	MR50GC-Z7/50FT	MightEvac Complete Confined Space System 50-ft; Galvanized Wire Rope (3/16") Unit with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]; ANSI Z359-2007 Compliant
	MR50GX/50FT	MightEvac Complete Confined Space System 50-ft; Galvanized Wire Rope (3/16") Unit with Emergency Retrieval; 9-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]
	MR50GXM/50FT	MightEvac Complete Confined Space System 50-ft; Galvanized Wire Rope (3/16") Unit with Emergency Retrieval; 9-ft Tripod; Mounting Bracket; Pulleys [2]; Carabiners [2]; Carrying Bags [3]; ManHandler Hoist
	MR50GXN/50FT	MightEvac Complete Confined Space System 50-ft; Galvanized Wire Rope (3/16") Unit with Emergency Retrieval; 9-ft Tripod; Mounting Bracket; Pulleys [2]; Carabiners [2]; Carrying Bags [3]; Material Winch
	MR50S/50FT	MightEvac Self-Retracting Lifeline with Emergency Retrieval 50-ft; Stainless Steel Wire Rope Unit (3/16"); Carabiner
	MR50SB/50FT	MightEvac SRL Unit with Emergency Retrieval; Mounting Bracket 50-ft; Stainless Steel Wire Rope Unit (3/16"); Mounting Bracket; Pulley; Carabiner

Miller MightEvac Self-Retracting Lifeline

	MR50SC/50FT	MightEvac Complete Confined Space System 50-ft; Stainless Steel Wire Rope Unit (3/16") with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]
	MR50SCM/50FT	MightEvac Complete Confined Space System 50-ft; Stainless Steel Wire Rope Unit (3/16") with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulleys [2]; Carabiners [2]; Carrying Bags [3]; ManHandler Hoist
	MR50SCN/50FT	MightEvac Complete Confined Space System 50-ft; Stainless Steel Wire Rope Unit (3/16") with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulleys [2]; Carabiners [2]; Carrying Bags [3]; Material Winch
	MR50SC-S/50FT	MightEvac Complete Confined Space System 50-ft; Stainless Steel Wire Rope Unit (3/16") with Stainless Steel Snap Hook and Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]
	MR50SC-Z7/50FT	MightEvac Complete Confined Space System 50-ft; Stainless Steel Wire Rope Unit (3/16") with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2], ANSI Z359-2007 Compliant [Note: ANSI Hardware is not Stainless Steel]
	MR50SX/50FT	MightEvac Complete Confined Space System 50-ft; Stainless Steel Wire Rope Unit (3/16") with Emergency Retrieval; 9-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]
	MR50SXM/50FT	MightEvac Complete Confined Space System 50-ft; Stainless Steel Wire Rope Unit (3/16") with Emergency Retrieval; 9-ft Tripod; Mounting Bracket; Pulleys [2]; Carabiners [2]; Carrying Bags [3]; ManHandler Hoist
	MR80K/80FT	MightEvac Self-Retracting Lifeline with Emergency Retrieval 80-ft; Kevlar Rope Unit; Carabiner
	MR80KB/80FT	MightEvac SRL Unit with Emergency Retrieval; Mounting Bracket 80-ft; Kevlar Rope Unit; Mounting Bracket; Pulley; Carabiner
	MR80KC/80FT	MightEvac Complete Confined Space System 80-ft; Kevlar Rope Unit with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]
	MR80KCO/80FT	MightEvac Complete Confined Space System 80-ft; Kevlar Rope Unit with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulleys [2]; Carabiners [2]; Carrying Bags [3], Material Winch
	MR80KX/80FT	MightEvac Complete Confined Space System 80-ft; Kevlar Rope Unit with Emergency Retrieval; 9-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]

Overview

Key Features

Miller MightEvac Self-Retracting Lifeline

- No annual factory recertification required*
 - Significant long-term savings/lower cost of ownership
- 20% lighter than competitive models
- Promotes quick and easy rescue with a 4:1 mechanical advantage (average speed of 25 ft. [7.6m] per minute)
- 310 lb. (1.4kN) weight capacity
- For emergency evacuation only
- Corrosion-resistant stainless steel/aluminum components
- Convenient, heavy-duty carrying handle
- Available in galvanized or stainless steel wire rope and Kevlar rope in lengths of 50 ft. (15m), 100 ft. (30m) and 130 ft. (40m), or Kevlar rope models in lengths of 40 ft. (12.2m) Model MR40K/40FT, and 80 ft. (24.4m) Model MR80K/80FT.

*Does not apply to Canada due to CSA Z259.2.2-98 requirements. Must be inspected by a Miller authorized service center if involved in a fall or if fails user visual or function inspection.

Recommended Industries/Use

- Mining
- Municipal Services

Hazards

- Confined Space
- Fall from height

Regulations

- Meets all applicable OSHA, ANSI and CSA standards

Warranty Information

We sincerely believe that our fall protection equipment is the best in the world. Our products endure rigorous test to ensure that the fall protection equipment you trust is manufactured to the highest standards. Miller fall protection products are tested to withstand normal wear and tear, but are not indestructible and can be damaged by misuse. Our Limited Lifetime Warranty does not apply to normal wear and tear or abusive treatment of the product. In the unlikely event that you should discover defects in either workmanship or materials, under our Limited Lifetime Warranty, we will repair or replace the product at our expense. If a replacement is necessary and your product is no longer available, a comparable product will be substituted. Should a product issue surface, contact us at 800/873-5242. Manufacturing specifications are subject to change without notice.

Specifications

Maximum Working Capacity

- 310 lbs (1.4kN)

Specification Sheets

- For a full engineering specification sheet, go to downloads and documentation

Literature & Documents

Miller Utility Catalog - US

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/20559/1033.aspx

Safety at Height Solutions for the Utilities Industry

SP100 Miller MightyLite _MightEvac Spec Sheet - US

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Fall_Limiters/Self-Retracting_Lifelines/19164/1033.aspx

Miller MightyLite and MightEvac Spec sheet

MightEvac Manual - US

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Fall_Limiters/Self-Retracting_Lifelines/19730/1033.aspx

Miller MightEvac Instruction Manual

Training & Proper Use

Proper product training and professional fall protection training is recommended. Refer to Product Use Instructions enclosed with products.

Additional Information

800/873-5242 or 814/423-2118 email: millertechexpert@sperianprotection.com

Technical Support

Contact Miller Technical Service at 800/873-5242 or 814/423-2118 email: millertechexpert@sperianprotection.com

RELATED PRODUCTS