









# PIG® Waste Fluid Collection System

DRM375 70 gal., 32.81" x 32.81" x 30.33", 1 each

Buy the system and save on three popular PIG waste fluid collection products that make it easy to pour, store and transport liquid.

- Complete system is ready to use for mobile collection of waste fluids
- Includes Single Drum Container with 70-gallon sump that holds a 55-gallon drum, even if ruptured or leaking
- Container dolly makes it easy to move system even when it's full
- Includes Poly Drum Funnel with hinged lid for easy pouring
- Store non-hazardous waste liquids for recycling
- Empty drum not included



Item#	Description	Dimensions	Weight
DRM375-YW-BK	Yellow,	32.81" W x 32.81" L x 30.33" H	75 lbs.
DRM375-RD-BK	Red,	32.81" W x 32.81" L x 30.33" H	75 lbs.
DRM375-BK-BK	Black,	32.81" W x 32.81" L x 30.33" H	75 lbs.

# Metric Equivalent:

Item#	Description	Dimensions	Weight
DRM375-YW-BK	Yellow,	83.3cm W x 83.3cm L x 77cm H	34 kg
DRM375-RD-BK	Red,	83.3cm W x 83.3cm L x 77cm H	34 kg
DRM375-BK-BK	Black,	83.3cm W x 83.3cm L x 77cm H	34 kg

## **Specifications**

Container Type	Storage Tank
Material	Plastic

Size	70 gal.		
Style	Single Wall		
Dimensions	32.81" W x 32.81" L x 30.33" H		
Storage Capacity	70 gal.		
Meets UL 142 Standard	Does Not Meet UL 142 Standard		
Sold as	1 each		
Weight	75 lbs.		
Composition	Container, Funnel - LDPE w/ UV Inhibitor Dolly - Steel		
Includes	<ol> <li>PIG® Single Drum Container (DRM373)</li> <li>PIG® Single Drum Container Dolly (DRM374)</li> <li>PIG® Poly Drum Funnel with Hinged Lid (DRM672-BK)</li> </ol>		
Opening Dimensions	Open Top		
UNSPSC	24111812		
Pigalog® Page Number	Page 307		
Metric Equivalent			
Dimensions	83.3cm W x 83.3cm L x 77cm H		
Storage Capacity	265 L		
Weight	34 kg		

## **Technical Information**

#### **Technical Documents**

**LDPE Products** 

40 CFR 112.7

40 CFR 122.26

### **Disclaimers**

## Flammables Notice

If using this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable liquids and the safety of this application, specifically flammable vapors, static discharge and heat sources. For further assistance, please call Technical Services.



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com