

PIG® Mat Tablet® Pack

MAT124 Lightweight, 14" x 15", 180 pads

PIG Mat lasts 2x longer than ordinary mats for fewer change-outs. Absorbs everything. Works everywhere.

- Lasts 2X longer than ordinary mats for fewer change-outs, absorbs everything, works everywhere; that's why more plants worldwide use PIG Mat than any other brand
- Eight layers of 100% polypropylene are thermally bonded to make PIG Mat the strongest mat on the market; won't rip, tear or fray even when saturated
- Exclusive dimple pattern speeds wicking of liquid throughout mat for faster, easier cleanup
- Highly absorbent, fine-fiber construction won't leave liquids or fiber residue behind
- Absorbs most common industrial liquids - oils, water, solvents, coolants and more
- Absorbed leaks and drips blend right in; dark gray color hides grime so mat stays on the job longer
- Flame-resistant material won't burn immediately like cellulose mats; melts when exposed to high heat while on the job
- Can be wrung out and incinerated after use to reduce waste or for fuels blending
- Pop-up tabs and cardboard back let you hang pack anywhere in your plant - on a pegboard by your workbench, on your tool cart, even on your forklift
- Fixed number of pads makes it easy to monitor inventory and usage
- Perforated at the bound edge and center - one quick tear is all it takes and you're ready to work
- Light-weight construction is ideal for small tasks and cleanups



Specifications

Static-Dissipative	No
Floating	No
Reusable	No
Wringable	Yes

Fluid Absorbed	Oils, Coolants, Solvents, Water – Universal
Color	Gray
Dimensions	14" W x 15" L
Mat Weight	Lightweight
Recycled Content	25% or more Recycled Content
Absorbency	Up to 13.7 gal. per case
Absorbency per	Up to 9.74 oz. per pad
Brand	PIG
Perforated	Yes
Sold as	180 pads (9 tablets of 20 each)
Weight	12 lbs.
New Pig Patent	6,548,135
# per Pallet	36
Composition	Polypropylene
UNSPSC	47131901
UV Resistant	No
Pigalog® Page Number	Page 15

Metric Equivalent

Absorbency per	Up to 288 mL per pad
Absorbency	Up to 51.9 L per case
Dimensions	35.6cm W x 38.1cm L
Weight	5.4 kg

Technical Information

Technical Documents

[PIG Universal Absorbent Mats](#)

[White paper – Slip & Fall Prevention Secrets](#)

[PIG® Universal Absorbents](#)

[29 CFR 1910.22\(a\)\(2\)](#)



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com

