

## **PIG® 4 in 1® Absorbent Mat Roll**

MAT235 Mediumweight, 16" x 150', 1 roll

1 absorbent mat - 4 ways to use it. Stock just one absorbent and handle a variety of leaks, drips and spills.



- Exclusive 4 in 1 Mat is a pad, roll, sock and wiper all in one!
- Use as a pad to catch drips and soak up spills; roll out to cover large areas; fold along score lines to make a thick, absorbent "sock"; tear off a piece to use as a low-lint wiper
- No matter how you use it, this mat builds on the proven eight-layer, 100% polypropylene construction of PIG Mat, the strongest mat on the market!
- Scuff-resistant, spunbond outer layer resists wear and tear, even under heavy foot traffic or abrasive conditions
- Exclusive dimple pattern speeds wicking of liquid throughout mat for faster, easier cleanup
- Highly absorbent, fine-fiber construction won't leave liquids or fiber residue behind
- Absorbs most common industrial liquids - oils, water, solvents, coolants and more; absorbs everything, works everywhere; that's why more plants worldwide use PIG Mat than any other brand
- Absorbed leaks and drips blend right in; dark gray color hides grime so mat stays on the job longer
- Flame-resistant material won't burn immediately like cellulose mats; melts when exposed to high heat while on the job
- Rolls are perforated every 10"; easy to tear to size, use only what you need



### Specifications

Static-Dissipative	No
Traffic Level	Normal Foot Traffic
Floating	No
Reusable	No
Wringable	Yes
Fluid Absorbed	Oils, Coolants, Solvents, Water – Universal

<b>Special Feature</b>	Multi-Configurable
<b>Color</b>	Gray
<b>Dimensions</b>	16" W x 150' L
<b>Mat Weight</b>	Mediumweight
<b>Recycled Content</b>	25% or more Recycled Content
<b>Absorbency</b>	Up to 17.4 gal. per bag
<b>Absorbency per</b>	Up to 17.4 gal. per roll
<b>Brand</b>	PIG
<b>Core Diameter</b>	1.5"
<b>Perforated</b>	Yes
<b>Sold as</b>	1 roll per bag
<b>Weight</b>	13.5 lbs.
<b>New Pig Patent</b>	5,888,604; 5,597,418
<b>NSN (National Stock Number)</b>	4235-01-572-6333
<b># per Pallet</b>	32
<b>Composition</b>	Polypropylene
<b>UNSPSC</b>	47131901
<b>UV Resistant</b>	No
<b>Pigalog® Page Number</b>	<a href="#">Page 29</a>

## Metric Equivalent

<b>Absorbency per</b>	Up to 65.9 L per roll
<b>Absorbency</b>	Up to 65.9 L per bag
<b>Dimensions</b>	40.6cm W x 46m L
<b>Weight</b>	6.1 kg

## Technical Information

### Technical Documents

[PIG Universal Absorbent Mats](#)

[PIG® Universal Absorbents](#)

[29 CFR 1910.22\(a\)\(2\)](#)



**One Pork Avenue • Tipton, PA 16684-0304**

1-855-493-4647 • Fax: 1-800-621-7447 • [newpig.com](http://newpig.com) • [hothogs@newpig.com](mailto:hothogs@newpig.com)

