



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4,rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr
Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF
9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/797/162/01/09/0001

To the following model of personal protective equipment :

- * protective glove against mechanical risks, cold risks.
- * reference of the model : 2058685
- * responsible for placing on the market :

HONEYWELL SAFETY PRODUCTS EUROPE
Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG
CEDEX
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on January 02th, 2009
Update 01 of June 25th, 2012

Issued by Nadine PIPAZ

NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.



1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 02

Reference : 2058685

Basic Model

Dated : JUNE, 2012

5 Fingers glove, cowhide grain water repellent leather. Fylly lined with 2 alumium/fleece layers. Reinforcement between thumb and index. Cuff in cowsplit leather. Velcro on the back of the cuff,

Available sizes :

09 10 11

Visual description :



Material :

	Colour	Material	Gauges	Thikness
PALM	beige	cowhide grain leather, silicone/water- repellent leather		1,1/1,3mm
	Natural	poyamide yarn		
	beige	reinforcement in cowhide grain leather, silicone/water- repellent leather		1,1/1,3mm
BACK	beige	cowhide grain leather, silicone/water- repellent leather		1,1/1,3mm
	Natural	poyamide yarn		
LINING	Black	fleece brushed		
	Black aluminized	fleece brushed aluminized		
CUFF	Natural	Cowsplit leather		1,1/1,3mm
	Black	velcro		
BINDING				

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * EN 511 : 2006 - Protective gloves against cold
- * Innocuousness - At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		0804-3536/1 1201-1158/1	1201-1158/1 1203-3050/1
Azo		0804-3536/1	
EN 388		0804-3536/1 1201-1158/1	
EN 511		0804-3445 0804-3453	

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
3	2	2	2

The levels of performance have been measured on the palm

Performance levels offered against cold (EN 511:2006) are:

Convective cold	Contact cold	Water penetration
2	2	0

3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * **CE** marking
- * reference of the model: 2058685
- * size
- * pictogram for mechanical risks followed by the performance levels
- * pictogram for cold risks followed by the performance levels
- * information pictogram

Marking example:

