Classic Model Parts

Eyewash Bowls



☐ **154-058**Impact-resistant plastic eyewash bowl, 10" diameter



□ **187-053**Corrosion-resistant stainless steel bowl, 10³⁄₄" diameter

Dust Caps



Eyewash dust caps only (sold individually; two required per eyewash). Yellow plastic tether. Approximately 1" x 1".



Dual Eye/Face wash dust caps only (sold individually; two required per eyewash). Beaded chain tether, 2½" x 1".



Eyewash dust cap (sold individually; two required per eyewash). Beaded chain tether, 1" x 1".

Sprayhead and Spray Ring Assemblies



□ **\$39-394**Eyewash sprayhead assembly with supply stem



□ **\$39-396**Eye/face wash sprayhead assembly with supply stem



■ \$39-681
 Eye/face wash sprayhead assembly; stem not included

□ \$39-682 (not shown)

Eye/face wash sprayhead assembly for use with PVC unit only. Stem not included



Eye/face wash (sprayheads only) Includes 2.4 GPM flow control inside each head. Total flow from dual heads is 4.8

gpm



□ **\$39-397**Eyewash and spray ring assembly with supply stem

Page 1 of 8



Spray ring only; requires cross-connection yoke for attachment to eyewash

12/4/2018



This information is subject to change without notice.

Bradley_SafetyReplacementParts

Classic Model Parts

Eyewash Ball Valves, Handles and Hardware



□ S45-122

Plastic eyewash handle with ½" brass NPT stay-open ball valve and hardware

□ S45-123

Plastic eyewash handle with hardware

□ 128-135

Plastic eyewash handle only

□ **S27-282**

Brass ½" NPT stayopen ball valve only



□ S30-070

Stainless steel eyewash handle with ½" brass NPT stay-open ball valve and hardware

□ S30-071

Stainless steel eyewash handle with hardware

□ S08-336

Stainless steel eyewash handle only

□ **S27-282**

Brass ½" NPT stayopen ball valve only



□ S30-072

For stainless steel hinged dust covers only. Stainless steel eyewash handle with ½" brass NPT stay-open ball valve and hardware

□ S30-087

For stainless steel hinged dust covers only. Stainless steel eyewash handle with hardware

□ S27-282

Brass ½" NPT stay-open ball valve only



□ S30-074

For S19-270BL (left-hand) eyewash only. Stainless steel eyewash handle with ½" brass NPT stay-open ball valve and hardware

□ S30-075

For S19-270BL (left-hand) eyewash only. Stainless steel eyewash handle with hardware

□ S27-282

Brass ½" NPT stay-open ball valve only



□ S30-109

Stainless steel eyewash handle with ½" stainless steel NPT stay-open valve

□ S30-110

Stainless steel eyewash handle with $\frac{1}{2}$ " vented stainless steel NPT stay-open ball valve

□ S30-111

316 stainless steel eyewash handle without dust cover with ½" stainless steel NPT stayopen ball valve

□ S30-116

316 stainless steel eyewash handle with hardware



□ S30-112

Stainless steel eyewash handle with dust cover with ½" stainless steel NPT stay-open ball valve



□ S08-338

For all-stainless steel units only. Stainless steel eyewash handle (can only be used with S27-287 ball valve)

□ S08-338SS

For all 316 stainless steel units only. 316 stainless steel eyewash handle (can only be used with S27-287 ball valve)



□ S27-287

Stainless steel ½" NPT stay-open ball valve **Discontinued 4/1/2013** S30-109 or S08-338 are available for replacement parts.





Classic Model Parts

Stem Assemblies, Spacers and Flow Restrictors

Sprayhead Assembly	Galvanized Fixture with	Galvanized Fixture with	Standard Stainless	316 Stainless Steel
	Plastic Bowl	Stainless Steel Bowl	Steel Fixture	Fixture
Eyewash Only	S21-071 (stem)	S21-071 (stem)	S21-072 (stem)	S21-075 (stem)
	113-1185 (stem spacer)	113-1159 (stem spacer)	113-1159 (stem spacer)	113-1159 (stem spacer)
Eye/Face Wash with Spray Ring	S21-073 (stem) 113-1185 (stem spacer)	S21-073 (stem) 113-1159 (stem spacer)	S21-074 (stem) 113-1159 (stem spacer)	None
Eye/Face Wash with Dual Black Heads	113-1150 (stem)	113-1150 (stem)	113-1151 (stem)	None

Spacers 113-1159 and 113-1185 are required for units that shipped on or before 11/2/2005.

Stem Assemblies



□ S21-071 Brass stem assembly with

flow restrictor; for units with eyewash only

□ 113-1150

Brass stem only; for units with dual black eye/face wash heads



□ S21-072

stainless steel stem assembly with flow restrictor; for stainless steel units with eyewash only

□ S21-075

316 stainless steel stem assembly with flow restrictor; for 316 stainless steel units (with eyewash) only

□ 113-1151

stainless steel stem only; for stainless steel units with dual black eye/face wash heads



□ S21-073

Brass stem assembly with flow restrictor; for units with eyewash and spray ring only



□ S21-074

stainless steel stem assembly with flow restrictor; for stainless steel units with evewash and spray ring only

Stem Spacers



□ 113-1159

Stainless steel stem spacer; for use in units with stainless steel bowl



□ 113-1185

Black plastic stem spacer; for use in units with yellow plastic bowl

Eyewash and Eye/Face Wash Flow Restrictors



□ 125-167

3.7 GPM pink flow restrictor; for eyewash with face spray ring only (stem not included)



□ 125-032

3.5 GPM black flow restrictor; for swing-activated and swing-down units

Page 3 of 8 12/4/2018 This information is subject to change without notice. Bradley_SafetyReplacementParts

© 2018 Bradley P.O. Box 309. Menomonee Falls. WI 53052-0309 800 BRADLEY (800 272 3539) +1 262 251 6000 bradleycorp.com

Halo Model Parts

Covers and Bowl Kits



□ 187-320 Plastic bowl



□ S90-390

Plastic bowl cover kit



□ S90-391

Stainless steel bowl kit



316 stainless steel bowl kit



□ S90-388

Stainless steel bowl cover kit

Sprayhead Assemblies



□ S05-190

Sprayhead assembly



□ S05-192

Sprayhead assembly




□ S05-204

304 Stainless steel sprayhead assembly

□ **S05-205**

316 Stainless steel sprayhead assembly

Dust Cover Kits



□ S45-2675

Eyewash cover kit



□ S45-2676

Eye/Face wash cover kit

Ball Valves



□ **S27-327**

Chrome-plated brass 1/2" ball valve

☐ \$27-328 (not shown)

Stainless steel 1/2" ball valve

O-ring and Flow Control



□ S65-339

O-ring and Screen



□ S88-068

0-ring and flow control

Handle Kit



□ S08-390

Handle Kit

Spintec™ Showerhead and Drench Shower Parts

- Includes integral 22gpm flow restrictor
- Fully distributes water throughout spray pattern
- · Compact design minimizes footprint in your facility



□ S24-192 Plastic shroud and ring (showerhead not included)



□ S24-193 IStainless steel shroud and ring (showerhead not included)



Plastic showerhead and 1" diameter 90° elbow



Stainless steel showerhead and 1" diameter 90° elbow

□ 154-147 Ring only



□ S24-195 Plastic shroud with ring, plastic showerhead and 1" diameter 90° elbow



□ S24-196 Stainless steel shroud with ring, plastic showerhead and 1" diameter 90° elbow



□ S24-202 Plastic showerhead, white steel in-ceiling recessed shroud



□ 128-156A

Drench shower handle for standard (non-barrier-free) units (251/2" x 9")

□ 128-156B

Drench shower handle for flush-mount (non-barrier-free) units (36" x 9")

□ 128-156G

Drench shower handle for heat trace units (27" x 9")



□ 128-156C

Drench shower handle (48" x 9")

□ 128-156D

Drench shower handle (standard; shipped with barrier-free showers) (451/2" x 9")

□ 128-156E

Drench shower handle (57" x 9")

□ 128-156F

Drench shower handle (69" x 9")



□ S30-059

Chrome-plated brass 1" NPT ball valve with lever - recommended for optimal performance

□ S27-278

Chrome-plated brass 1" NPT ball valve only

□ \$30-061 (not shown)

Stainless steel 1" NPT ball valve with lever

□ \$27-276 (not shown)

Stainless steel 1" NPT ball valve only



□ S19-0011

Self-closing ball valve NOTE: Self-closing ball valves are not ANSI Z358.1 compliant Appendix B3. However an exception may be made in a 'school laboratory' situation. Contact local authorities regarding specific application

Page 5 of 8 12/4/2018 This information is subject to change without notice. Bradley_SafetyReplacementParts

Drench Hose Parts

Hoses



□ S89-002

8' thermoplastic hose; yellow

□ S89-003

6' stainless steel hose



□ 269-053

12' thermoplastic hose; yellow



□ 269-054

25' thermoplastic hose; yellow

Hose Guide Bracket



□ 140-226

Drench hose guide bracket

Drench Hose Replacement Part Valves



□ S39-817

Replacement valve with drench hose sprayhead

Backflow Prevention



□ **S27-303**

Dual-check backflow preventer compliant with ASSE 1024 & CSA B64.6 Watts Series 7



□ S45-2309

Dual-check vacuum breaker compliant with CSA B64.6 Watts Series 9



□ S45-2310

Dual-check backflow preventer compliant with ASSE 1012 Watts Series 9D; includes fittings for easy installation



Other

Safety Signs and Tags



☐ **114-050**Drench shower sign



Eyewash sign

□ 114-051



□ 114-052

Combination drench shower and eyewash sign



□ 114-050E

International safety drench shower sign



□ 114-051E

International safety eyewash sign



□ 114-052E

International safety combination drench shower and eyewash sign

Foot Treadle Kits



□ S45-572

Foot treadle and hardware kit (with 3-foot chain) for standard pedestal-mounted eyewashes and combination shower/eyewash units with hand operation; provides supplemental foot operation

☐ \$45-1314\$\$

Type 316 stainless steel foot treadle and standard stainless steel hardware kit for stainless steel pedestal-mounted eyewashes and combination shower/eyewash units


□ \$45-1314\$\$16

Type 316 stainless steel foot treadle and 316 stainless steel hardware kit for Type 316 stainless steel pedestal-mounted eyewashes and combination shower/eyewash units



□ S39-395

Foot treadle and hardware kit for wallmounted eyewashes with hand operation; provides supplemental foot operation



□ \$45-620

Foot treadle and hardware kit for model S19-310PVC combination drench shower and eyewash unit with hand operation; provides supplemental foot operation

On-Site Portables



□ S19-949 On-Site Eyewash Kit

Includes replacement cap, nine foam liners, inspection tag

□ 269-1379 On-Site Water Foam Liner

Perforated foam liner (sold individually)



□ 133-140


Gravity fed tank

□ **204-421**Inspection Tag (sold individually)



□ 269-964

Safety yellow touch-up paint. 12-oz. aerosol



□ 269-1444

Eyewash test gauge

© 2018 Bradley
P.O. Box 309, Menomonee Falls, WI 53052-0309
800 BRADLEY (800 272 3539) +1 262 251 6000
bradleycorp.com

Page 7 of 8 12/4/2018 This information is subject to change without notice. Bradley_SafetyReplacementParts



Other

Freeze and Scald Protection Kits

- Freeze protection valves completely open at 35°F (1.6°C) and closes at 45°F (7.2°C)
- Scald protection valves completely open at 105°F (40.5°C) and closes at 85°F (29.4°C)



Classic combination units require both drench shower and eyewash protection valves.




□ S45-1703

Freeze protection replacement valve for drench showers and eyewashes

□ S45-1702

Scald protection replacement valve for drench showers and eyewashes




□ S45-1987

Freeze protection kit for drench showers; includes freeze protection valve, tee, nipples, compression fitting, ball valve, tubing and cable tie

□ S45-1990

Scald protection kit for drench showers; includes scald protection valve, tee, nipples, compression fitting, ball valve, tubing and cable tie



□ \$45-1986

Freeze protection kit for eyewashes; includes freeze protection valve, tee, nipples, compression fitting, ball valve, tubing and cable tie

□ S45-1989

Scald protection kit for eyewashes includes scald protection valve, tee, nipples, compression fitting, ball valve, tubing and cable tie

Optional Adapters

□ 153-395

Female, 13/16" x 24 — Chrome

□ 153-396

Male, 3/8" NPSM — Chrome

Female, 3/4" (Garden Hose) — Chrome