

Type I Safety Cans

Protect workers and reduce fire risks by transferring, storing and dispensing flammable liquids in OSHA-approved, single-spout Type I safety cans

- Self-closing, leakproof lid protects vapors from escaping and guards against spills
- Positive-pressure relief cap automatically vents can to guard against rupture or explosion
- Stainless steel flame arrestor dissipates heat to stop flashback ignition
- Guaranteed 100% leakproof construction
- Large label ID zone on swing-handle cans provides writing space to identify contents
- Trigger-release handle on cans up to 1-quart (1-L)
- Swinging handles on cans 1-gallon or larger help carry heavier loads
- Tough powder-coat finish resists chemicals.



Swinging, full-fisted rounded handle eases carrying.

Type I Safety Can Funnel

- Polypropylene funnel for sizes 1-gallon (4-L) and larger
- Two positions: folds down for filling, stays up when pouring
- Big bowl protects against splashes



Convenient hinged design allows you to fill the can without removing the funnel.



Description and Capacity	Dimensions OD x H	Approv/Lstg Regulation	Red Can Model	Red Can with Funnel* Model
Trigger Handle Type I Safety Cans				
1 pint (0.5 L) steel safety can	4.812 x 6.75 in (122 x 172 mm)	FM, UL/ULC, TÜV	10001	—
1 quart (1 L) steel safety can	4.812 x 8.25 in (122 x 210 mm)		10101	
1 gallon (4 L) steel safety can	7.25 x 11.5 in (184 x 292 mm)	FM, UL/ULC	10301	
Swinging Handle Type I Safety Cans				
1 gallon (4 L) steel safety can	9.5 x 11 in (241 x 279 mm)	FM, UL/ULC, TÜV	7110100	7110110
2 gallon (7.5 L) steel safety can	9.5 x 13.75 in (241 x 349 mm)		7120100	7120110
2.5 gallon (9.5 L) steel safety can	11.75 x 11.5 in (298 x 292 mm)		7125100	7125110
5 gallon (19 L) steel safety can	11.75 x 16.875 in (298 x 429 mm)		7150100	7150110
Polypropylene funnel for 1 gallon (4L) and larger	0.5 x 11.25 in (13 x 286 mm)	—	11202Y	—
Bolt-on funnel with galvanized hose for 1 gallon (4L) and larger	1 x 14 in (25 x 356 mm)		11089	

* Approvals apply to safety can only, not funnel.