



## DÜPERTHAL CLASSIC LINE (WITH WING DOORS)

## DÜPERTHAL SAFETY CABINETS FOR FLAMMABLE LIQUIDS

### TYPE 90

- With shelves for the storage of hazardous substances in working spaces
- Doors with standard integrated arrest system, meaning that containers can be placed in and removed from the cabinet with both hands. In case of fire, the thermocouple initiates the closing of the door

#### PRODUCT CODE

<b>900DUP29-201267-030</b>	Classic XL1 with stainless steel shelves, 3 shelves, 1 bottom tray, 1 perforated sheet insert and base, W 1194mm x D 612mm x H 2085mm
----------------------------	---



## DÜPERTHAL PULLOUT CABINET PREMIUM XL (WITH CASCADING FOLDING DOORS)

### TYPE 90

- With pull-out trays for the storage of hazardous substances in working spaces and space-saving folding doors
- Doors with standard integrated arrest system, meaning that containers can be placed in and removed from the cabinet with both hands. In case of fire, the thermocouple initiates the closing of the doors

#### PRODUCT CODE

<b>900DUP29-201262-059</b>	Premium XL 4 with 12 pull-out trays & base, W 1194mm x D 597mm x H 2077mm
----------------------------	---



## DÜPERTHAL HAZARDOUS SUBSTANCES CENTRE (HSC) UTS LINE - UNDER-BENCH SAFETY CABINET

### TYPE 90

- With wing doors and/or drawer for under benches the storage of hazardous substances in working spaces
- Constant floor extraction by the slotted base. This enables harmful substances or vapors which collect at the bottom to be safely picked up and removed with the exhaust air

#### PRODUCT CODE

<b>900DUP39-061167-005</b>	HSC UTS LT with stainless steel fittings, 2 pull-out trays, 1 perforated sheet insert and 35mm base, W 1100mm x D 595mm x H 635mm
----------------------------	---



## DÜPERTHAL HAZARDOUS SUBSTANCES CENTRE (HSC) CLASSIC LINE CABINET

### TYPE 90

- For combined storage of acids, lyes and flammable hazardous substances in working spaces
- Consists of acid and lye cabinet, store chamber and safety cabinet with fire resistance of 90 minutes
- TÜV-tested according to DIN EN 14727 (laboratory furniture standard)

#### PRODUCT CODE

<b>900DUP39-201270-067</b>	HSC Classic S with 1 shelf, 1 perforated sheet insert, 6 pull-out PE shelves, W 1200mm x D 660mm x H 2040mm
----------------------------	---



## DÜPERTHAL COOL LINE FIRE-PROOF REFRIGERATOR

## DÜPERTHAL SAFETY CABINETS FOR REFRIGERATED STORAGE

### TYPE 90

- Fire-proof refrigerators, classified type 90 to DIN EN 14470-1, with explosion-proof interiors for the storage of flammable liquids in small containers in working spaces
- Explosion-proof interior
- Automatically switches off if venting fails

#### PRODUCT CODE

<b>900DUP89-200970-030</b>	Cool XL, 5 shelves, 1 bottom tray, 1 perforated sheet insert, W 895mm x D 745mm x H 2040mm
----------------------------	--





## DÜPERTHAL SAFETY CABINETS FOR CLEANROOMS



- For the storage of acids and lyes in cleanrooms
- TÜV-tested according to DIN EN 14727 (laboratory furniture standard)
- Ventilation at every cabinet level

(Lye: a corrosive alkaline substance, commonly known as sodium hydroxide, NaOH)



**DIN EN**

## DÜPERTHAL ACID LINE PURE SAFETY CABINET

### PRODUCT CODE

<b>900DUP20-201267-466</b>	Acid Pure XL with 4 collection trays, W 1195mm x D 595mm x H 1955mm
----------------------------	---

## DÜPERTHAL CLASSIC LINE PURE SAFETY CABINET



### TYPE 90

- With wing doors for the storage of hazardous substances in cleanrooms
- Suitable for installation in cleanrooms Class 5 to DIN EN ISO 14644-1

### PRODUCT CODE

<b>900DUP29-200660-006</b>	Classic Pure M, 3 shelves, 1 bottom tray, 1 perforated sheet insert and base, W 595mm x D 595mm x H 2080mm
----------------------------	--



**DIN EN CE**

## DÜPERTHAL DRUM STATIONS



### TYPE 90

- Safety cabinets for active storage, filling and transferring of hazardous substances
- TÜV-tested according to DIN EN 14727 (laboratory furniture standard)
- Explosion-proof compressed-air drum pump including hose pump, connection pipe with couplings, bottom tray with grating

### PRODUCT CODE

<b>900DUP29-201777-031</b>	Drum station XXL, Outer Dimension: W 1655 x D 745 x H 2080mm, Inner Dimension: 2 x W 744mm 2 x D 595mm x H 1260mm
----------------------------	---



**DIN EN CE**

## DÜPERTHAL FLOW LINE DRUM STATION

## DÜPERTHAL FILTER SYSTEMS



- For ventilation and monitoring of safety cabinets through almost 100% filtering of harmful vapors of solvents (hydrocarbons) by molecular absorption
- ATEX-declaration of conformity in accordance with directive 94/9/EC and type certificate with TÜV Süd
- Multistage filter warning system
- Multistage, earthed filter system with safety factor of 2

### PRODUCT CODE

<b>900DUP2.00.390-1</b>	Filter unit with ventilator and exhaust air monitor, W 550mm x D 440mm x H 352mm
-------------------------	--



**ATEX DIN EN CE**

## DÜPERTHAL FILTER UNIT (ATEX-COMPLIANT)

## DÜPERTHAL SAFETY CABINETS FOR PRESSURIZED GAS CYLINDERS



### TYPE G90

- For the storage, provision and emptying of pressurized gas cylinders
- TÜV-tested according to DIN EN 14470-2
- Combination of low rolling height and standard integrated roll-in flap makes placing of gas cylinders easy
- 1 cylinder holder with 2 retaining belts, 2 horizontal installation rails for easy installation of gas fittings, 1 cylinder lock

- Available with wing door hung left

### PRODUCT CODE

<b>900DUP79-130660-021</b>	Supreme S, Door hung right, Weight: 290kg, (WxDxH) Outer: 595 x 610 x 1415mm, Inner: 430 x 388 x 1172mm
----------------------------	---



**DIN EN CE**



## DÜPERTHAL SUPREME LINE PLUS SAFETY CABINET M

DÜPERTHAL SAFETY CABINETS FOR PRESSURIZED GAS CYLINDERS

### TYPE G90

- For the storage, provision and emptying of pressurized gas cylinders
- TÜV-tested according to DIN EN 14470-2
- Combination of low rolling height and standard integrated roll-in flap makes placing of gas cylinders easy
- 1 cylinder holder including retaining belt, 2 horizontal installation rails for easy installation of gas fittings, 1 cylinder lock

- Available with wing door hung left

#### PRODUCT CODE

<b>900DUP79-200660-021</b>	Supreme M, Door hung right,
	Weight: 375kg, (WxDxH)
	Outer: 595 x 610 x 2070mm,
	Inner: 430 x 388 x 1826mm


**DIN EN CE**


## DÜPERTHAL SUPREME LINE PLUS SAFETY CABINET L

### TYPE G90

- For the storage, provision and emptying of pressurized gas cylinders
- TÜV-tested according to DIN EN 14470-2
- Combination of low rolling height and standard integrated roll-in flap makes placing of gas cylinders easy
- 1 cylinder holder including 3 retaining belts, 2 horizontal installation rails for easy installation of gas fittings, 1 cylinder lock

#### PRODUCT CODE

<b>900DUP79-200960-021</b>	Supreme L,
	Weight: 480kg, (WxDxH)
	Outer: 895 x 610 x 2099mm,
	Inner: 730 x 404 x 1826mm


**DIN EN CE**


## DÜPERTHAL SUPREME LINE PLUS SAFETY CABINET XL

### TYPE G90

- For the storage, provision and emptying of pressurized gas cylinders
- TÜV-tested according to DIN EN 14470-2
- Combination of low rolling height and standard integrated roll-in flap makes placing of gas cylinders easy
- 1 cylinder holder including 4 retaining belts, 2 horizontal installation rails for easy installation of gas fittings, 1 cylinder lock

#### PRODUCT CODE

<b>900DUP79-201260-021</b>	Supreme XL,
	Weight: 595kg, (WxDxH)
	Outer: 1195 x 610 x 2070mm,
	Inner: 1030 x 404 x 1826mm


**DIN EN CE**


## DÜPERTHAL SUPREME LINE PLUS SAFETY CABINET XXL

### TYPE G90

- For the storage, provision and emptying of pressurized gas cylinders
- TÜV-tested according to DIN EN 14470-2
- Combination of low rolling height and standard integrated roll-in flap makes placing of gas cylinders easy
- 1 cylinder holder including 4 retaining belts, 2 horizontal installation rails for easy installation of gas fittings, 1 cylinder lock

#### PRODUCT CODE

<b>900DUP79-201460-021</b>	Supreme XXL,
	Weight: 680kg, (WxDxH)
	Outer: 1395 x 610 x 2070mm,
	Inner: 1230 x 404 x 1826mm


**DIN EN CE**




Original Photograph by Düperthal Sicherheitstechnik GmbH & Co. KG (photograph has been cropped)