


WORKSafe®

worksafe.com.sg

CATALOGUE

Designs for Comfort and Protection





HEAD & FACE PROTECTION

The hard hat has come a long way since the late 1800s. First inspired by military helmets, today's safety helmets are constructed of sturdy High Density Polyethylene (HDPE), Acrylonitrile Butadiene Styrene (ABS) or fiberglass. Offering great protection against falling objects, our head protection products are tested according to Singapore's SS98:2005 safety standard.

Faceshields protect your face from impact, chemical and heat hazards. Our faceshields meet a variety of safety standards including ANSI Z87.1, CSA Z94, EN166 and AS/NZS 1337. Combine them with our safety eyewear for added protection!

For more information regarding our faceshields, visit our site at safety.com.sg or **contact us!**



HELMETS



WORKGARD® SAFETY HELMET

- HDPE outer shell with rain through for water disbursement
- Contoured at both sides to accommodate hearing protection
- 30mm accessory slot designed to be compatible with a wide range of face shields and hearing products
- 6-point suspension with 2-level height adjustment for a good fit
- Easy-to-fit adjustment system of interlocking teeth for firm hold; slide to tighten
- Fits a wide range of head sizes up to 62cm (head circumference)
- Comes with a highly absorbent sweat band
- Complies with EN 397:2012 + A1:2012 and SS98:2005

BRAND	PRODUCT CODE	DESCRIPTION
WORKGard®	WGH100BL	Safety Helmet, Colour: Blue
WORKGard®	WGH100RD	Safety Helmet, Colour: Red
WORKGard®	WGH100WH	Safety Helmet, Colour: White
WORKGard®	WGH100YL	Safety Helmet, Colour: Yellow
WORKGard®	WGH190	Safety Helmet Ratchet Suspension (Spare Part for Replacement)
WORKGard®	WGH150	2-Point Chin Strap
WORKGard®	WGH160	2-Point Chin Strap, with Chin Guard
WORKGard®	WGH170	Helmet Inner Liner



EYE PROTECTION

Your eyes are your most important tools. And we at WORKSafe are committed to their protection. Our extensive range of eyewear can carry you from the workplace to the street. Dedicated to your eye protection needs, we spare no expenses and efforts to deliver the solid products you deserve.

PRODUCT FEATURES

99.99% protection against dangerous UVA and UVB.

ASIAN FIT DESIGN

We understand the unique needs of workers in the region. That's why our eyewear is specially adapted for Asian Facial Structures. This ensures a secure fit every time you put them on, for uncompromised comfort and protection.

SETTING THE STANDARD

American USA Standard

ANSI/ISEA Z87.1-2015
ANSI Z87.1-2010
ANSI Z87.1-2003

Singapore Standard

SS4373:2011

European Standard

EN166:2001




Hard Coat (HC)

These lenses are especially resistant to scratches and are more durable



Anti-Fog (AF)

These lenses are rated to resist misting for clear vision in spite of temperature changes



SAFETY GLASSES (PLANO)


MANTIS E122

WORKSafe® Mantis' lightweight wraparound lens maximises both peripheral vision and protection.

- Integrated cheek guard for complete protection
- Integrated universal-fit nose pads



ANSI Z87.1-2003
SS473:2011



Block 99%
UV radiation



Asian fit



WSE12201

Frame & Temple: Frosted Clear
Lens: Clear **AF**



WSE12211

Frame & Temple: Frosted Clear
Lens: Grey **AF**



WSE12220

Frame & Temple: Frosted Clear
Lens: Indoor/Outdoor **HC**


CHASER E190

WORKSafe® Chaser features flexible corrugated skull-grip temple tips for a more comfortable and secure fit.

- Soft rubber universal-fit nose pads
- Basic eyewear for all industries including construction



ANSI Z87.1-2020
SS473:2011



Block 99%
UV radiation



Asian fit



WSE19000

Frame & Temple: Frosted Clear
Lens: Clear **HC**



WSE19010

Frame & Temple: Frosted Grey
Lens: Grey **HC**

SAFETY GLASSES (PLANO)


STRIDER I E261

WORKSafe® Strider I's integrated side shields maximise your peripheral vision.

- 4-stage temple extension for perfect fit
- Integrated universal-fit nose pads



ANSI Z87.1-2003
SS473:2011



Block 99%
UV radiation



Asian fit



WSE26100

Frame & Temple: Navy Blue
Lens: Clear HC



WSE26110

Frame & Temple: Navy Blue
Lens: Grey HC



SIRIM DOSH
ANSI/ISEA Z87.1:2010
PC011190


ALCOR E3029

Designed to provide unfettered viewing angles thanks to a wraparound frame, WORKSafe® Alcor also keeps sweat and dirt away with a brow guard.

- Wraparound frame maximises peripheral vision and protection
- Soft rubber universal-fit nose pads



ANSI Z87.1-2020
SS473:2011



Block 99%
UV radiation



Asian fit



WSE3029000

Frame & Temple: Clear / Grey
Lens: Clear HC



WSE3029A720

Frame & Temple: Brown Translucent
Lens: Indoor/Outdoor HC

SAFETY GLASSES (PLANO)


FIREFLY E622

WORKSafe® Firefly's unique curved lens provides maximum protection along your facial profile.

- Cheek guard for complete protection
- Soft rubber universal-fit nose pads



ANSI Z87.1-2003
SS473:2011



Block 99%
UV radiation



Asian fit



WSE62201

Frame & Temple: Frosted Clear
Lens: Clear AF



WSE62211

Frame & Temple: Frosted grey
Lens: Grey AF



WSE62220

Frame & Temple: Frosted Clear
Lens: Indoor/Outdoor HC


RAIDER E3011

WORKSafe® Raider has opaque integrated side shields to block out glare and maximise protection. Lightweight Nylon frame available for Shiny Black frames.

- Anti-slip skull temples
- Soft rubber universal-fit nose pads



ANSI/ISEA
Z87.1-2010
SS473:2011



Block 99%
UV radiation



Asian fit



WSE3011S201

Frame & Temple: Shiny Black
Lens: Clear AF



WSE3011S211

Frame & Temple: Shiny Black
Lens: Grey AF



WSE3011A722

Frame & Temple: Brown Translucent
Lens: Indoor/Outdoor HC

SAFETY GLASSES (PLANO)


ASTRIDER-E E3033

WORKSafe® Astrider-E features integrated cheek and side protectors, providing maximum protection for the user.

- 3-stage extendable self-locking tri-flex temples
- 3-point adjustable inclination
- Soft universal-fit nose pads



ANSI/ISEA
Z87.1-2010
SS473:2011



Block 99%
UV radiation



Asian fit



SIRIM DOSH
ANSI/ISEA Z87.1:2010
PC011190



WSE3033101

Frame & Temple: Matt Navy Blue

Lens: Clear AF



WSE3033111

Frame & Temple: Matt Navy Blue

Lens: Grey AF



Futuristic design

SAFETY GLASSES (PLANO)


SABRE

The WORKSafe® Sabre possesses thin rubberised temples, making it light, comfortable and grippy.

- 3-point adjustable inclination
- Anti-slip skull-grip temples
- Soft rubber universal-fit nose pads



EN166:2001
SS473:2011



Block 99%
UV radiation



Asian fit



WSE3049000

Frame & Temple: Clear
Lens: Clear HC



WSE3049020

Frame & Temple: Clear
Lens: Clear Indoor/Outdoor HC


SKYVO E197

WORKSafe® Skyvo's unique curved lens lines your facial contours, giving you complete protection.

- Integrated cheek guard for complete protection
- 3-stage extendable self-locking tri-flex temples
- 3-point adjustable inclination



ANSI Z87.1-2003
SS473:2011



Block 99%
UV radiation



Asian fit



SIRIM DOSH
ANSI/ISEA Z87.1:2010
PC011190



WSE197120

Frame & Temple: Matt Navy Blue
Lens: Indoor/Outdoor HC



WSE197111

Frame & Temple: Matt Navy Blue
Lens: Grey AF



WSE197101

Frame & Temple: Matt Navy Blue
Lens: Clear AF

SAFETY GLASSES (PLANO)


WIDER E3050

Who says safety is boring? With the bold stylings of the WORKSafe® Wider, you can show off as you work those daily shifts.

- Extendable temple to fit face
- Soft rubber universal non slip nose pads



ANSI Z87.1-2020/
EN166
SS473:2011



Block 99%
UV radiation



Asian fit



WSE3050601

Frame & Temple: White/Green
Lens: Clear AF



WSE3050311

Frame & Temple: Grey/Blue
Lens: Grey AF



WSE3050320

Frame & Temple: Grey/Blue
Lens: Indoor/Outdoor HC


WAVE

WORKSafe® Wave's lightweight wraparound lens maximises both peripheral vision and protection.

- Wraparound lenses for maximum vision
- Non-slip temple tips
- Secure soft nose pad
- Metal free hinge design feature



ANSI Z87.1-2020
SS473:2011



Block 99%
UV radiation



Asian fit



WSE3074-C1

Frame & Temple: Clear Frame, Black Temple, Blue Tips
Lens: Clear AF



WSE3074-C2

Frame & Temple: Clear Frame, Black Temple, Blue Tips
Lens: Indoor/Outdoor HC

SAFETY GLASSES (PLANO)


AERO E3058

Simple yet elegant, WORKSafe® Aero is a light and strong eyewear that lets you do your work with ease.

- Integrated universal-fit nose pads
- Rubber grip



ANSI Z87.1-2015
SS473:2011



Block 99%
UV radiation



Asian fit



WSE3058-C1

Frame & Temple: Glossy Black
Lens: Clear AF



WSE3058-C2

Frame & Temple: Glossy Black
Lens: Clear Indoor/Outdoor HC



SAFETY GLASSES (PLANO)


GLINDER

This sturdy safety eyewear, WORKSafe® Glinder is good for a variety of work, from logistics to construction.

- 3-stage extendable temple length
- 3-point adjustable inclination
- Soft rubber universal-fit non-slip nose pads
- Vented soft-cushioned browguard and temple increase aeration and minimise fogging



ANSI Z87.1-2020/
EN166
SS473:2011



Block 99%
UV radiation



Asian fit



WSE3048-C1

Frame & Temple: Black/Red
Lens: Clear AF



WSE3048-C2

Frame & Temple: Black/Red
Lens: Grey AF



WSE3048-C3

Frame & Temple: Black/Red
Lens: Indoor/Outdoor Mirror UV40


AWING E171

WORKSafe® A-Wing represents peak form and function, providing you clear and secure vision for months on end.

- Dual density skull temples
- Soft rubber universal-fit nose pads



ANSI/ISEA
Z87.1-2003
SS473:2011



Block 99%
UV radiation



Asian fit



WSE171101

Frame & Temple: Shiny Gunmetal
Lens: Clear AF



WSE171111

Frame & Temple: Shiny Gunmetal
Lens: Grey AF



WSE171121

Frame & Temple: Shiny Gunmetal
Lens: Indoor/Outdoor HC

SAFETY GLASSES (PLANO)


STRYX

Choose from 3 kinds of swapple lenses to suit your style!

- Rubber temples for better grip
- Adjustable anti slip nose pads
- Optional prescription lens inserts available as top-up
- Ultra spoty design



ANSI Z87.1-2015
SS473:2011



Block 99%
UV radiation



Asian fit



WSE3069-C1

Frame & Temple: Satin Black frame with Grey Tips
Lens: Clear HC



WSE3069-C2

Frame & Temple: Satin Black frame with Green Tips
Lens: Clear HC



WSE3069-L01
Indoor/Outdoor Lens



WSE3069-L02
Smoke Grey Lens



WSE3069-L03
Green Revo Lens



WSE3069-INSERT



SAFETY GLASSES (OVERSPECS)


V-SPEX EDK1

A choice that's great value for outfitting an entire crew for moderate-level work. These overspecs are also perfect for visitors to wear.

- Can be worn over prescription eyewear or simply on its own
- Integrated universal-fit nose pads
- Dark amber reduce eye strains and fatigue caused by bright light



ANSI Z87.1-2003
SS473:2011



Block 99%
UV radiation



Asian fit



SIRIM DOSH
ANSI/ISEA Z87.1:2010
PC011190



WSEDK100

Frame & Temple: Clear
Lens: Clear [HC](#)



WSEDK101

Frame & Temple: Grey
Lens: Grey [HC](#)



WSEDK1-C3

Frame & Temple: Dark Amber Frame
Lens: Dark Amber [AF](#)


LESPEX E3030

Built for comfort, the WORKSafe® Lespex is light and sleek too make workdays a little easier to bear.

- Integrated universal-fit nose pads
- Can be worn over prescription eyewear or simply on its own



ANSI Z87.1-2020
SS473:2011



Block 99%
UV radiation



Asian fit



WSE3030000

Frame & Temple: Clear
Lens: Clear [HC](#)



WSE3030A610

Frame & Temple: Grey
Lens: Grey [HC](#)



WSE3030A720

Frame & Temple: Brown Translucent
Lens: Indoor/Outdoor [HC](#)

SAFETY GLASSES (OVERSPECS)


RAZOR E3067

The WORKSafe® Razor eyewear combines sharp looks with great protection. These stylish glasses can be worn over prescription eyewear to provide great protection from impact forces.

- Wraparound frame maximises peripheral vision and protection
- Integrated universal-fit nose pads
- Provide protections against high speed particles at extreme temperature conditions. (between -5°C and 55°C)



EN166:2001
SS473:2011



Block 99%
UV radiation



Asian fit



WSE3067-C2

Frame & Temple: Matt Black
Lens: Clear AF



WSE3067-C3

Frame & Temple: Matt Black Frame, Grey Browguard
Lens: Weld Shad 5 AF


DUOSPEX E387

This simple and unisex design keeps you looking classy at the worksite and on the streets.

- Can be worn over prescription glasses or on its own as safety spectacles or sunglasses
- Anti-slip skull grip temples for snug fit



ANSI Z87.1-2003
SS473:2011



Block 99%
UV radiation



Asian fit



SIRIM DOSH
ANSI/ISEA Z87.1:2010
PC011190



WSE387201

Frame & Temple: Matt Black
Lens: Clear AF



WSE387211

Frame & Temple: Matt Black
Lens: Grey AF

SAFETY GLASSES (OVERSPECS)


AIRSPEX E3032

Bid goodbye to boring overspecs design with the arrival of WORKSafe® Airspex. A fashionable piece with bold, sleekly designed ventilated temples and red rubber temple tips add a tinge of style.

- Ventilated temples increase aeration and minimise fogging
- Can be used as overspecs or on its own
- Anti-slip skull grip temples for snug fit



ANSI Z87.1-2010
SS473:2011



Block 99%
UV radiation



Asian fit



SIRIM DOSH
ANSI/ISEA Z87.1:2010
PC011190



WSE3032311

Frame & Temple: Graphite
Lens: Grey AF



WSE3032-C3

Frame & Temple: Clear with Red Tips
Lens: Clear AF

SAFETY GOGGLES


STINGER E3031

WORKSafe® Stinger – an acetate anti-fog lens goggle that offers good protection. Its chemical-resistant lens is paired with a soft rubber nose that accommodates most Western and Asian facial profiles.

- Cellulose acetate anti-fog lens by Jebsen-Mazzucchelli, Italy
- 180° panoramic lens
- Integrated air ventilation system and cheek protector
- Suitable for use with half-masks and filtering face masks



ANSI/ISEA
Z87.1-2015
SS473:2011



Block 99%
UV radiation



Asian fit



SIRIM DOSH
BN EN 166:2002
PC011436



WSE3031-C2

Frame & Temple: Clear, Woven Strap
Lens: Clear AF



SAFETY GOGGLES


VANTAGE E3073

WORKSafe® Vantage safety goggles is designed for comfort. The upper and lower parts of the body are frosted to protect against light reflection and glare.

- Designed to be worn over prescription eyewear
- Flexible body adapts to face for snug fit
- Fully adjustable headband
- Integrated ventilation system and cheek protector
- Compatible with half-face masks and filtered face masks



ANSI /SEA
Z87.1-2020
SS473:2011



Block 99%
UV radiation



Asian fit



WSE3073-C1

Frame & Temple: Black, Woven Strap
Lens: Clear AF


ASTRONIX E302

WORKSafe® Astronix provides unfettered side visibility with 180° panoramic lens. Scratch-resistant and affordable, they can even be worn over prescription eyewear.

- Flexible body and anatomical nose cushioning adapts to face for snug fit
- Fits over most prescription eyewear
- Fully adjustable headband
- Integrated ventilation system and cheek protector
- Suitable for use with half-masks and filtering face masks



ANSI Z87.1-2003
SS473:2011



Block 99%
UV radiation



Asian fit



WSE302101

Frame & Temple: Shiny Graphite
Lens: Clear AF

SAFETY GOGGLES


STRIKE E301

WORKSafe® Strike safety goggles is designed for comfort. The upper and lower parts of the body are frosted to protect against light reflection and glare.

- Flexible body adapts to face for snug fit
- Fully adjustable headband
- Integrated ventilation system and cheek protector
- Suitable for use with half-masks and filtering face masks



ANSI Z87.1-2015
SS473:2011



Block 99%
UV radiation



Asian fit



WSE301101

Frame & Temple: Frosted Clear
Lens: Clear AF


BIONIX E303

WORKSafe® Bionix is a wraparound panavision goggles with integrated ventilation system, dual density rubber body and soft rubber nose cushioning to provide total eye protection in optimal comfort, even in extreme situations.

- Can be worn over prescription eyewear
- Fully adjustable headband
- Integrated cheek protector
- Suitable for use with half-masks and filtering face masks



ANSI Z87.1-2003
SS473:2011



Block 99%
UV radiation



Asian fit



WSE303501

Frame & Temple: Orange/Grey
Lens: Clear AF

SAFETY GLASSES (PLANO)


E3037

WORKGard® E3037 safety glasses' integrated side shields maximise peripheral vision.

- 3-stage temple extension for perfect fit
- Integrated universal-fit nose pads



ANSI Z87.1-2010
SS473:2011



Block 99%
UV radiation



Asian fit



WGE3037S200

Frame & Temple: Shiny Black
Lens: Clear HC


E3068

This polycarbonate WORKGard® E3068 eyewear offers great value, durability and defense in a low-profile form factor.

- Suitable for variety of facial types
- Clear and light translucent frame
- Durable anti-fog lenses



ANSI/ISEA
Z87.1-2020
SS473:2011



Block 99%
UV radiation



Asian fit



WGE3068-C1

Frame & Temple: Translucent Clear
Lens: Clear AF



WGE3068-C2

Frame & Temple: Black Frame
Lens: Grey AF

SAFETY GLASSES (PLANO)


FIREWING

Tastefully accented with a splash of colour, these futuristic frames offer no-nonsense protection at your workplace. Comfortable and light, you can wear these for hours on end!

- Durable hard coated lens
- Rubber nosepad



ANSI Z87.1-2015
SS473:2011



Block 99%
UV radiation



Asian fit



WGE3064-C1

Frame & Temple: Translucent Clear
Lens: Clear HC



SAFETY GOGGLES


BASIC E3066

This WORKGard® Basic goggle combines an anti-fog polycarbonate lens with a clear PVC frame. It's the crystal-clear choice for general-use eye protection!

- Clear and light translucent frame



EN166
SS473:2011



Block 99%
UV radiation



Asian fit



WGE3066-C1

Frame & Temple: Translucent Clear
Lens: Clear AF


E3070

WORKGard® E3070 provides unfettered side visibility with 180° panoramic lens. Scratch resistant and affordable, they are great plano safety goggles for workers who do not wear prescription glasses.

- Flexible body and anatomical nose cushioning adapts to face for snug fit
- Fully adjustable headband
- Integrated ventilation system and cheek protector
- Suitable for use with half-masks and filtering face masks



ANSI Z87.1-2003
SS473:2011



Block 99%
UV radiation



Asian fit



WGE3070-C1

Frame & Temple: Black, Black Non-woven Strap
Lens: Clear AF

PRESCRIPTION SAFETY GLASSES


OTUS E3065

WORKSafe® Otus takes its name from a small, agile owl. In the same way, expect this polycarbonate eyewear to be light and easy to wear, while providing good protection from impact!

- Lightweight hypo-allergenic full nylon frame
- Anti-slip skull-grip temples
- Impact-resistant polycarbonate side shields



ANSI/ISEA
Z87.1-2015
SS473:2011



Block 99%
UV radiation



Asian fit



WSE3065-C1

Frame & Temple: Translucent Teal Blue Frame,
Pale Violet Red Temple, Black Tips
Lens: Clear HC



WSE3065-C2

Frame & Temple: Translucent Light Grey Frame,
Light Grey Temple, Black Tip
Lens: Clear HC


VECTOR E3062

VECTOR glasses provide serious protection for serious work. Durable and rugged without sacrificing comfort, these reliable frames offer your eyes the defences they deserve.

- 3-point temple adjustments allow greater face & cheek coverage
- Impact-resistant polycarbonate side shields with ventilation.
- Integrated nose pads.



ANSI Z87.1-2015
SS473:2011



Block 99%
UV radiation



Asian fit



SIRIM DOSH
ANSI/ISEA Z87.1:2010
PC011190



WSE3062-C1

Frame & Temple: Matt Black
Lens: Clear HC



WSE3062-C-3

Frame & Temple: Frosted Clear, Red Tips
Lens: Clear HC

PRESCRIPTION SAFETY GLASSES


RETRO E3059

With detachable eye shields that affix onto a sleek frame, these timeless and classy glasses are right at home at the workplace and on the streets.

- Easily removable
- Impact-resistant polycarbonate side shields
- Durable stainless steel frame with lightweight temples
- Comfortable silicon nose pads
- Thermoplastic rubber (TPR) temple tip



ANSI Z87.1-2015
SS473:2011



Block 99%
UV radiation



Asian fit



SIRIM DOSH
ANSI/ISEA Z87.1:2010
PC011190



WSE3059-C1

Frame & Temple: Black
Lens: Clear **HC**
Size: 58


URANUS E3060

Simplicity isn't a bad thing: these glasses are a no-frills and effective option for defence, comfort and style. They also come with a rounded side shield that fits nicely on your cheek.

- Broad impact-resistant side shield for side protection
- Integrated universal-fit nose pads



ANSI Z87.1-2015
SS473:2011



Block 99%
UV radiation



Asian fit



SIRIM DOSH
ANSI/ISEA Z87.1:2010
PC011190



WSE3060-C1

Frame & Temple: Matt Black
Lens: Clear **HC**



WSE3060-C2

Frame & Temple: Matt Blue
Lens: Clear **HC**

PRESCRIPTION SAFETY GLASSES


STEDA II E3055

The WORKSafe® Steda II is strong, durable and easy to wear. Its metal-free design and soft ABS thermoplastic rubber browguard makes it as comfy as it is stylish.

- Anti-slip skull temples
- Impact-resistant integrated TR90 side shields
- 3-point adjustable temple inclination for better fit
- Minimal and stable nose pads



ANSI Z87.1-2010
SS473:2011



Block 99%
UV radiation



Asian fit



SIRIM DOSH
ANSI/ISEA Z87.1:2010
PC011190

SINGAPORE REGISTERED DESIGN: D2009/260/B



WSE3055-C2

Frame & Temple: Matt Black
Lens: Clear HC



WSE3055-C4

Frame & Temple: Carbon Fibre Pattern With Clear Holder
Lens: Clear HC



WSE3055-C5

Frame & Temple: Zebra Pattern With Clear Holder
Lens: Clear HC



WSE3055-C6

Frame & Temple: Matt Black, Red Tips
Lens: Clear HC

PRESCRIPTION SAFETY GLASSES


STEED R E3052

WORKSafe® Steed R is enhanced by its adjustable temple inclination and a vented browguard. These improve wearing comfort over long periods.

- TR90 skull temples
- Impact-resistant integrated TR90 side shields
- 7-point adjustable temple inclination for better fit
- Soft thermoplastic rubber (TPR) universal-fit nose pads



ANSI Z87.1-2010
SS473:2011



Block 99%
UV radiation



Asian fit



WSE3052A4C57

Frame & Temple: Grey, Clear
Lens: Clear HC



PRESCRIPTION SAFETY GLASSES


KUIPER E3045

The WORKSafe® Kuiper takes its name from the Kuiper Belt: a ring of icy bodies that surrounds the sun and several planets. Just like its namesake, this eyewear is cool and provides encompassing protection!

- Lightweight hypo-allergenic full nylon frame
- Anti-slip skull temples
- Impact-resistant integrated side shields
- Soft grippy thermoplastic rubber (TPR) universal-fit nose pads



ANSI Z87.1-2010
SS473:2011



Block 99%
UV radiation



Asian fit



WSE3045-C1

Frame & Temple: Coffee, Orange Tips
Lens: Grey HC



WSE3045-C2

Frame & Temple: Charcoal, Red Tips
Lens: Grey HC



WSE3045-C3

Frame & Temple: Translucent Grey, Skyblue Tips
Lens: Clear HC

PRESCRIPTION SAFETY GLASSES


STEED II E3041

The WORKSafe® Steed II is enhanced by its adjustable temple inclination and a vented browguard. These improve wearing comfort over long periods.

- TR90 skull temples
- Impact-resistant integrated TR90 side shields
- 7-point adjustable temple inclination for better fit
- Soft thermoplastic rubber (TPR) universal-fit nose pads



ANSI Z87.1-2010
SS473:2011



Block 99%
UV radiation



Asian fit



WSE30411F57

Frame & Temple: Blue Frosted
Lens: Clear HC



WSE3041-C-4

Frame & Temple: Lime Green
Lens: Clear HC



WSE30413C57

Frame & Temple: Grey Clear
Lens: Clear HC



WSE30413F57

Frame & Temple: Grey Frosted
Lens: Clear HC



PRESCRIPTION SAFETY GLASSES


PLUTO E3014

WORKSafe® Pluto has a lightweight polycarbonate frame with tinted side shields moulded directly onto the frame and temples, preventing glare and increasing protection.

- Formable stainless steel skull temples ensure a better fit
- Impact-resistant polycarbonate side shields
- Integrated universal-fit nose pads



ANSI Z87.1-2010
SS473:2011



Block 99%
UV radiation



Asian fit



WSE3014A654

Frame & Temple: Grey Translucent
Lens: Clear HC


VESTA E3015

WORKSafe® Vesta has a lightweight polycarbonate frame with tinted side shields integrated into the frame and temples for comfort and glare reduction.

- Formable stainless steel skull temples ensure a better fit
- Impact-resistant polycarbonate side shields
- Integrated universal-fit nose pads



ANSI Z87.1-2010
SS473:2011



Block 99%
UV radiation



Asian fit



WSE3015S254

Frame & Temple: Shiny Black
Lens: Clear HC

PRESCRIPTION SAFETY GLASSES


MERCURY G2 E3013

The WORKSafe® Mercury G2 is sleek, simple and straightforward in its mission to provide you with the eye protection you need.

- Corrosion-resistant stainless steel frame
- Formable rubber skull temples ensure a better fit
- Impact-resistant polycarbonate side shields
- Fully adjustable soft anti-slip silicone nose pads



ANSI Z87.1-2003
SS473:2011



Block 99%
UV radiation



Asian fit



WSE3013A054

Frame & Temple: Matt Grey
Lens: Clear HC


VENUS E4290

WORKSafe® Venus features strong, super-lightweight, TR90 premier polymer temples suitable for working conditions with vulnerability to corrosion.

- Corrosion-resistant, hypoallergenic stainless steel frame
- Formable temples ensure a better fit
- Impact-resistant polycarbonate side shields
- Fully adjustable soft anti-slip silicone nose pads



ANSI Z87.1-2003
SS473:2011



Block 99%
UV radiation



Asian fit

SINGAPORE REGISTERED DESIGN: D2011/735/J



WSE4290SGS53/ WSE4290SGS55

Frame & Temple: Shining Gunmetal, Green
Lens: Clear HC
Size: 53/55



WSE4290B053/ WSE4290B055

Frame & Temple: Metallic Blue
Lens: Clear HC
Size: 53/55

PRESCRIPTION SAFETY GLASSES


SWORKE[®]RX MAXIMUS X

SWORKE[®] Maximus X provides safety with style! Easily swap between a variety of lens options based on your fit and your needs.

- Formable stainless steel skull temples ensure a better fit
- Impact-resistant polycarbonate side shields
- Integrated universal-fit nose pads



ANSI Z87.1-2015
SS473:2011



Block 99%
UV radiation



Asian fit

FRAME:



SWK3061-C1

Frame & Temple: Satin Black/Black
Lens: Clear AF



SWK3061-C2

Frame & Temple: Satin White/Orange
Lens: Clear AF

SPARE LENS:



SWK3061-L01

Indoor/Outdoor HC



SWK3061-L02

Red Revo HC



SWK3061-L03

Blue Revo HC



SWK3061-L04

Photochromic HC
(from Clear to Grey)

PRESCRIPTION SAFETY GLASSES


SWORKE® RX COBRA

A technical marvel, this serpentine masterpiece brings versatility, style and safety.

- 5-point temple inclination allows greater fit
- Re-engineered enlarged venting ports along the brow of the facepiece aid in air movement and flux in high velocity conditions
- Tough and durable browguard channels perspiration away from your eyes
- Adjustable inclining sweat-resistant nose pads
- Switchable lens system
- Grippy wraparound temples maximises grip
- Removeable Rx lens carrier available for corrective vision



ANSI Z87.1-2015
SS473:2011



Block 99%
UV radiation



Asian fit

FRAME:



SWK3053M201R

Frame & Temple: Matt Black
Lens: Clear AF



SWK3053601R

Frame & Temple: Shiny White
Lens: Clear AF



SWK3053A601R

Frame & Temple: Translucent Grey
Lens: Clear AF

SPARE LENS:



SWK3053L001S

Clear AF



SWK3053L592

Red Revo HC



SWK3053LA893

Purple Revo Polarized HC

PRESCRIPTION SAFETY GLASSES


SWORKE[®]RX PRIMUS

We wanted a bold frame, bold and tough as nails.
So we engineered one.

- Broad frame provides the best molecular circulation – designed for ease of air flow
- Switchable lens system – choices of polarized lenses available
- Switch temples to adjustable headband for more vigorous activity
- Sweat-resistant nose pads and sponge browguard cushions against huge impact
- Removeable Rx lens carrier available for corrective vision



ANSI Z87.1-2015
SS473:2011



Block 99%
UV radiation



Asian fit

FRAME:



SWK3002601R

Frame & Temple: Shiny White

Lens: Clear AF

SPARE LENS:



SWK3002L593

Red Revo Polarized HC



SWK3002LA101

Yellow AF



SWK3002L103

Grey Revo Polarized HC



SWK3002L101

Grey AF



SWK3002L001

Clear AF

PRESCRIPTION SAFETY GLASSES


SWORKE® RX CYCLONE-X

Constructed to complement both the Asian and Western facial anatomies. It is the second version of our hurricane-like technical sports frame.

- 3-point temple adjustments allow greater face & cheek coverage
- Switchable lens system
- Vented frame
- Grooved and rubber tipped wraparound temples maximise grip
- Removeable, sweat-resistant padded browguard
- Burly rubber nose pads cushions impact
- Removeable Rx lens carrier available for corrective vision



ANSI Z87.1-2010
SS473:2011



Block 99%
UV radiation



Asian fit

FRAME:



SWK3003S201R

Frame & Temple: Shiny Black
Lens: Clear AF



SWK3003-C4

Frame & Temple: Translucent Grey
Lens: Clear AF

SPARE LENS:




SWK3003L103

Grey Polarized HC



SWK3003L007

Photochromic HC
(from Clear to Grey)



SWK3003L592

Red Revo HC



SWK3003L292

Versa-Lens HC



SWK3003L192

Blue Revo HC


PRESCRIPTION SAFETY GLASSES

SWORKE[®]RX OPTIMUS 2

An evil twin. More hardcore, more extreme, enhanced technical frame. Optimus' bad-ass brother.



ANSI Z87.1-2010
SS473:2011



Block 99%
UV radiation



Asian fit

- 3-point temple inclination provides versatile fit
- Switchable lens system
- Lined with numerous venting ports for ease of air flow and enhanced circulation
- High density sweat-resistant closed-cell foam browguard cushions high strength impact
- Tough sweat-resistant nose pads enhance grip in motion and cushions against impact
- Motion stable frame with anti-slip wraparound frame resists shaking
- Removeable Rx lens carrier available for corrective vision

FRAME:



SWK3012301R


Frame & Temple: Pearl Graphite
Lens: Clear AF




SWK3012-C1

Frame & Temple: Black Frame, Blue Tip with Nosepad
Lens: Clear AF


SPARE LENS:




SWK207L292
Versa-lens HC



SWK207L392
Blue Revo HC



SWK207L592
Red Revo HC



SWKSWK207L101
Grey HC+AF

CLEANING SOLUTION

KLEANLENS® FIXED LENS CLEANING STATION KL461

- For use on plastic, polycarbonate and glass lenses
- Ideal for spectacles, goggles, faceshields and computer screens
- Safe and effective with all types of lens coatings
- Content: 1 bottle of Kleanlens® 500ml lens cleaning solution—biodegradable and non-toxic; 4 boxes of Kleanlens® tissue—non-abrasive and low lint tissue



WSEKL461

Kleanlens fixed lens cleaning station
c/w 500ml fluid and 4 boxes tissues

KLEANLENS® LENS DISPOSABLE STATION KL467

- For use on plastic, polycarbonate and glass lenses
- Ideal for spectacles, goggles, faceshields and computer screens
- Safe and effective with all types of lens coatings
- Content: 1 bottle of Kleanlens® 250ml lens cleaning solution – biodegradable and non-toxic; 2 boxes of Kleanlens® tissue – non-abrasive and low lint tissue



WSEKL467

Kleanlens lens disposable station c/w
250ml fluid and 2 boxes tissues

KLEANLENS® KLEANLENS CLEANING SOLUTION KL463 (500ML)

Protect your lenses and keep them clear with Kleanlens! This lens cleaning solution can be used on optical devices like eyewear, face shield, mobile phones and computer screens. Simply wipe your lenses with this solution to keep them in tip-top condition!

- Keeps your eyewear clean
- Suitable for plastic, polycarbonate and glass lenses

WSEKL463

Kleanlens cleaning solution, 500ml

WSEKL466

Kleanlens cleaning fluid, 250ml



CLEANING SOLUTION

KLEANLENS® KLEANLENS CLEANING TISSUES KL462

Protect your lenses and keep them clear with Kleanlens Lens Cleaning Tissues. This lens cleaning wipes can be used on optical devices like eyewear, face shield, mobile phones and computer screens. Use these wipes by themselves or with a cleaning solution to keep your lenses in tip-top condition!

- Keeps your eyewear clean
- Non-abrasive and lint-free
- Suitable for plastic, polycarbonate and glass lenses



WSEKL462

Kleanlens cleaning tissues,
300 pcs/box

KLEANLENS® KLEANLENS ANTI-FOG WET WIPES KL480

Keep your eyewear clean with our Kleanlens Anti-Fog Wet Wipes. Made of non-abrasive lint-free material, these wipes effectively cleans eyewear lenses and other optical devices like mobile phones and computer screens. These pre-moistened wipes are sealed in individual disposable packets, small enough to be stored in a bag, pocket or lens case.

- Non-abrasive and lint-free, suitable for cleaning eyewear lenses, mobile phones and computer screens.
- Small and compact, convenient for use on the go
- Anti-fog agent to keep your eyewear lenses clear



WSEKL480

Kleanlens anti-fog wet wipes,
size:12x15cm, 100pcs/box cleaning
tissues, 300 pcs/box

KLEANLENS® ANTI-FOG SOLUTION KL481

WORKSafe Kleanlens Anti-Fog Solution helps keep your lenses and clear surfaces clean. Contained in a convenient spray bottle for easy application, simply spray and wipe to keep your glasses fog-free!

This lens cleaning solution can be used on optical devices like eyewear, face shield, mobile phones and computer screens.

- Keeps your eyewear clean
- Suitable for plastic, polycarbonate and glass lenses



WSEKL481

Kleanlens anti-fog solution,
100ml



RESPIRATORY PROTECTION

Living is impossible without clean air. Yet, many workers have to contend with unclean and unsafe air daily. Airborne hazards are often invisible, undetectable without equipment but deadly all the same. After all, even deadly viruses can be spread through the air.

Invest in good respiratory protection for your workers today! Contained within this catalogue are a variety of respirators to fit any job's requirements. We're confident you'll learn something new about respirators as you read on: and find the right respirator for you along the way.



DISPOSABLE MASK



WORKSAFE® DISPOSABLE 3-PLY MEDICAL MASK TYPE IIR

- Protects nose and mouth from viruses and contaminants
- Bacterial Filtration Efficiency (BFE) ≥ 98%
- Hypoallergenic and latex-free
- Adaptable nose bar and elastic earloops for comfort and fit
- Complies with EN:14683:2019

BRAND	PRODUCT CODE	DESCRIPTION
WORKSafe®	WSR101	Disposable Type IIR 3 Ply Surgical Mask Earloops, Blue Colour (5pcs/pkt, 10pkts/box)
	WSR101-I	Disposable Type IIR 3 Ply Surgical Mask Earloops, Blue Colour (1pc/pkt, 50pkts/box)
	WSR101-50	Disposable Type IIR 3 Ply Surgical Mask Earloops, Blue Colour (50pcs/pkt)



WSR101-I



N95 PARTICULATE RESPIRATOR



M210N95


Meets NIOSH 42 CFR 84 N95 requirements.
TC-84A-5411



M110N95

Meets NIOSH 42 CFR 84 N95 requirements.
TC-84A-5463

Odor-removing
filter material
(carbon layers)



M247N95

Meets NIOSH 42 CFR 84 N95 requirements.
TC-84A-5525



One-way
exhalation
valve



M511N95

Meets NIOSH 42 CFR 84 N95 requirements.
TC-84A-5460



M211N95 / M111N95

Meets NIOSH 42 CFR 84 N95 requirements.
TC-84A-7867 / TC-84A-7871



BRAND	PRODUCT CODE	DESCRIPTION
WORKSAFE®	WSRM210N95	M210N95 Particulate Respirator (20pcs/box)
	WSRM110N95	M110N95 Particulate Respirator Size S (20pcs/box)
	WSRM211N95/WSRM111N95 (Size S)	9600-N95 Disposable Non-Fluid Resistant , Particulate Respirator (20pcs/box)
	WSRM247N95	M247N95 Particulate Respirator with Nuisance Level Organic Vapour Relief (10pcs/box)
	WSRM511N95	M511N95 Particulate Respirator with Exhalation Valve (10pcs/box)




HAND & ARM PROTECTION

Overview of Glove Materials

Ideally, the perfect glove would resist all chemicals, provide excellent tactile sensitivity and protect users against all physical hazards. In practice, this is not possible as different materials have different characteristics. We have a variety of gloves to suit different needs and we are certain that the right glove for your job is within reach.



GLOVE SIZING GUIDE



GUIDELINES

Within the European Union (EU), all PPE must comply with the essential requirements of the **PPE 89/686/EEC** directive.

Category 1

Simple: Items for protection against minimal-risk hazards, which can be easily identified by the user. The product and/or packaging must include the appropriate technical files and user information but do not contain pictogram labeling.

Category 2





Intermediate: Items that are neither simple nor complex. In addition to the requirements of Category I, Category II gloves undergo independent testing, usually according to a European standard. The product and/or packaging must incorporate the appropriate technical files, user information and pictogram labeling on the glove.

Category 3

Complex: Items that offer protection against life-threatening hazards. In addition to the requirements of Category II, Category III products must be produced under an independently verified quality system or be subjected to periodic batch testing. The product and/or packaging must include the appropriate technical files, user information and pictogram labeling on the glove.

European Standards (ENs)

All gloves must satisfy the EN 420 General Requirements for gloves. These are the other specific standards:



FOOD SAFE
In compliance with EC Regulation 1935/2004

MECHANICAL WORK GLOVES

WORKSAFE® LA3000 CUT 1 SAFETY GLOVES

Flexible, comfortable and highly cut-resistant gloves.

- Exceptional comfort, grip and breathability to keep you safe.
- Proprietary crinkle latex coating offers complete breathability
- Ergonomically conforms to the contour of your hands.
- Provides maximum comfort with a snug fit
- Roughened surface provides good grip



EN388:
2016

3131X

PRODUCT CODE	DESCRIPTION
WSWGLA3000	Nylon Spandex Knit gloves Size (X): 9/10/11/12

WORKSAFE® RUBBER PALM-COATED GLOVES

Ergonomic design adds more comfort, enables prolonged usage and avoids hand fatigue. Natural rubber palm with wrinkled finish ensures a secure grip for handling slippery or abrasive objects. Natural rubber inhibits liquid penetration. Available in heavy duty versions.

- Building and construction
- Shipping and transportation
- Deep-sea fishing
- Quarrying
- Gardening
- Glass handling



EN388

2243

PRODUCT CODE	DESCRIPTION
WSWG1412AE	Wrinkled-finish Orange Latex Palm-dipped Gloves, Cotton/Polyester Shell. Size (X):9/10

WORKSAFE® NITRILE MICRO-FOAM SEAMLESS NYLON LINER GLOVES

Highly breathable with superior dexterity, this glove provides a perfect fit for precision handling in dry environments. Nitrile micro-foam coating gives the glove an excellent grip and abrasion resistance. Soft and seamless nylon liner adds more comfort, reduces hand fatigue and improves fingertip sensitivity.

- Logistics and warehousing
- Packing and inspection
- Small components assembly
- Maintenance




SRIM
CERTIFIED TO BS EN ISO 21420:2020
CERTIFICATION NO : PC011797
JKKP (DOSH)

EN388

4121X

PRODUCT CODE	DESCRIPTION
WSWGN800	Nitrile Micro-foam Seamless Gloves, Palm-coated, Nylon Liner. Size (X): 7/8/9/10/11

WORKSAFE® NITRILE FOAM SEAMLESS NYLON LINER GLOVES

Nitrile palm foam-coated gloves to provide excellent grip in oily condition with excellent abrasion-resistance. Seamless Nylon liner gives an excellent fit and maximum dexterity.

- Automotive industries
- Packing and inspection
- Component assembly




SRIM
CERTIFIED TO BS EN ISO 21420:2020
CERTIFICATION NO : PC011797
JKKP (DOSH)

EN388

3121X

PRODUCT CODE	DESCRIPTION
WSWGNF1001	Nitrile Foam Seamless Gloves, Palm-coated, Nylon Liner. Size (X): 8/9

BASIC WORK GLOVES

WORKSAFE® PVC PALM PADDED GLOVES

PVC palm padded gloves feature an adjustable hook-and-loop cuff for perfect fit and feel. Form-fitting 4-way stretch spandex and neoprene knuckle panel on top of hand for optimal comfort and flexibility. Synthetic leather palm with PVC patches and reinforced thumb saddle provides added durability.

- General mechanics
- Automotive industries
- Material handling
- Manufacturing
- Plant maintenance



PRODUCT CODE	DESCRIPTION
WSWGMSL0956T	PVC Palm Padded Gloves Size (X): S/M/L

WORKSAFE® FLANNEL GLOVES

Cotton jersey gloves are breathable and wick sweat away from your hands.

- Light duty work
- General assembly
- Liner for coated gloves



PRODUCT CODE	DESCRIPTION
WSWG4919	Jersey Gloves, Reversible, Knit-wrist Size (X): 8/9

WORKGARD® COTTON/ POLYESTER WORK GLOVES

Economical general purpose cotton gloves that combine comfort, breathability and dexterity.

- Glove liner in frozen/refrigerated areas
- Food processing
- Light duty work



PRODUCT CODE	DESCRIPTION
WGW1007219	Cotton/polyester Blend String-knit Gloves Size: Free

WORKGARD® POLKADOT GLOVES WITH RED CUFF

Combines comfort, breathability and dexterity. PVC dots laminated on to the palm, thumb and index finger for enhanced grip and longer wear.

- Assembly works
- Automotive industries
- Precision works
- Machine and equipment operation
- Shipping and receiving
- Maintenance



PRODUCT CODE	DESCRIPTION
WGW5519AA	10oz 100% Cotton Woven Gloves with PVC Dots, Knit wrist. Size: Free

BASIC WORK GLOVES

WORKSAFE® PU3000 CUT 1 SAFETY GLOVES

Entry level cut resistant gloves, suitable for light duty jobs and handling of blunt tools.

- Flexible, comfortable and dexterous.
- It combines the best properties of PU (polyurethane) and yarn fibers to provide a surface that is mechanically tough, resistant yet comfortable to wear
- Snug fit that ergonomically fits like a second skin

EN388:
2016

4131X



PRODUCT CODE	DESCRIPTION
WSWGPU3000	Nylon Spandex Knit gloves, 13 Gauge. Size (X): 8/9/10

WORKSAFE® N888 HEAT-RESISTANT ENGINEERED NITRILE GLOVES

Heat-Resistant Engineered Nitrile Gloves.

- High abrasion resistance
- Nitrile latex gloves that offer mild heat protection
- For use during work that involves handling heat objects
- Compatible with touch screen
- Certified with EN388:2016 (4, 1, 2, 1, X) and EN420:2003+A1:2009
- Tested with EN407:2020 (X, 1, X, X, X, X)

**Able to withstand 100°C for 15 seconds*



EN388

4121X

EN407

X1XXXX



PRODUCT CODE	DESCRIPTION
WSWGN888	WORKSAFE Nitrile Microfoam Palm Coated Nylon Liner Heat-Resistant Gloves Size (X): 7/8/9/10

BASIC WORK GLOVES (LEATHER)

WORKSAFE® GARE PATCH LEATHER WORK GLOVES

Premium shoulder split leather with cotton back and cuff, palm lined, wing thumb and strap palm. Reinforced knuckle strap provides additional protection.

- General purpose applications
- Building and construction
- Machinery operations
- Handling cores and casting



PRODUCT CODE	DESCRIPTION
WSWG22822	Gare Patch Leather Palm with Striped Cotton Back and Cuff. Size: Free

WORKSAFE® GOATSKIN PREMIUM LEATHER GLOVES

Premium goatskin leather glove contain high lanolin content that enhances comfort, prevent skin sensitivity and dryness. Goatskin leather also offers maximum abrasion resistance, durability and dexterity.

- Plant maintenance
- Packaging
- Construction
- Automotive Industries



PRODUCT CODE	DESCRIPTION
WSWG138N	Natural Goatskin Leather Gloves with Nylon Back and Strap. Size (X): M/L/XL

WORKSAFE® DENIM WORK GLOVES

These are economical gloves for general purpose applications. Grey cow split leather, patched palm, denim back and cuff, palm-lined.

- General-purpose applications
- Building and construction
- Gardening and general maintenance
- Machinery operations
- Handling cores and casting



PRODUCT CODE	DESCRIPTION
WSWG22818	Leather Palm. Size: Free

WORKSAFE® SPLIT LEATHER GLOVES

Premium split cowhide leather gloves offer comfort, dexterity, durability and resist cuts and abrasions. Styled in gauntlet-cut design, these gloves have keystone thumbs to provide a firm fitting and secure fit.

- Plant maintenance
- Packaging
- Building and construction
- Automotive industries



PRODUCT CODE	DESCRIPTION
WSWG127SN	Split Leather Gloves Size (X): 10/11/12

BASIC WORK GLOVES (LEATHER)

WORKSAFE® ARGON COWHIDE GLOVES

Full-grain cowhide leather gloves made from A-grade domestic side leather. It offers comfort, dexterity, durability and resists cuts and abrasions. Styled in gauntlet-cut design, these gloves have keystone thumbs to provide a firm fitting and secure fit.

- Argon welding
- Plant maintenance
- Packaging
- Building and construction
- Automotive industries



PRODUCT CODE	DESCRIPTION
WSWG125Y	Cowhide Leather Gloves Size (X): 8/9/10/11/12

WORKSAFE® ARGON GOATSKIN GLOVES

Premium goatskin leather contains a high lanolin content that enhances comfort and prevents dryness and skin sensitivity. It offers abrasion resistance, durability and dexterity.

- Applications requiring multipurpose hand protection
- Automotive industries
- General mechanics
- Maintenance



PRODUCT CODE	DESCRIPTION
WSWG128N	Natural Goatskin Leather Gloves Size (X): 9/10/11/12

WELDING GLOVES

WORKSAFE® LEATHER WELDING GLOVES

Specially designed for welders to provide high heat resistance and lasting wear. 13 inch length, fully lined with a one-piece leather back for optimum insulation comfort. Straight thumbs for greater flexibility.

- Welding and heat applications
- Heavy industry



PRODUCT CODE	DESCRIPTION
WSWG112GS10	Leather Welding Gloves, Reinforced Palm, Full Seams Welded, Full Cotton Liner. Size: 10



CUT RESISTANT GLOVES (CUT D-F)

WORKSAFE® N550 NITRILE MICROFOAM NYLON LINER

These WORKSafe N550 gloves are a great all-rounder. Featuring great resistance to common types of force, they remain flexible enough for finer mechanical work.

- Lightweight and cut-resistant gloves
- High abrasion resistance
- Provides a firm grip in wet and oily environments
- Useful on oil rigs, mechanic workshops and oily environments



PRODUCT CODE	DESCRIPTION
WSWGN550	Nitrile Microfoam Cut Level D Nylon Liner Gloves. Size (X): 7/8/9/10

WORKSAFE® N555 NITRILE OIL-PROOF MICROFOAM NYLON LINER

The WORKSafe N555 gloves offer superior E-grade cut protection. Featuring great protection to common types of force, they retain flexibility and comfortable over long shifts.

- Lightweight and durable
- High cut and abrasion resistance
- Provides a firm grip in wet and oily environments
- Useful on oil rigs, mechanic workshops and oily environments



PRODUCT CODE	DESCRIPTION
WSWGN555	Nitrile Oil-Proof Microfoam Cut Level E Nylon Liner Gloves. Size (X): 8/9/10

WORKSAFE® N600 NITRILE MICROFOAM PALM COATED

Developed as an abrasion and cut-resistant safety gloves with mild heat protection, the nitrile latex gloves is lightweight and able to withstand 100°C for 15 seconds.

- Lightweight and highly cut-resistant gloves
- High abrasion resistance
- Nitrile latex gloves that offer mild heat protection
- For use during work that involves handling sharp-edged objects



PRODUCT CODE	DESCRIPTION
WSWGN600	Nitrile Microfoam Palm Coated 13 Gauge HPPE/Steel Cut Level F Gloves. Size (X): 8/9/10

WORKSAFE® PU3003 CUT 5 SAFETY GLOVES

Flexible, comfortable and highly cut-resistant gloves.

- Lightweight and highly cut-resistant gloves
- Protects hands against sharp-edged items like metal, glass and ceramics
- Polyurethane coating provides tactile sensitivity
- For use during work that involves handling sharp-edged objects




PRODUCT CODE	DESCRIPTION
WSWGPU3003	HPPE Nylon Spandex Glass Fiber Knit, 13 Gauge. Size (X): 8/9

IMPACT GLOVES

WORKSAFE® N600IMP MAXIMUM CUT LEVEL F AND IMPACT DEFENCE PROTECTION GLOVES

Maximum Cut And Impact Defence Protection Gloves. Super strong liner provides highest cut resistant level. Sandy nitrile palm coating provides superior grip and abrasion resistance. Soft TPR on back keeps hands safe from smash and impact hazards. Reinforced thumb crotch patch for increased durability. Knit wrist helps prevent dirt and debris from entering the glove.

- Gas & Oil industry
- Mining
- Construction and building
- Handling heavy machines
- Mechanic use



WORKSAFE® N500IMP MAXIMUM CUT AND IMPACT DEFENCE PROTECTION GLOVES

Maximum Cut And Impact Defence Protection Gloves. Super strong liner provides highest cut resistant level. Sandy nitrile palm coating provides superior grip and abrasion resistance. Soft TPR on back keeps hands safe from smash and impact hazards. Reinforced thumb crotch patch for increased durability. Knit wrist helps prevent dirt and debris from entering the glove. Palm padded for additional reinforcement and protection.

- Gas & Oil industry
- Mining
- Construction and building
- Handling heavy machines
- Mechanic use



PRODUCT CODE	DESCRIPTION
WSWGN600IMP	WORKSafe Nitrile Microfoam Palm Coated 13 Gauge HPPE/Steel Cut Level F TPR Impact Gloves. Size (X): 8/9/10

PRODUCT CODE	DESCRIPTION
WSWGN500IMP	WORKSafe Nitrile Microfoam Palm Coated 13 Gauge HPPE Cut Level 5/E Gloves Size (X): 8/9/10/11



GLOVE CLIPS

WORKSAFE® GLOVE CLIP-G5501

WORKSafe® Glove clip is the original and only one with the patented safety breakaway design. It has a proven record of reducing glove loss and hand injuries, giving them a strong return on investment.

- Patented safety breakaway design.
- Weighs just 3/4oz (21.26g) and measures 4.5" (11.43cm) long.
- To use, simply clip the small end around your belt loop or directly to your clothing and clip the large end to your gloves.

PRODUCT CODE	DESCRIPTION
WSWG5501	Colour: Black (BK), Blue (BL), Green (GN), Orange (OR), Red (RD), Yellow (YL)



EN 374-1:2016

Modified standard for chemical protective gloves

The ISO 374:2016 Standard specifies the requirements for protective gloves intended to protect the user against dangerous chemicals. Gloves are tested based on Permeation, Penetration and Degradation.

Gloves are classified as Type A, Type B or Type C based on their performance in the test and the number of chemicals they offer protection from. This table shows what each classification involves:

Marking of protective gloves:

ISO 374-1:2016/Type A



JKLMNO

ISO 374-1:2016/Type B



JKL

ISO 374-1:2016/Type C



*Updated to EN374:2016 standards.

Increased number of test chemicals:



	Letter code	Chemical	CAS Number	Class
OLD	A	Methanol	67-56-1	Primary alcohol
	B	Acetone	67-64-1	Ketone
	C	Acetonitrile	75-05-8	Nitrile compound
	D	Dichloromethane	75-09-2	Chlorinated hydrocarbon
	E	Carbon disulphide	75-15-0	Sulphur containing organic compound
	F	Toluene	108-88-3	Aromatic hydrocarbon
	G	Diethylamine	109-89-7	Amine
	H	Tetrahydrofuran	109-99-9	Heterocyclic and ether compound
	I	Ethyl acetate	141-78-6	Ester
	J	n-Heptane	142-82-5	Saturated hydrocarbon
	K	Sodium hydroxide 40%	1310-73-2	Inorganic base
NEW	L	Sulphuric acid 96%	7664-93-9	Inorganic mineral acid, oxidizing
	M	Nitric acid 65%	7697-37-2	Inorganic mineral acid, oxidizing
	N	Acetic acid 99%	64-19-7	Organic acid
	O	Ammonium hydroxide 25%	1336-21-6	Organic base
	P	Hydrogen peroxide 30%	7722-84-1	Peroxide
	S	Hydrofluoric acid 40%	7664-39-3	Inorganic mineral acid
	T	Formaldehyde 37%	50-00-0	Aldehyde

^aThe glove must be tested to a minimum of 3 specific chemicals with a penetration on level 2 (>30min) and waterproof.

DISPOSABLE GLOVES

9-INCH DISPOSABLE NITRILE GLOVES (POWDER FREE)

Latex-free nitrile material offers better puncture and abrasion resistance. It provides tactile sensitivity and dexterity. Excellent grip in wet and dry conditions.

- Complies with 21 CFR 177.2600 for food contact
- In accordance with the requirement of the Plastic Material and Articles in Contact with Food Commission Directive 2002/72/EC
- Food processing
- Laboratory research
- Pharmaceutical manufacturing
- Housekeeping and janitorial
- Assembly of electronics

EN374-1/
Type B



JKT

EN374-5



VIRUS



PRODUCT CODE	DESCRIPTION
WSWG37704	WORKSafe® Disposable Nitrile Gloves, Powder Free - 9in, 5.5mil Thickness. Size (X): S/M/L/XL

WORKSAFE® DISPOSABLE VINYL GLOVES (POWDER FREE)

An economical material that offers excellent sensitivity and dexterity which helps to minimise contamination. An appropriate alternative in some applications for workers with latex allergies.

- Food processing
- Housekeeping and janitorial
- Laboratory research
- Pharmaceutical manufacturing
- Assembly of electronics




EN ISO 374-5:2016



VIRUS



Not for acidic food



PRODUCT CODE	DESCRIPTION
WSWG039	WORKSafe® Disposable Vinyl Gloves, Powder Free - 9in. Size (X): M/L/XL

CHEMICAL RESISTANT GLOVES

WORKSAFE® NEOCHEM NEOPRENE GLOVES

Neoprene gloves provide protection against a wide range of chemicals, including oils, acids, caustics and solvents. These gloves are chemically toughened to increase chemical and abrasion resistance over ordinary neoprene gloves.

- Handling oils, acids, caustics, alcohols and solvents
- Petrochemicals
- Electronics
- Degreasing
- Refining



SIRM
CERTIFIED TO BS EN ISO 21420:2020
CERTIFICATION NO.: PC011797
JKKP (DOSH)

EN388



3131X

EN ISO 374-1:
2016/TYPER A



AKLMNO

EN ISO 374-5:
2016



PRODUCT CODE	DESCRIPTION
WSWGN29530	WORKSafe® Flock-lined Neoprene Gloves, Gauge: 30mil, Length: 33cm. Size (X): 7/8/9/10

WORKSAFE® NITCHEM NITRILE GLOVES

Latex-free 100% nitrile content offers an outstanding combination of strength and chemical resistance. Outperforms natural rubber, neoprene and vinyl gloves when exposed to solvents, caustics and animal fats.

- Chemical processing
- Food processing
- Aerospace and automotive degreasing
- Oil refining and petrochemicals
- Chemical and glass handling



SIRM
CERTIFIED TO BS EN ISO 21420:2020
CERTIFICATION NO.: PC011797
JKKP (DOSH)

EN388



4101X

EN ISO 374-1:
2016/TYPER A



AJKLOT

EN ISO 374-5:
2016



PRODUCT CODE	DESCRIPTION
WSWG37715	WORKSafe® Flock-lined Nitrile Gloves, Gauge: 15mil, Length: 33cm. Size (X): 7/8/9/10



PROTECTIVE APPAREL

Safety apparel are your final line of defence in hazardous situations. These shirts, pants and coveralls are specially-designed to keep out a variety of dangerous workplace occurrences, such as chemicals and heat.

Choose wisely based on the hazards you need defence from, as every material has different defensive properties. When in doubt, we at PDS International are just one email or live chat away.



FLAME-RESISTANT WORKWEAR

WORKSafe® Flame-Resistant (FR) Workwear

When flammable materials are handled, processed, stored or present in the workplace, hazards such as flash fires and explosions may occur due to accidental ignition. In various industries such as petrochemical and oil drilling, workers are at risk of fire accidents which may cause severe or even fatal burns. WORKSafe® FR Workwear can help prevent fatal burn injuries by creating a fire resistant barrier that minimises and extinguishes the flames.

All WORKSafe® FR Workwear are:


- CE Category II certified and marked
- Tested and certified as a complete garment under EN ISO 11612:2015

All WORKSafe® FR Workwear are made of quality FR fabrics and key accessories that are tested to EN ISO 11612 standards. In addition, only nickel-free buttons are used in WORKSafe® FR clothing, together with shorter stitches, double-stitching at all seams and bar-tacking at stress areas for enhanced durability.

When selecting FR Workwear, you should look for:

- **Excellent fabric integrity** - it should not melt and should provide the user with a barrier or insulating layer against exposure to flame
- **Antistatic properties** - the fabric should not act as an ignition source via static electricity
- Global safety standards e.g. **NFPA 2112:2012, EN ISO 11612:2015** - both the fabric and full garment should be properly tested
- Flame resistant key accessories e.g. threads, zippers, reflective strips, pocket linings
- **Comfort:**
 - Fit and mobility - FR Workwear should allow for maximum body movement and dissipation of thermal heat in event of flash fire
 - Softness and weight - FR Workwear should be soft and lightweight
 - Highly breathable - FR Workwear should be highly breathable and designed to help wearers feel cool and dry


Difference between Flame Resistant and Flame Retardant Materials:



Flame Resistant: Aramid fibers (aromatic polyamides) that are naturally flame resistant without any chemical treatment or process. These fibers have slower flaming combustion and self-extinguish when exposed to a flame of short duration during testing. Flame resistant materials do not melt, drip, burn nor support combustion in air. Its properties cannot be altered through cleaning and it's generally strongly abrasion resistant.



Flame Retardant: Fibers that have undergone a chemical treatment so that the material is rendered flame resistant. The flame retardancy of the fibers deteriorate over time due to repeated washing and laundering.




PDS International Pte Ltd is an official licensed garment manufacturer of **DuPont™ Nomex®**. Be sure you have the authentic product! Check that you have a sewn-on **Nomex®** brand tag complete with usage and care instructions.

WORKSAFE® DUPONT™ NOMEX® SOFT

PRODUCT PACKAGING (DuPont™ Nomex® Poly Bag)

PLEASE NOTE:

This fabric was previously branded as **Nomex® IIIA**.
The current branding is **Nomex® Soft**.



The Flame Resistant Materials we use:

Nomex® Soft: A meta-aramid fiber manufactured by DuPont™. It has a blend of 93% NOMEX®, 5% Kevlar®, and 2% P140 (static dissipative fiber). NOMEX® III A, as a fabric, has been tested to NFPA 2112 and NFPA 70E HRC 1 arc rating (USA) as well as EN ISO 11612 (Europe) standards.

There's only one **DuPont™ Nomex®** brand fiber. That's why for over 30 years, industrial workers and the people who protect them have demanded a genuine product. Fires are unpredictable and even a split-second can make all the difference. DuPont™ Nomex® brand fabrics and garments are subjected to rigorous testing in a variety of conditions by DuPont™ scientists and engineers who know and support the latest OSHA and NFPA standards; who constantly innovate, finding new ways to help safeguard your workers from fire and electric arc hazards; who are always working to offer solutions that help make protective gear stronger, more durable and safer. Nomex® brand fibers possess inherent flame resistant qualities that can't be washed out or worn away, so it lasts.

Nomex® brand garments are lightweight and comfortable for every worker. Clothe your crews with the name that means superior protection: DuPont™ Nomex®*.

*DuPont™ and Nomex® are registered trademarks of E.I. du Pont de Nemours and Company.

The Flame Retardant Materials we use:

Pyrovatex®: A durable flame retardant product for cellulosic fibers. Pyrovatex®* is a treated fabric that offers the best overall fire protection available for cotton, as proven by comprehensive testing according to international flame retardant standards. Treated fabrics barely shrink when exposed to heat and fires, thereby ensuring that the skin is not exposed to hazardous conditions. Treated cotton, unlike synthetics, will not melt in the presence of heat from fires. Treated fabrics also offer excellent thermal protection where heat is an added danger.

Key characteristics of Pyrovatex®:

- Outstanding durability to wash and wear, which assures long life of the clothing.
- Finishes have negligible influence on fabric colouration and therefore preserve flexibility to meet specific colour demands.
- Treated fabrics have good compatibility with other treatments, permitting the creation of multifunctional garments.

*Pyrovatex® is a registered trademark of Huntsman Corporation.

PROTECTIVE CLOTHING AGAINST HEAT AND FLAME

ADAPTED FROM EN ISO 11612:2015

EN ISO 11612



All fabrics, hardware used in garment shall not:

- At a temperature of 180°C, ignite or melt, and shrink >5%
- At a temperature of 260°C, ignite or melt, and shrink >10%
- Be made of any material known to be harmful to the wearer
- Possess a pH-value of ≤ 3.5 and ≥ 9.5 , for textiles
- After 5 cleaning cycles, exceed: 3% shrinkage (woven, non-woven and sheet materials) 5% shrinkage (knitted materials)

Physical requirements for outer material:

- Tensile strength: withstands $\geq 300N$ force in both the machine and cross directions
- Tear strength: withstands $\geq 15N$ force in both the machine and cross directions
- Burst strength for knitted materials: withstands $\geq 200kPa$
- Seam strength: withstands $\geq 225N$

Usage and Care of WORKSafe® FR Workwear:

- For a correct fit, try garment on before washing or wearing.
- Wash garments separately from other garments.
- Machine wash with hot water and heavy duty detergent (60°C/140°F).
- Tumble dry low (71°C/160°F).
- Do not bleach and avoid detergents containing bleach.
- Do not line-dry in direct sunlight.
- Wash your new workwear before wearing and after each subsequent wearing to thoroughly remove potentially flammable fabric processing aides/finishes, greases, oily soil and other flammable contaminants.
- Always wear 100% natural fiber undergarments with all flame resistant garments.
- Antistatic garments should be used in conjunction with proper grounding procedures for maximum protection against the threat of spark. Do not remove garments when in a hazardous environment.

For further details, please refer to the respective product care instruction labels.



FR GARMENT (Guidelines to Consider Before Buying FR Workwear)

EN ISO 11612





A1 A2 B* C* D* E* F*

- There should be substantial overlap between gloves and sleeves so that contact with heat, flame or hot material is avoided
- Trouser bottoms should overlap top of footwear whilst walking or crawling
- Openings should be capable of being closed to prevent entry of heat, flame or hot material
- There should be quick-release fasteners to allow rapid removal during emergencies

Letter code	Description	Grading		
Limited flame spread A1 Tested in accordance with ISO 15025:2000, procedure A	Single layer garments incl. seams/innermost lining and the outer material of multilayered garments incl. seams, shall meet the following: <ul style="list-style-type: none"> • no flaming to the top or either side edge • no hole formation • no melting or suffering flaming or molten debris • afterflame and afterglow each, shall be ≤2s 			
Limited flame spread A2 Tested in accordance with ISO 15025:2000, procedure B	Hemmed specimens from single layer garments shall meet the following: <ul style="list-style-type: none"> • no flaming to the top or either side edge • no melting or suffering flaming or molten debris • afterflame and afterglow each, shall be ≤2s 			
Convective heat B Tested in accordance with ISO 9151	Single or multilayer garments and/or clothing assemblies that offer protection against convective heat shall meet at least a performance level of B1.	Performance levels (B*)	Range of HTI ^a 24 values min. ^s max.	
		B1	4.0	<10.0
		B2	10.0	<20.0
		B3	20.0	
		^a Heat transfer index, as defined in ISO 9151		
Radiant heat C Tested in accordance with ISO 6942	Single or multilayer garments and/or clothing assemblies that offer protection against radiant heat shall meet at least a performance level of C1.	Performance levels (C*)	Heat transfer factor RHTI ^a 24 values min. ^s max.	
		C1	7.0	<20.0
		C2	20.0	<50.0
		C3	50.0	<95.0
		C4	95.0	
		^a Radiant heat transfer index, as defined in ISO 6942		
Molten aluminium splash D Tested in accordance with ISO 9185	Single or multilayer garments and/or clothing assemblies that offer protection against molten aluminium splash shall meet at least a performance level of D1.	Performance levels (D*)	Molten aluminium splash min. ^g max.	
		D1	100	<200
		D2	200	<350
		D3	350	
Molten iron splash E Tested in accordance with ISO 9185	Single or multilayer garments and/or clothing assemblies that offer protection against molten iron splash shall meet at least a performance level of E1.	Performance levels (E*)	Molten iron splash min. ^g max.	
		E1	60	<120
		E2	120	<200
		E3	200	
Contact heat F Tested in accordance with ISO 12127	Tested at 250°C, single or multilayer garments and/or clothing assemblies that offer protection against contact heat shall meet at least a performance level of F1.	Performance levels (F*)	Threshold time min. ^s max.	
		F1	5.0	<10.0
		F2	10.0	<15.0
		F3	15.0	

FR GARMENT MEASUREMENT GUIDE For WORKSafe® FR Garment



1. Height:

Stand straight against a wall without your shoes. Make a mark level with the top of your head. Measure from this point down to the floor.

2. Neck:

Measure around the base of the neck where a collared shirt would fit, or measure a collarband on a shirt that fits you well. Lay the collarband flat. Measure from the beginning of the button hole to the center of the button

3. Chest:

Measure well up under your arms, across your shoulder blades and over the fullest part of your chest. Hold firmly, but not tightly. Be sure the tape is level and straight across your back. Stand naturally.

4. Sleeve:

Bend the elbow slightly. Start at the shoulder and measure to the elbow and down to the wrist bone.

5. Waist:

First, remove your belt. Then, measure over shirt (not over pants) at the position where you normally wear your pants. Hold the tape firmly, but not tightly

6. Hips:

Stand with your heels together. Measure around the fullest part of the hips, holding tape measure level.

WORKSAFE® WORKWEAR COVERALL (NOMEX, PYROVATEX, COTTON)*

SIZES	S	M	L	XL	2XL	3XL	4XL
Collar	15	16	16.5	17	17.5	18	-
Shirt L	18.5	19	19.5	20	20.5	21	-
Shoulder	17.5	18.5	19.5	20.5	21.5	22.5	-
Chest	40	42	44	46	48	50	-
Waist R	31	33	35	37	39	41	-
Waist E	35	37	39	41	43	45	-
Arm H	20	21	22	23	24	25	-
Sleeve	22.5	23	23.5	24	24.5	25	-
Cuff	9	9.5	10	10.5	11	11.5	-
Pants L	39	40	41	42	43	43	-
Hip	40	41	42.5	44	46	48	-
Crotch	27	28	29	30	31	32	-
Thigh	25.5	26.5	27.5	28.5	29.5	30.5	-
Bottom	17	17	17	17	18	18	-

LEGENDS:

Shirt L : Shirt Length

Waist R : Waist Relaxed

Arm H : Arm Hole

Pants L : Pants Length

Waist E : Waist Extended

* These are actual body measurements in inches.

WORKSAFE WORKWEAR MEASUREMENT GUIDE

WORKSAFE® WORKWEAR JACKET*

SIZES	S	M	L	XL	2XL	3XL	4XL/MTM
Collar	15	16	16.5	17	17.5	18	-
Length	28	28.5	29.5	30.5	31.5	32	-
Shoulder	17.5	18.5	19.5	20.5	21.5	22.5	-
Chest	39	41	43	45	47	49	-
Waist	38	40	42	44	46	48	-
Hip	39	41	43	45	47	49	-
Sleeve	22.5	23	23.5	24	24.5	25	-
Cuff	9	9.5	10	10.5	11	11.5	-

WORKSAFE® WORKWEAR PANTS*

SIZES	S	M	L	XL	2XL	3XL	4XL/MTM
Length	38.5	39.5	40.5	41.5	42.5	43	-
Waist	28	30	32	34	36	38	-
Hip	38	39.5	41	42.5	44.5	46.5	-
Crotch	26	26.5	27.5	28.5	29.5	30.5	-
Thigh	25	26	27	28.5	29.5	30.5	-
Bottom	17	17	17	17	18	18	-

WORKSAFE® LABCOAT (UNISEX)*

SIZES	XS	S	M	L	XL	2XL	3XL
Chest	32-35.5	36-38	38.5-42	42.5-50	46.5-50	50.5-54	54.5-58
Hip	33.5-36	36.5-39	39.5-42	42.5-46	46.5-50.5	51-54	55.5-59.5

* These are actual body measurements in inches.

WORKGARD® SAFETY VEST

SIZES	S	M	L	XL	2XL	3XL
A. Length (cm)	68	68	70	70	70	72
B. Chest (cm)	56	58	60	62	64	66

MEASUREMENT GUIDE Disposable & Reusable Coveralls

WORKSAFE® CHEMPRO 1500


SIZES	S	M	L	XL	2XL	3XL
Chest (cm)	84-92	92-100	100-108	108-116	116-124	124-132
Height (cm)	162-170	170-176	176-182	182-188	188-194	194-200

WORKSAFE® CHEMPRO 1800 & MICROVEK

SIZES	S	M	L	XL	2XL	3XL
Chest (cm)	112	120	127	135	142	148
Height (cm)	162-174	163-177	166-180	170-184	174-188	182-196

COVERALL (REFLECTIVE)


FRONT & BACK



**The reflective portions can be added at extra charge.
Reflective strips are available in 1 inch or 2 inch thickness.**


JACKET (REFLECTIVE)

FRONT & BACK



PANTS (REFLECTIVE)

FRONT & BACK



FLAME-RESISTANT COVERALLS



- FR two-way brass zipper
- Two large double-stitched cargo pockets on both legs with flap-on hidden fasteners
- Two radio loops above chest pockets
- One pen-pocket with flap-on hidden fasteners
- Double-stitched seams for enhanced durability
- Elastic waist
- Available in 2 types of fabrics: Nomex® Soft or Pyrovatex®
- FR reflective strips, logo and nametags are optional



NAVY BLUE

ORANGE

DARK GREEN

EN ISO 11612



A1 A2 B1 C1 F1



Size (X): S / M / L / XL / 2XL / 3XL / 4XL

BRAND	PRODUCT CODE	DESCRIPTION
WORKSafe®	WSCNMXA450RC	Nomex® Soft, 4.5oz, Orange
	WSCNMXA45RBC	Nomex® Soft, 4.5oz, Royal Blue
	WSCNMXA45NBC	Nomex® Soft, 4.5oz, Navy Blue
	WSCNMXA45RDC	Nomex® Soft, 4.5oz, Red
	WSCNMXA45GYC	Nomex® Soft, 4.5oz, Grey
	WSCNMXA45DGC	Nomex® Soft, 4.5oz, Dark Green
WORKSafe®	WSPYR700RC	Pyrovatex® Orange

FLAME-RESISTANT APPAREL



EN ISO 11612
A1 A2 B1 C1 F1



EN ISO 11612
A1 A2 B1 C1 F1



FLAME-RESISTANT JACKET

- Two large double-stitched chest pockets with flap-on fasteners
- Two radio loops above chest pockets
- One pen-pocket with flap-on hidden fasteners
- Double-stitched seams for enhanced durability
- Available in 2 types of fabrics: Nomex® Soft or Pyrovatex®
- FR reflective strips, logo and nametags are optional

Size (X): S / M / L / XL / 2XL / 3XL

BRAND	PRODUCT CODE	DESCRIPTION
WORKSafe®	WSCNMXA450RJ	Nomex® Soft, 4.5oz, Orange
	WSCNMXA45RBJ	Nomex® Soft, 4.5oz, Royal Blue
	WSCNMXA45NBJ	Nomex® Soft, 4.5oz, Navy Blue
	WSCNMXA45RDJ	Nomex® Soft, 4.5oz, Red
	WSCNMXA45GYJ	Nomex® Soft, 4.5oz, Grey
	WSCNMXA45DGJ	Nomex® Soft, 4.5oz, Dark Green
WORKSafe®	WSCPYP700RJ	Pyrovatex® Orange

FLAME-RESISTANT PANTS

- Two slack-style front pockets
- Two set-in hip pockets
- FR brass zippers
- 2 cargo-style pockets at both legs
- Double-stitched seams for enhanced durability
- Available in 2 types of fabrics: Nomex® Soft or Pyrovatex®
- FR reflective strips, logo and nametags are optional

Size (X): S / M / L / XL / 2XL / 3XL

BRAND	PRODUCT CODE	DESCRIPTION
WORKSafe®	WSCNMXA450RP	Nomex® Soft, 4.5oz, Orange
	WSCNMXA45RBP	Nomex® Soft, 4.5oz, Royal Blue
	WSCNMXA45NBP	Nomex® Soft, 4.5oz, Navy Blue
	WSCNMXA45RDP	Nomex® Soft, 4.5oz, Red
	WSCNMXA45GYP	Nomex® Soft, 4.5oz, Grey
	WSCNMXA45DGP	Nomex® Soft, 4.5oz, Dark Green
WORKSafe®	WSCPYP700RP	Pyrovatex® Orange

FLAME-RESISTANT LABCOAT

- Button front closures
- Lapel collar
- Side vent openings
- 3 pockets
- Made to order
- Available in 1 type of fabric: Nomex® Soft



Size (X): XS / S / M / L / XL / 2XL / 3XL / 4XL

BRAND	PRODUCT CODE	DESCRIPTION
WORKSafe®	WSCNMXA450RL	Nomex® Soft, 4.5oz, Orange
	WSCNMXA45RBL	Nomex® Soft, 4.5oz, Royal Blue
	WSCNMXA45NBL	Nomex® Soft, 4.5oz, Navy Blue
	WSCNMXA45RDL	Nomex® Soft, 4.5oz, Red
	WSCNMXA45GYL	Nomex® Soft, 4.5oz, Grey
	WSCNMXA45DGL	Nomex® Soft, 4.5oz, Dark Green



NOMEX® IIIA HOOD BALACLAVA SINGLE/ DOUBLE LAYER, NATURAL COLOUR

- Material: NOMEX® IIIA Knitting Fabric
- NOMEX® IIIA interlock knit which adjust to wearers head and face profile
- It fits comfortably under helmet
- The soft and breathable interlock knit feels comfortable
- Inherent flame resistant for machine washable, reusable and 100% durable

BRAND	PRODUCT CODE	DESCRIPTION
WORKSafe®	WSCNMXA10NABF	FR Hood, Balaclava Nomex® III A Single Layer, Natural Colour
	WSCNMXA20NABF	FR Hood, Balaclava Nomex® III A Double Layer, Natural Colour

REUSABLE CLOTH MASK



WORKSAFE® 2 LAYER FR FACE MASK

Reliable, reusable masks that will shield you from workplace heat hazards. This fire-resistant mask defends well against heat hazards such as flash fires and sudden flames. An anti-bacterial inner layer makes it suitable for blocking microbial hazards.

Product Info:

- Made of Nomex® Soft fabric, renowned for its comfort, fire resistant and moisture wicking properties.
- Available in five colours.
- Suitable for utilities, manufacturing, oil & gas and chemical industrial work.

Size (X): XS / S / M / L / XL / 2XL / 3XL / 4XL

BRAND	PRODUCT CODE	DESCRIPTION
WORKSafe®	WSRNMX0R2P	Nomex® Soft, 4.5oz, Orange
	WSRNMXRB2P	Nomex® Soft, 4.5oz, Royal Blue
	WSRNMXNB2P	Nomex® Soft, 4.5oz, Navy Blue
	WSRNMXRD2P	Nomex® Soft, 4.5oz, Red
	WSRNMXGY2P	Nomex® Soft, 4.5oz, Grey

SAFETY VEST



WORKGARD® SAFETY VEST

- One size fits all
- Lightweight and flexible
- High visibility fluorescent colour
- Reflective strips located on the front and back
- 100% polyester mesh fabric
- Machine washable: cold cycle



WORKGARD® ELASTIC REFLECTIVE VEST

- Elastic webbing vest
- One size fits all
- Lightweight and flexible
- High visibility fluorescent colour
- Reflective strips throughout vest
- Machine washable: cold cycle

PRODUCT CODE	DESCRIPTION
WGCSV100GN	Safety Vest, Lime Green With Reflective Strip. Size: Free
WGCSV100OR	Safety Vest, Orange With Reflective Strip. Size: Free
WGCSV200YL	Safety Vest, Yellow With Reflective Strip, Zipper, Pockets. Size (X): S/M/L/XL/XXL

PRODUCT CODE	DESCRIPTION
WGCSV110GN	Elastic Reflective Vest, Lime Green. Size: Free
WGCSV110OR	Elastic Reflective Vest, Orange. Size: Free

COTTON WORK ATTIRE



WEARITE® COTTON COVERALL

- Two-way zipper
- Two large double-stitched cargo pockets on both legs with flap-on fasteners
- Two large double-stitched chest pockets with flap-on fasteners
- One pen pocket
- Available in 2 types of pre-shrunk 100% cotton:
260gsm premium cotton or 180gsm standard cotton
- Reflective strips, logo and nametags are optional
- Made-to-order option available

Size (X): S / M / L / XL / 2XL / 3XL / 4XL

BRAND	PRODUCT CODE		DESCRIPTION
WEARITE®	WRCCTPORC		Cotton Premium Orange Coverall
	WRCCTPRBC		Cotton Premium Royal Blue Coverall
	WRCCTPNBC		Cotton Premium Navy Blue Coverall
	WRCCTPWHC		Cotton Premium White Coverall
	WRCCTPGYC		Cotton Premium Grey Coverall
WEARITE®	WRCCTSORC		Cotton Standard Orange Coverall
	WRCCTSRBC		Cotton Standard Royal Blue Coverall
	WRCCTSNBC		Cotton Standard Navy Blue Coverall
	WRCCTSWHC		Cotton Standard White Coverall



WEARITE® COTTON JACKET

- Two large double-stitched chest pockets with flap-on fasteners
- One pen pocket
- Available in 1 type of pre-shrunk 100% cotton:
260gsm premium cotton
- Reflective strips, logo and nametags are optional
- Made-to-order option available

Size (X): S / M / L / XL / 2XL / 3XL

BRAND	PRODUCT CODE		DESCRIPTION
WEARITE®	WRCCTPORJ		Cotton Premium Orange Jacket
	WRCCTPRBJ		Cotton Premium Royal Blue Jacket
	WRCCTPNBJ		Cotton Premium Navy Blue Jacket
	WRCCTPGYJ		Cotton Premium Grey Jacket
WEARITE®	WRCCTSORJ		Cotton Standard Orange Jacket
	WRCCTSRBJ		Cotton Standard Royal Blue Jacket
	WRCCTSNBJ		Cotton Standard Navy Blue Jacket
	WRCCTSGYJ		Cotton Standard Grey Jacket



WEARITE® COTTON PANTS

- Two slack-style front pockets
- Two large double-stitched cargo pockets on both legs with flap-on fasteners
- One set-in hip pocket
- Available in 2 types of pre-shrunk 100% cotton:
260gsm premium cotton or 180gsm standard cotton
- Reflective strips, logo and nametags are optional
- Made-to-order option available

Size (X): S / M / L / XL / 2XL / 3XL

BRAND	PRODUCT CODE		DESCRIPTION
WEARITE®	WRCCTPORP		Cotton Premium Orange Pants
	WRCCTPRBP		Cotton Premium Royal Blue Pants
	WRCCTPNBP		Cotton Premium Navy Blue Pants
	WRCCTSGYP		Cotton Premium Grey Pants
WEARITE®	WRCCTSORP		Cotton Standard Orange Pants
	WRCCTSRBP		Cotton Standard Royal Blue Pants
	WRCCTSNBP		Cotton Standard Navy Blue Pants
	WRCCTSGYP		Cotton Standard Grey Pants

DISPOSABLE COVERALL



TYPE 5 EN ISO
13982-1: 2004
+ A1: 2010



TYPE 6 EN 13034:
2005 + A1: 2009



EN 1073-2:
2002



EN 14126:2003
Type 5-B/6-B



EN 1149-5:
2008

CE 0624



SIRIM DOSH
BS EN ISO 13688:2013
PC011364



WORKSAFE® CHEMPRO 1800 LIMITED WEAR LIFE HOODED COVERALLS

- Made from a white micro-porous film laminate on to a nonwoven fabric
- Protects against particulates, liquid chemicals, infective agents, particulate radioactive contamination; antistatic
- Elasticated hood, waist, wrists and ankles
- Double sliders on zips

Size (X): S/M/L/XL/XXL/XXXL

BRAND	PRODUCT CODE	DESCRIPTION
WORKSafe®	WSC1800	Chempro 1800 Coverall With Hood, White

DISPOSABLE COVERALL



WORKSAFE® MICROVEK POLYPROPYLENE (PP) DISPOSABLE COVERALL

- An ideal solution for non-hazardous and grimy work environments
- Low cost disposable garment for lightweight application
- Breathable and comfortable

Size (X): M / L / XL / 2XL

BRAND	PRODUCT CODE	DESCRIPTION
WORKSafe®	WSC8100W	Microvek Polypropylene Coverall, White



VINYL APRON/SLEEVE

- High quality vinyl apron, thickness 8mil, length 48"
- Plain edge and lint-free straps for clean environment use
- High quality vinyl sleeves, thickness 8mil, length 18"
- Elastic-sewn edge at both ends
- Provides superior flexibility and resistance to chemicals, fats, oils and grease
- Ideal for use in food handling and preparation, industrial maintenance and chemical processing

BRAND	PRODUCT CODE	DESCRIPTION
WORKSafe®	WSCVL08AP48	Vinyl Apron, Raw Edge, 8mil, 48" length, Size: Free
	WSCVL08SL18	Vinyl Sleeves, 8mil, 18" length, Size: Free



SAFETY SHOES

SAFETY MATTERS TO US.

Step on a solid foundation with our range of safety shoes! Blending comfort with protection, you're sure to find a pair that perfectly suits your line of work.



WORKGARD® OMEGA & ALPHA SERIES

STEEL TOECAP



Anti-static



Shock
Absorption



Penetration
Resistant



Oil
Resistant



Slip
Resistant



Impact
Resistant



Abrasion
Resistant




SIRM
CERTIFIED TO MS ISO 20345:2008
CERTIFICATION NO : PC011993
JKKP (DOSH)



OMEGA-M

OMEGA-L



ALPHA-M

ALPHA-L



SIRM
CERTIFIED TO MS ISO 20345:2008
CERTIFICATION NO : PC011993
JKKP (DOSH)

FEATURES

COMFORTABLE

- Wider toe box design provides a more relaxed fit
- Breathable lining to reduce moisture
- 360° inner padding & removable EVA footbed reduce muscle fatigue
- Soft heel counter to prevent blisters

Comfort

Better

Flexibility

Better

Slip & Oil Resistance

Better

DURABLE

- Made with lightweight and tough brown suede
- Bouncy dual-density polyurethane outsole for impact protection
- Durable outsole with high traction for better grip & stability on oily surfaces.

Durability

Good

Lightness

Best

Water Resistance

Good

BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
WORKGard®	Omega-L	WGS8010	Low Cut, Brown Suede Leather. Size (X): 36-47	EN ISO 20345 (S1P SRC), SS513
WORKGard®	Omega-M	WGS8011	Mid Cut, Brown Suede Leather. Size (X): 37-47	EN ISO 20345 (S1P SRC), SS513
WORKGard®	Alpha-L	WGS8807	Low Cut, Black Barton Split Leather. Size (X): 36-47	EN ISO 20345 (S1P SRC), SS513
WORKGard®	Alpha-M	WGS8808	Mid Cut, Black Barton Split Leather. Size (X): 37-47	EN ISO 20345 (S1P SRC), SS513

* Factory size smaller than usual, please select 1 size bigger. Sizes on page 65

WORKSAFE® VULCAN BOOTS

HIGH-CUT VULCAN BOOTS



Water
Resistant



Anti-static



Shock
Absorption



Penetration
Resistant



Oil
Resistant



Slip
Resistant



Impact
Resistant



Abrasion
Resistant

- Steel toecap
- Oil-resistant
- Anti-static
- Penetration-resistant



108BA

- Steel toecap
- Oil-resistant
- Penetration-resistant



108YN

BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
WORKSafe®	Vulcan Boots	WSS108BA	Black Vulcan Boots With Steel Toe Cap and Midsole Size (X): 4-12	EN ISO 20345 (S5 SRA)
WORKSafe®	Vulcan Boots	WSS108YN	Yellow Vulcan Boots With Steel Toe Cap and Midsole Size (X): 4-12	EN ISO 20345 (S5 SRA)

Size Chart Converter

Length (mm)	236	248	254	261	267	273	281	287	293
UK	4	5	6	7	8	9	10	11	12
US	5	6	7	8	9	10	11	12	13
EU	38	39	40	41	42	43	44	45	46



Mondopoint: L

WORKSAFE® STARFIRE

COMPOSITE TOECAP



Breathable Mesh Fabric



Slip Resistant



Oil Resistant



Shock Absorption



Metatarsal Guard



Impact Resistant



Anti-static



Reflect Lights

STARFIRE

STARFIRE-M

STARFIRE-L



BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
WORKSafe®	Starfire	WSS109	Starfire-L Low Cut, Black Mesh Microfiber, Eva/Rubber Sole. Size (X): 35-47	EN ISO 20345 (S1P SRC), SS513
WORKSafe®	Starfire	WSS110	Starfire-M Mid Cut, Black Mesh Microfiber, Eva/Rubber Sole. Size (X): 35-47	EN ISO 20345 (S1P SRC), SS513



COMPOSITE TOE CAP

Lighter than steel, the STARFIRE's composite toecap is made of sturdy, synthetic material. They can be trusted to provide protection and comfort.



REFLECTIVE STRIPS

Named after its reflective strips, the 'Starfire' brightens the dark with its innovative safety features. Visible from any angle, keeping you safe at night.



METATARSAL GUARD SHOE TONGUE

The material's special properties allows the shoe tongue to harden when pressure is applied, increasing its defensive power when needed, while remaining comfortable at rest. Tested to EN1621-1 Level 2 safety standards.

Available in low cut & mid cut. Sizes on Page 68



SHOE SIZING CHART

WORKGard®

Omega & Alpha Series Sizing Chart

Footbed length (mm)	241	250	255	265	275	283	289
Footbed width (mm)	84	85	87	89	92	93	96
UK	3	4	5	6	7	8	9
EUROPE	36	37	38	39	41	42	43
US	4	5	6	7	8	9	10

* Factory size smaller than usual, please select 1 size bigger. Refer to size chart above.

STARFIRE

Starfire Sizing Chart

Footbed length (mm)	232	239	246	252	259	272	279	286	292	306	312
UK	2	3	4	5	6	7	8	9	10	11	12
EUROPE	35	36	37	38	39	41	42	43	44	46	47
US	3	4	5	6	7	8	9	10	11	12	13

* Factory size smaller than usual, please select 1 size bigger. Refer to size chart above.

WORKGARD® FS-1010 SAFETYTOE OVERSHOE

VISITOR OVERSHOES



- Action leather upper
- CE certified steel toecap
- Rubber outsole

BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
WORKGard®	Overshoes	WGSFS-1010	Safetytoe Overshoes	EN 12568:2010 5.2.2

WORKSAFE® TUFFSOX

ANKLE SOCKS



- Work can get rough, and these TUFFSOX can stand up to the challenge.
- These durable and work-ready socks that are great to wear with any safety or casual shoe!
- Made in with LYCRA® fiber and COOLMAX® CORE technology, these socks wick moisture, keeping you comfortable all day.
- Helps keep the wearer cool, dry and comfortable during any activity.



Heel and Toe Reinforcement
• Double Thickness



BRAND	TYPE	PRODUCT CODE	DESCRIPTION
WORKSAFE®	Socks	WSSTUFFSOX	Tuffsox Coolmax® & Lycra® Black/Grey Ankle Socks



HEARING PROTECTION

Operating in a noisy workplace that's louder than 85 decibels (dB)? You'll need individual Hearing Protection Devices (HPDs)! Working in areas with dangerous noise levels without a proper HPD can result in hearing loss or deafness.



REUSABLE EARPLUGS

WORKSAFE® TRI-FLANGE PLUGS



SIRIM
CERTIFIED TO BS EN 352-2 : 2020
CERTIFICATION NO : PC012319
JKKP



Nrr²⁵

Snr³¹

- The WORKSAFE Tri-Flange Plugs are a convenient and reusable tool that safeguards your hearing in loud environments
- Comes with a carrying case and cord for easy storage and deployment
- This product has been tested according to EN352-2:2020 and ANSI S3.19



BRAND	TYPE	PRODUCT CODE	DESCRIPTION
WORKSAFE®	Earplugs	WSPTRIFL	Tri-Flange Plugs, Corded in BB Box w Chain, SNR 31db, NRR 25db (100pair/box,10box/case)



ANTI-SLIP & ERGONOMICS

Slips, trips and falls are the most common causes of injury at the workplace. They can result in serious injuries such as fractures and concussions, leading to unsafe workers and plenty of liability. Anti-slip mats can mitigate this and help keep your workplace safer.

Another trending cause of injury at the workplace are musculoskeletal disorders (MSDs). Good ergonomic practices can be used to prevent MSDs and make the work safer, healthier and comfortable for workers.

Some common MSDs:

- Back pain, poor blood circulation, carpal tunnel syndrome and muscle inflammation.
- These can be caused by heavy lifting and improper carrying or pushing techniques.

Furthermore, standing for prolonged periods of time on hard surfaces puts pressure on your feet, resulting in **aches, contact trauma and muscle problems**.

Good ergonomic practices can be used to prevent MSDs. **Back support belts** and **anti-fatigue mats** also help to alleviate such hazards.



BACK SUPPORT BELT

WORKSAFE® PREMIUM HEAVY DUTY BACK SUPPORT BELT

- 9" elastic band with 5 non-conductive stays for firmer support
- Rubberized stay covers keep belt in place
- Removable lumbar pad provides extra support and stability
- Adjustable two-stage hook and loop closures for quick and easy fastening

Sizes:

- S fits 27"-32"
- M fits 32"-37"
- L fits 35"-40"
- XL fits 40"-45"
- XXL fits 45"-52"



PRODUCT CODE	DESCRIPTION
WSD1000SX	WORKSafe® Back Support Belt, Size (X): S/M/L/XL/XXL




FALL SAFETY

Working at heights can be dangerous. Gravity is harsh, and a single fall can have disastrous consequences. Our selection of fall safety gear will help prevent accidents and keep casualties to a minimum.

4 CATEGORIES OF FALL PROTECTION




(I) Fall Arrest System



(II) Work Positioning and Restraint System



(III) Retrieval



(IV) Suspension



ANCHORAGE

WORKSAFE® WSFAZ900 WEBBING SLING

- Anchor sling suitable for almost all types of structures
- Made of 20mm-width polyamide webbing
- Static strength: 22kN
- Tested and approved to EN354 and EN795 Type B standards



PRODUCT CODE	DESCRIPTION
WSFAZ900060	Webbing Sling, Red, Length: 60cm
WSFAZ900120	Webbing Sling, Red, Length: 120cm
WSFAZ900200	Webbing Sling, Red, Length: 200cm

WORKSAFE® WSFAT250 ALUMINIUM ANCHOR CLAMP

- Lightweight (1.37kg) aluminium I-beam anchor clamp
- Adjustable, fits I-beams of width 95mm to 400mm
- Dimensions: 440 x 100 x 45mm
- Designed for 1 worker
- Tested and approved to EN795 Type B standards

- *Non stocking item, place an order with us.*



PRODUCT CODE	DESCRIPTION
WSFAT250	AT250 Aluminium Anchor Clamp for 1 worker only

WORKSAFE® WSFAZ410 STEEL CABLE CONNECTING LANYARD

- Steel cable anchorage connector with plastic cable protector
- Suitable for structures with sharp edges
- Static strength: 15kN
- Tested and approved to EN795 Type B standards
- Karabiner sold separately



PRODUCT CODE	DESCRIPTION
WSFAZ410-1	AZ410 Steel Cable Connecting Lanyard, Length: 1m
WSFAZ410-2	AZ410 Steel Cable Connecting Lanyard, Length: 2m

WORKSAFE® HORIZONTAL ADJUSTABLE WEBBING WITH RED SLING BAG AND SNAP HOOK

- Temporary horizontal adjustable webbing lifeline that comes with a ratchet tensioner and snap hook on each end for quick and easy installation
- Webbing length: 10m or 20m ; webbing width: 35mm
- Has connecting webbing sewn to bag to stow excess webbing
- Allows up to 3 workers at the same time
- Tested and approved to EN795 Type B standards



PRODUCT CODE	DESCRIPTION
WSFAE320-10-50-60	Horizontal Adjustable Webbing, 10m, Red Sling Bag, 2 Snap Hooks
WSFAE320-20-50-60	Horizontal Adjustable Webbing, 20m, Red Sling Bag, 2 Snap Hooks

ROPE GRABS

WORKSAFE® WSFAC080 GUIDED TYPE FALL ARRESTER WITH AC300 WORKING ROPE

- Guided-type fall arrester on a flexible anchorage line
- Made of forged aluminium alloy, lightweight at 194g
- For use with 12mm kernmantle polyester rope, AC300, comes in standard lengths of 10m, 20m and 30m. Other lengths available on request
- Tested and approved to EN 353-2, EN358 and EN12841 standards



PRODUCT CODE	DESCRIPTION
WSFAC080-RD	AC080 Guided Type Fall Arrester, Red
WSFAC300-XX	AC300 Kernmantle Working Rope, Dia: 12mm, Rope Length (X): 1.3/1.5/3/10/15/20/30m

WORKSAFE® WSFAC010 ROPE GRAB WITH AC100 WORKING ROPE

- Guided-type fall arrester on a flexible anchorage line
- Steel rope grab for working rope of diameter 14mm
- Galvanised steel snap hook (opening: 18mm, weight: 220g)
- Energy dissipator
- Tested and approved to EN353-2 standards



PRODUCT CODE	DESCRIPTION
WSFAC010	AC010 Rope Grab with Energy Dissipator, Snap Hook for Working Rope, Dia: 14mm
WSFAC100-X	AC100 Kernmantle Working Rope, Dia: 14mm, Rope Length (X): 10/20/30/40/50/100m

WORKSAFE® WSFAC012 ROPE GRAB WITH AC100 WORKING ROPE

- Guided-type fall arrester on a flexible anchorage line
- Galvanised steel rope grab for working rope of diameter 14mm
- Tested and approved to EN353-2 standards



PRODUCT CODE	DESCRIPTION
WSFAC012	AC012 Rope Grab, Galvanized Steel for Working Rope, Dia: 14mm
WSFAC100-X	AC100 Kernmantle Working Rope, Dia: 14mm, Rope Length (X): 10/20/30/40/50/120m

BELT

WORKSAFE® WSFAP010 WORK POSITIONING BELT

- Work positioning belt with 2 side-attaching D-rings
- Tested and approved to the EN358 standard



PRODUCT CODE	DESCRIPTION
WSFAP010XS	Work Positioning Belt, 2 Side D-Rings, Size: XS
WSFAP010S	Work Positioning Belt, 2 Side D-Rings, Size: S
WSFAP010MXL	Work Positioning Belt, 2 Side D-Rings, Size: M-XL
WSFAP010XXL	Work Positioning Belt, 2 Side D-Rings, Size: XXL




BASIC HARNESSES



WSF122



WSF160



WORKSAFE® FULL BODY HARNESS WITH FRONT AND DORSAL ANCHORAGE POINTS

- Harness with front and dorsal anchorage points
- Separate adjustment for leg straps
- Body height adjustment
- Reflective threads on webbing - suitable for low visibility conditions
- Comes with 2 lanyard keepers
- Tested and approved to EN361 and SS528: Part 1 standards

PRODUCT CODE	DESCRIPTION
WSF122	Full Body Harness with Front and Dorsal Anchorage Points
WSF160	Full Body Harness with Front and Dorsal Anchorage Points, with Quick Connect at Chest and Leg Straps

BASIC HARNESSES

WORKSAFE® WSFAB110-01 FULL BODY HARNESS WITH DORSAL ANCHORAGE POINT

- Harness with dorsal anchorage point
- Separate adjustment for leg and shoulder straps
- Body height adjustment
- Tested and approved to the EN361 standard



PRODUCT CODE	DESCRIPTION
WSFAB110-01	Full Body Harness with Dorsal Anchorage Point



WORKGARD® WGF512 FULL BODY HARNESS WITH FRONT AND DORSAL ANCHORAGE POINT

- Polyester webbing with reflective threads
- Harness with front and dorsal anchorage points
- Comes with 2 lanyard keepers
- Separate adjustment for leg straps
- Body height adjustment
- Tested and approved to EN361 and SS528:Part 1 standards



PRODUCT CODE	DESCRIPTION
WGF512	Full Body Harness with Front and Dorsal Anchorage Point

WORKSAFE® WSFAB141-01 FULL BODY HARNESS WITH SHOULDER AND DORSAL ANCHORAGE POINTS

- Can be used for rescue
- Tested and approved to the EN361 standard



PRODUCT CODE	DESCRIPTION
WSFAB141-01	Full Body Harness with Shoulder, Dorsal Anchorage Points, Stainless Steel Buckles



BASIC HARNESSSES

WORKSAFE® FULL BODY HARNESS WITH FRONT AND DORSAL ANCHORAGE POINTS WITH CHEST STRAP



WSFAB131-10



WSFAB131-20



WSFAB131-10:

- Designed for a person weighing up to 140kg
- Harness with front and dorsal anchorage points
- Separate adjustment for leg and shoulder straps
- Body height adjustment
- Stainless steel buckles
- Tested and approved to EN361 standards

PRODUCT CODE	DESCRIPTION
WSFAB131-10MXL	Full Body Harness with Front and Dorsal Anchorage Points with Chest Strap, Size: M-XL
WSFAB131-10XXL	Full Body Harness with Front and Dorsal Anchorage Points with Chest Strap, Size: XXL

WSFAB131-20:

- Designed for a person weighing up to 140kg
- Harness with front and dorsal anchorage points
- Separate adjustment for leg and shoulder straps
- Body height adjustment
- Stainless steel buckles
- With P30A back extension for self-retracting lifeline
- Tested and approved to EN361 standards

PRODUCT CODE	DESCRIPTION
WSFAB131-20MXL	Full Body Harness with Front and Dorsal Anchorage Points with Chest Strap, P30A Back Extension, Size: M-XL
WSFAB131-20XXL	Full Body Harness with Front and Dorsal Anchorage Points with Chest Strap, P30A Back Extension, Size: XXL

PREMIUM HARNESSES

WORKSAFE® WSFAB190-01 FULL BODY HARNESS WITH FRONT, DORSAL ANCHORAGE POINTS, AND WORK POSITIONING BELT

- Designed for a person weighing up to 140kg
- Harness with front and dorsal anchorage points, attachment point for sitting position, side attachment point for work positioning and an additional back attachment point
- Separate adjustment for leg and shoulder straps
- Comes with shoulder padding and accessory attachment on the work positioning belt
- Tested and approved to EN358, EN361 and EN813 standards



PRODUCT CODE	DESCRIPTION
WSFAB19001XXL	Full Body Harness with Front, Dorsal Anchorage Points, Work Positioning Belt, Size: XXL



WORKSAFE® WSFAB170-01 FULL BODY HARNESS WITH FRONT, DORSAL ANCHORAGE POINTS, AND WORK POSITIONING BELT

- Harness with front and dorsal anchorage points and work positioning belt
- Separate adjustment for leg and shoulder straps
- Tested and approved to EN361, EN358 and EN813 standards



PRODUCT CODE	DESCRIPTION
WSFAB170-01	Full Body Harness with Front, Dorsal Anchorage Points, Work Positioning Belt, 2 Side D-Rings

WORKSAFE® WSFAB150-01 FULL BODY HARNESS WITH FRONT, DORSAL ANCHORAGE POINTS, AND WORK POSITIONING BELT

- Harness with front and dorsal anchorage points and work positioning belt
- Separate adjustment for leg and shoulder straps
- Tested and approved to EN361 and EN358 standards



PRODUCT CODE	DESCRIPTION
WSFAB150-01	Full Body Harness with Front, Dorsal Anchorage Points, Work Positioning Belt, 2 Side D-Rings



LANYARDS

WORKSAFE® WSFBW200+LB122 ENERGY ABSORBER WITH DOUBLE ROPE SAFETY LANYARD

- Kernmantle polyamide rope and polyamide energy absorber
- Maximum length: 2 x 2m
- Diameter: 12mm
- Includes 2 aluminium alloy connecting scaffold hooks
- Tested and approved to EN355, EN354, EN362 standards
- Aluminium alloy twist-lock karabiner, certified with EN362 standards, sold separately



PRODUCT CODE	DESCRIPTION
WSFBW200-LB122	Energy Absorber with Double Rope Safety Lanyard, 2 Scaffold Hooks, Twist-lock Karabiner sold separately
WSFBW200-LB122-1-2M	Energy Absorber with Double Kernmantle Safety Lanyard (1.2m)
WSFBW200-LB122-1-5M	Energy Absorber with Double Kernmantle Safety Lanyard (1.5m)

WORKSAFE® WSFBW200+LB121 ENERGY ABSORBER WITH SINGLE ROPE SAFETY LANYARD

- Kernmantle polyamide rope and polyamide energy absorber
- Maximum length: 2m
- Diameter: 12mm
- Includes aluminium alloy connecting scaffold hook
- Tested and approved to EN355, EN354, EN362 standards



PRODUCT CODE	DESCRIPTION
WSFBW200-LB121	Energy Absorber with Single Rope Safety Lanyard, Scaffold Hook, Twist-lock Karabiner sold separately
WSFBW200-LB121-1-5M	Energy Absorber with Non-adjustable Lanyard and Connectors, 1.5m

WORKSAFE® WSF221 ENERGY ABSORBER WITH SINGLE ROPE SAFETY LANYARD

- Kernmantle polyester rope and polyester energy absorber
- Maximum length: 1.8m
- Diameter: 12mm
- Includes 1 hot-dipped galvanised steel connecting scaffold hooks and steel twist-lock karabiner
- Tested and approved to EN355, EN354, EN362 and SS528: Part 2 and Part 5 standards



PRODUCT CODE	DESCRIPTION
WSF221	Energy Absorber with Single Kernmantle Rope Safety Lanyard, 1 Scaffold Hook, Twist-Lock Karabiner

WORKSAFE® WSF222 ENERGY ABSORBER WITH DOUBLE ROPE SAFETY LANYARD

- Kernmantle polyester rope and polyester energy absorber
- Maximum length: 2 x 1.8m / 2 x 1m
- Diameter: 12mm
- Includes 2 hot-dipped galvanised steel connecting scaffold hooks and steel twist-lock karabiner
- Tested and approved to EN355, EN354, EN362 and SS528: Part 2 and Part 5 standards



PRODUCT CODE	DESCRIPTION
WSF222 / WSF222-1M	Energy Absorber with Double Kernmantle Rope Safety Lanyard, 2 Scaffold Hooks, Twist-Lock Karabiner

LANYARDS

WORKGARD® WGF622 ENERGY ABSORBER WITH DOUBLE KERNMANTLE ROPE SAFETY LANYARD


- Kernmantle polyester rope and energy absorber
- Maximum length: 2 x 1.8m
- Diameter: 12mm
- Includes 2 hot-dipped galvanized steel connecting scaffold hooks and steel twist-lock karabiner (certified according to EN362 & SS528:Part 5 standards)
- Tested and approved to EN355, EN354 and SS528:Part 2 standards



PRODUCT CODE	DESCRIPTION
WGF622	Energy Absorber with Double Kernmantle Rope Safety Lanyard, 2 Scaffold Hooks, Twistlock Karabiner

WORKGARD® WGF611 ENERGY ABSORBER WITH SINGLE KERNMANTLE ROPE SAFETY LANYARD

- Kernmantle polyester rope and energy absorber
- Maximum length: 1.8m
- Diameter: 12mm
- Includes 1 hot-dipped galvanized steel connecting scaffold hook and steel twist-lock karabiner (certified according to EN362 & SS528:Part 5 standards)
- Tested and approved to EN355, EN354 and SS528:Part 2 standards



PRODUCT CODE	DESCRIPTION
WGF611	Energy Absorber with Single Kernmantle Rope Safety Lanyard, 1 Scaffold Hook, Twistlock Karabiner

WORKGARD® ADJUSTABLE WORK POSITIONING/ RESTRAINT LANYARD WITH SCREWGATE KARABINER

- Kernmantle polyester rope and energy absorber
- Maximum length: 1.2M-2M
- Diameter: 12mm
- Includes 1 hot-dipped galvanized steel connecting scaffold hook and steel twist-lock karabiner (certified according to EN362 standards)
- Tested and approved to EN354 and EN358 standards



PRODUCT CODE	DESCRIPTION
WGFWPL2401	Adjustable Work Positioning/Restraint Lanyard with Screwgate Karabiner

WORKSAFE® WSF231 CONNECTING LANYARD

- Kernmantle polyester rope
- Maximum length: 1.8m
- Diameter: 12mm
- Equipped with 1 galvanized steel scaffold hook and steel screw-gate karabiner
- Tested and approved to EN354 and EN362 standards



PRODUCT CODE	DESCRIPTION
WSF231-1.8M	Connecting Lanyard, Scaffold Hook, Screw-gate Karabiner

LANYARDS

WORKGARD® WSF281 CONNECTING LANYARD

- Kernmantle polyester rope
- Maximum length: 1.5m
- Diameter: 12mm
- Equipped with 1 galvanized steel scaffold hook and steel screw-gate karabiner
- Tested and approved to EN354 and EN362 standards



PRODUCT CODE	DESCRIPTION
WGF281-1M	Connecting Lanyard with Scaffold Hook and Twist Lock Karabiner, 1m
WGF281-1-5M	Connecting Lanyard with Scaffold Hook and Twist Lock Karabiner, 1.5m

WORKSAFE® WSFAW1702LE101 ENERGY ABSORBER DOUBLE ELASTIC LANYARD

- Designed for persons weighing up to 140kg
- Y-lanyard made of tubular polyamide webbing with internal elastic core
- Energy absorber made of 45mm wide polyamide webbing
- Maximum length: 2 x 2m including connectors
- Twist lock karabiner sold separately



PRODUCT CODE	DESCRIPTION
WSFAW1702LE101	Energy Absorber Double Elastic Lanyard, 1.8M

HOOKS & CARABINERS



WSF333



WSF320



WSFAZ122

PRODUCT CODE	DESCRIPTION
WSF333	KARABINER, Steel Galvanized, 168g Tested and Approved to EN362
WSF320	Aluminium Twistlock Karabiner, Silver Blue, 80g Tested and Approved to EN362
WSFAZ122	Aluminium Snap Hook

SELF-RETRACTING LIFELINE

WORKSAFE® CR250V SELF-RETRACTING LIFELINE

- Self-locking device for vertical operation
- Available in 6m, 10m, 12m and 15m
- Composite Housing Galvanised Steel / Stainless
- Dimensions: 270 x 260 x 90 mm
- Weight: 10m length - 4.20kg / 15m length - 4.90kg
- Tested and approved to EN 360:2002 standards



PRODUCT CODE	DESCRIPTION
WSFCR250V-10-2	Self-retracting Lifeline, Galvanised Steel Cable (10M) / (15M) with Fall Indicator Snap Hook
WSFCR250V-15-2	

WORKSAFE® WSFCR250HV SELF-LOCKING DEVICE FOR VERTICAL AND HORIZONTAL

- Self-locking device for vertical and horizontal operation
- Available in 6m, 8m and 11m
- Composite Housing Galvanised Steel / Stainless
- Dimensions: 270 x 260 x 90 mm
- Weight: 11m length - 5.50kg
- Tested and approved to EN 360 standards



PRODUCT CODE	DESCRIPTION
WSFCR250HV-11-2	Self-locking Device for Vertical and Horizontal Operation, Galvanised Steel Cable (11m)

WORKSAFE® CRW300-25 RETRACTABLE TYPE FALL ARRESTER WITH RESCUE LIFTING DEVICE

- Operating temperature range: (-30) to +50 C degrees
- Static strength: not less 12 KN
- Will arrest a fall in less than 0.8 m with a dynamic force of less than 6 KN
- Rope diameter: 4,7 mm, Rope length: 25 m
- Dimensions: 385 x 267 x 132 mm
- Weight: 15 kg
- Complies with EN 360 and EN 1496/B



PRODUCT CODE	DESCRIPTION
WSFCRW300-25	Retractable Type Fall Arrestor With Rescue Lifting Device, Cable Length : 25m

WORKSAFE® WSFAT171 HANDLE ADAPTER FOR CRW300 AND TM9

- To be used with CRW300-25



PRODUCT CODE	DESCRIPTION
WSFAT171	Handle Adapter For Crw300 And Tm9

SELF-RETRACTING LIFELINE

ORKSAFE® FCR300 STEEL CABLE RETRACTOR

- Zinc galvanised steel cable of diameter 4mm
- Stainless steel ring
- High Density Thermoplastic Enclosure
- Dimensions: 260 x 120 x 340mm
- Available in 20m (11.25kg) and 28m (11.65kg)
- Includes galvanized steel swivel aluminium snap hook and fall indicator (opening: 23mm, weight: 200g)
- Tested and approved to EN360 standards



PRODUCT CODE	DESCRIPTION
WSFCR300-20/25/28	CR300 Steel Cable Retractor, Swivel Snap Hook, Fall Indicator, Cable Length: 20m/25m/28m

WORKSAFE® WSFAH220 ROLEX WEBBING RETRACTOR

- Energy dissipating element
- Polyamide webbing width: 45mm
- Dimensions: 96 x 98 x 320mm (without snap hook)
- Working length: 2.4m
- Weight: 1,680g
- Includes swivel galvanized steel scaffold hook (opening: 60mm) and aluminium swivel galvanised steel snap hook (opening: 24mm)
- Tested and approved to EN360 standards



PRODUCT CODE	DESCRIPTION
WSFAH220S	Rolex Webbing Retractor, Swivel Scaffold Hook, Swivel Snap Hook, Energy Absorber, Webbing Length: 2.4m

WORKSAFE® WSFAH210 ROLEX WEBBING RETRACTOR

- Energy dissipating element
- Polyamide webbing width: 45mm
- Dimensions (without webbing and snap hook): 115 x 80 x 150mm
- Working length: 2.25m
- Weight: 1,150g
- Includes steel twist-lock karabiner, galvanized steel swivel aluminium snap hook (opening: 22mm, weight: 220g)
- Tested and approved to EN360 standards



PRODUCT CODE	DESCRIPTION
WSFAH210	AH210 Rolex Webbing Retractor, Twist-lock Karabiner, Swivel Snap Hook, Energy Absorber, Webbing Length: 2.25m

WORKSAFE® WR100 WEBBING RETRACTOR

- Lightweight webbing retractor
- High density thermoplastic enclosure
- Dimensions: 160 x 70 x 230mm
- Working length: 6m
- Weight: 1,700g
- Includes galvanized steel screw-gate karabiner, aluminium swivel snap hook and fall indicator (opening: 24mm, weight: 220g)
- Tested and approved to EN360 standards



PRODUCT CODE	DESCRIPTION
WSFWR10006-AZ011	WR100 Webbing Retractor, Swivel Snap Hook, Fall Indicator, Webbing Length: 6m

TRIPODS & RESCUE WINCH

WORKSAFE® WSFAT011N

TM9-N ALUMINUM SAFETY TRIPOD WITH WEBBING & CHAIN

- Weight: 14.45kg
- Aluminium / powder coated galvanized steel / polyamide / composite, three anchor points on head
- Height: 1530-2100mm
- Dimension: 1750 x 250x 250mm
- Opening diameter under tripod: 1090-1500mm
- Leg space at highest point: 1283mm
- Tested and approved to EN 795 Type B , TS 16415 Type B standards


PRODUCT CODE	DESCRIPTION
WSFAT011N	Aluminum Safety Tripod with Webbing and Chain



WORKSAFE® WSFAT0050-U-25

LIFTING AND LOWERING EVACUATION DEVICE, ROPE 25M

- Rescue lifting and lowering device
- Minimum breaking strength: 20kN
- Steel galvanized cable of diameter 6.3mm
- Weight: 13kg
- Working load: 140kg
- Tested and approved to EN1496 Class B standards



PRODUCT CODE	DESCRIPTION
WSFAT0050-U-25	Lifting and Lowering Evacuation Device, Galvanised steel Cable Diameter: 6.3mm, Cable Length: 25m

WORKSAFE® UTB UNIVERSAL TRIPOD BRACKET

- Weight: 2.25kg
- Static strength: 21kN
- Tested and approved to EN 1496 Class B standards




PRODUCT CODE	DESCRIPTION
WSFAT017-300	Tripod Bracket

WORKSAFE® WSFAT061 ALU ANCHOR BEAM AND BAG

- Lightweight (3.2kg) aluminum anchor beam
- Adjustable width from 300mm to 1,270mm
- Designed for 1 worker
- Comes with a convenient carrying bag for mobility
- Tested and approved to EN795 Class B standards
- Dimensions: 1455 x 122 x 100mm
- Weight: 3.2 kg
- Static strength: Min.12 kN



PRODUCT CODE	DESCRIPTION
WSFAT061	AT061 ALU Anchor Beam and Bag



SAFETY CONTAINMENT

Our workplaces are full of hazardous and valuable materials that need to be stored safely. Just one dangerous leak can compromise your workplace safety. Sort out your flammable and corrosive storage before anything happens!



POLYPROPYLENE (PP) CABINET

WORKSAFE® PP CABINET FOR ACID AND CORROSIVE



PRODUCT CODE	EXTERIOR DIMENSIONS (H x W x D mm)	INTERIOR DIMENSIONS (H x W x D mm)	LOAD CAPACITY OF EACH SHELF (kg)	DESCRIPTION
WSK230040	560 x 430 x 430	544 x 414 x 370	25	PP Cabinet For Acid And Corrosive, 4 Gal
WSK230120	890 x 590 x 460	874 x 574 x 370	30	PP Cabinet For Acid And Corrosive, 12 Gal
WSK230240	1780 x 590 x 460	1672 x 510 x 380	35	PP Cabinet For Acid And Corrosive, 24 Gal, Two Compartment with Separate Sump
WSK230300	1120 x 1090 x 460	1104 x 1074 x 400	40	PP Cabinet For Acid And Corrosive, 30 Gal
WSK230450 / WSK230450C	1650 x 1090 x 460	1542 x 1074 x 400	40	PP Cabinet For Acid And Corrosive, 45 Gal / PP Cabinet For Acid And Corrosive, 45 Gal, Customised 2" Hole Drilled On Top
WSK230600/ WSK230600C	1650 x 860 x 860	1542 x 844 x 800	40	PP Cabinet For Acid And Corrosive, 60 Gal / PP Cabinet For Acid And Corrosive, 60 Gal, Customised 2" Hole Drilled On Top

POLYPROPYLENE (PP) CABINET

WORKSAFE® PP CABINET FOR ACID AND CORROSIVE



- Designed to store acid and corrosive substances, for e.g. sulfuric acid, hydrochloric acid, sodium hydroxide, etc.
- Highly resistant to corrosion
- Lightweight and durable
- Made of fully seam-welded polypropylene
- Liquid-tight structure
- Leakproof bottom sump contains spills
- Meets OSHA requirement for secondary containment



Clearly labeled
CORROSIVES



Removable and
adjustable shelves



Doors open 180° for
easy access



Accepts padlock for
added security

WORKSAFE® TRAYS & SHELVES

PRODUCT CODE	DESCRIPTION
WSK520349	PP Trays for Steel Cabinet 30 & 45 Gal (990 x 360x 35mm)
WSK53012	Shelves for 12 & 24 Gal PP Cabinet (564mm x 376mm x 80mm)
WSK53034	Shelves for 30 & 45 Gal PP Cabinet (1064mm x 376mm x 80mm)
WSK53060	Shelves for 60 Gal PP Cabinet (834mm x 776mm x 80mm)

POLYPROPYLENE (PP) CABINET

WORKSAFE® PP CABINET FOR ACID AND CORROSIVE (WITH SECONDARY SUMP, CASTORS AND SAFETY LOCK)



- Designed to store acids and corrosive substances, including but not limited to sulfuric acid, hydrochloric acid and sodium hydroxide
- Highly resistant to corrosion
- Lightweight and durable
- Made of fully seam-welded white polypropylene
- Liquid-tight structure contains accidental spills
- Removable shelves for easy adjustments and cleaning
- Leakproof bottom sump contains spills
- Meets OSHA requirements for secondary containment



Accepts padlock for added security



Safety lock, keys and accessories



2-inch back vent



Door vents



Adjustable shelf with secondary sump



25mm adjustable PP tray



Castors (open)



Castors (locked)

PRODUCT CODE	EXTERIOR DIMENSIONS (H x W x D mm)	INTERIOR DIMENSIONS (H x W x D mm)	DESCRIPTION
WSKZYP0001	640 x 545 x 550	550 x 530 x 485	PP Cabinet for Acid & Corrosive, 8 Gal Separate Poly Tray with Secondary Slump
WSKZYP0002	640 x 600 x 550	550 x 585 x 485	PP Cabinet for Acid & Corrosive, 13 Gal Separate Poly Tray with Secondary Slump

POLYPROPYLENE (PP) CABINET

WORKSAFE® PP CABINET FOR ACID AND CORROSIVE (WITH SECONDARY SUMP, CASTORS AND SAFETY LOCK)



Clearly labeled
CORROSIVES




Accepts padlock for
added security



Safety lock, keys and
accessories



2-inch back vent



Door vents



Adjustable shelf with
secondary sump



25mm adjustable
PP tray



Castors (open)



Castors (locked)

- Designed to store acids and corrosive substances, including but not limited to sulfuric acid, hydrochloric acid and sodium hydroxide
- Highly resistant to corrosion
- Lightweight and durable
- Made of fully seam-welded white polypropylene
- Liquid-tight structure contains accidental spills
- Removable shelves for easy adjustments and cleaning
- Leakproof bottom sump contains spills
- Meets OSHA requirements for secondary containment

PRODUCT CODE	EXTERIOR DIMENSIONS (H x W x D mm)	INTERIOR DIMENSIONS (H x W x D mm)	DESCRIPTION
WSKZYP0003	640 x 845 x 550	550 x 830 x 485	PP Cabinet for Acid & Corrosive, 19 Gal Separate Poly Tray with Secondary Slump
WSKZYP0004	640 x 900 x 550	550 x 885 x 485	PP Cabinet for Acid & Corrosive, 21 Gal Separate Poly Tray with Secondary Slump



FLASHLIGHTS & ROAD SAFETY

Visibility can be a matter of life or death. In dark places, a safe source of illumination can give your workers the confidence to accomplish their tasks. Stay free from dangers that lurk in darkness with our selection of safe light sources!



WORKBRITE® FLASHLIGHTS



WSB202-Y



WSB202-Y INTRINSICALLY SAFE FLASHLIGHT

Impact-resistant LED flashlight provides 15 hours of operation time.

- Uses OSRAM Dragon LED
- Intrinsically safe for use in hazardous locations
- Aluminium heat sink helps to enhance LED efficiency
- High impact resistance, tough and durable casing with anti-slip handle
- High impact- and scratch-resistant polycarbonate lens
- Waterproof, rated IP67, dust tight and continuous immersion in 1m
- One hand operation: On/Off
- Brightness: 80 lumens
- Designed reflector for long range lighting up to 122m beam distance
- Peak Beam Intensity : 3752 candela
- Powered by 4 "AA" alkaline batteries
- Length : 17.5cm, Weight : 105g w/o batteries
- UL listed for use in Class I, Div 1, Group A,B,C,D; Class II, Div 1, Group E,F,G; Class III; T4

WSB101-Y INTRINSICALLY SAFE FLASHLIGHT

Impact-resistant LED flashlight provides 40 hours of operation time on High mode, and 60 hours on Low.

- Super bright Cree XP-E LED
- Intrinsically safe for use in hazardous locations
- Aluminium heat sink helps to enhance LED efficiency
- High impact resistance, tough and durable casing
- Clip- and clamp-on functions via a two-way position clip
- High impact- and scratch-resistant polycarbonate lens
- Automatic pressure equalization valve
- Waterproof, rated IPX7, immersion up to 1m for 30min
- One hand operation: High/Low/Off
- Operation time: 40 hours (High), 60 hours (Low)
- Designed reflector for long range lighting: 185m (High), 144m (Low)
- Peak Beam Intensity: 6505cd (High), 2850cd (Low)
- Powered by 3 "C" alkaline batteries
- Length : 22.5cm, Weight : 235g w/o batteries.
- UL listed for use in Class I, Div 1 & 2, Group A,B,C,D; Class II, Div 1 & 2, Group E,F,G; Class III; T4



WSB101-Y



BRAND	PRODUCT CODE	DESCRIPTION
WORKBRITE®	WSB202-Y	Intrinsically Safe Flashlight, 4AA OSRAM Dragon LED
	WSB101-Y	Intrinsically Safe Flashlight, 3C CREE XP-E LED



SPILL CONTROL & MANAGEMENT

Nasty falls can occur at any height. Prevent the odds of them happening by investing in a good spill control kit! A spill stopped in a timely manner can save lives and prevent damage to property.



DISPOSAL WASTE BAGS

WORKSAFE® YELLOW

"HAZARDOUS MATERIAL- HANDLE WITH CARE" BAG



BRAND	PRODUCT CODE	DESCRIPTION
WORKSAFE®	WSAHAZBAGLDSS	Worksafe Yellow "Hazardous Material - Handle With Care" Bag Size S, 480mmW + 150mm (gusset) x 770mmH (50pcs/bag)
	WSAHAZBAGLDSM	Worksafe Yellow "Hazardous Material - Handle With Care" Bag Size M, 550mmW + 150mm (gusset) x 950mmH (25pcs/bag)
	WSAHAZBAGLDL	Worksafe Yellow "Hazardous Material - Handle With Care" Bag Size L, 830mmW + 240mm (gusset) x 1530mmH (25pcs/bag)
	WSAHAZBAG-AT	Worksafe Antistatic Yellow "Hazardous Material - Handle With Care" Bag Size (920+150G)W x 1530H x 0.1m T (50pcs/carton)

WORKSafe®

WORKGard®



Visit

worksafe.com.sg

for more info



PDS Brand Owner & Distributor of WORKSafe®

Disclaimer:

All contents, product information and specifications in this catalogue are subject to change without notice. Whilst every effort is made to ensure that the contents are correct and up to date, any omission or inaccuracy is regretted. PDS shall not be liable or responsible for any loss, damage, injury, claim or liability, direct, indirect, incidental, special or consequential, arising out of interpretation of the contents of this catalogue or product usage based on its contents. Customers are advised to verify its fitness for particular purposes.

Copyright @ 2023 | Publication version @ June 2023