



# KNOWING YOUR SAFETY SHOES

**Safety matters to us.**

Our R&D team works tirelessly to deliver shoes that blend comfort with protection. That's why our shoes comply with the **European Standard (EN 20345)** and Singapore Safety Standard (SS513)\*.

## Features



**Water  
Resistant**



**Anti-static**



**Shock  
Absorption**



**Penetration  
Resistant**



**Oil  
Resistant**



**Slip  
Resistant**



**Impact  
Resistant**



**Abrasion  
Resistant**



# SAFETY SHOE FEATURES

## Wide Toecap




WORKSafe® safety shoes feature wider toecaps that relieve pressure on the toes, hence improving blood circulation and comfort. This is especially important for workers who stand or walk around for long hours. Wider toecaps improve toe alignment, provide greater support, enhances balance and reduces the likelihood of injuries.



Narrow toecaps can restrict blood circulation in the feet, causing sore feet and toes. Discomfort and increased pressure on the toes can increase the likelihood of injuries and other foot problems.

## Well-Cushioned Footbed




WORKSafe® footbeds match the contours of your feet. Well-cushioned and lightweight, its shaperetention properties maximizes contact with your feet. This spreads your body's weight over a greater surface area, cushioning your feet from impact and enhancing your stability.

## Dual Density PU/PU Outsole




WORKSafe® safety shoes are handy and durable. The dual density polyurethane (PU) outsole offers better resistance to cracks & abrasions, compared to ordinary polyurethane outsoles. It also provides you with excellent grip on wet and oily work floors.

## Shock Absorption



WORKSafe® safety shoes feature a unique outsole thread design with a lower density insole for energy absorption when weight is applied. Its unique groove pattern helps to channel pressure away from your heel and spreads it over a larger surface area. This reduces fatigue and stress to your joints and bones.

## Steel Toecap & Insole



Tested to withstand up to 200 joules of impact, WORKSafe® safety shoes are built to give you complete protection on the work floor. In addition, its steel insole protects you from sharp nails and rocky terrains.

*\*refer to page III for details regarding these standards.*

# COMMON FOOT-RELATED HAZARDS

There are two types of work-related foot injuries. The first type involves direct damage to the feet such as punctures, lacerations and sprains. The second involves injuries caused by insufficient traction, resulting in slips, trips and falls. Identify and assess the relevant workplace hazards and choose your safety footwear wisely.

**Some examples of foot hazards include:**



Falling Objects



Rolling Objects



Sharp Materials



Exposure to Chemical Splashes or Spill



Wet and Slippery Surfaces



Heat and Cold


















































## Foot Protection and Health Tips

- Wear good quality socks that fit well to reduce friction in shoes or boots.
- Comfortable and well-fitted safety footwear can prevent many injuries. It reduces fatigue and keeps you alert longer.
- Smart workplace design choices that avoid fixed positioning and hazards improve foot safety.
- Frequent short breaks help to alleviate foot problems.
- Standing on ground that provide flexibility, such as carpet, rubber or wood, is gentler on the workers' feet.
- Safety footwear with thick, insulating soles and shock-absorbing materials can alleviate discomfort.
- Always choose shoes with a wider toecap as it reduces pressure on toes and improves blood circulation.



# EUROPEAN SAFETY STANDARDS

EUROPEAN SAFETY NORMS EN ISO 20345:2011 (EQUIVALENT TO SS513:Part 1:2013\*)

Safety Level	Class I Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear					Class II All-rubber (i.e. entirely vulcanized) or all-polymeric (i.e. entirely moulded) footwear		
	SB	S1	S1P	S2	S3	SB	S4	S5
Properties								
Slip-resistant (SRA/SRB/SRC)								
Impact-resistant Toecap								
Penetration- resistant Sole (P)								
Closed Heel Area								
Fuel Oil-resistance of the Sole (FO)								
Anti-static Properties (A)								
Energy Absorption in the Heel Area (E)								
Water-resistant (WR)								
Cleated Outsole								

\* For more information, please refer to SS513:Part 1:2013

# SAFETY SHOE VIDEO GUIDE

How To Choose Your Safety Shoe PPE For Beginners!

999,999 views • Feb 21, 2021

8 257 3 503 SHARE SAVE

PDS International Pte Ltd  
subscribers

SUBSCRIBE 8,8 M

SCAN FOR SHOE GUIDE:



Join **Jeffrey** as he explains the basics of safety shoe shopping. Learn about the features you can't live without and get practical tips on what to look out for!

Looking for **safety shoes**? Shop here:

- WORKSafe** : [www.safety.com.sg/brands/filter/brand/worksafe-safety-shoes](http://www.safety.com.sg/brands/filter/brand/worksafe-safety-shoes)
- WORKGard** : [www.safety.com.sg/brands/filter/brand/workgard-safety-shoes](http://www.safety.com.sg/brands/filter/brand/workgard-safety-shoes)
- Bata Industrials** : [www.safety.com.sg/brands/filter/brand/bata-industrials-safety-shoe](http://www.safety.com.sg/brands/filter/brand/bata-industrials-safety-shoe)
- DeWALT** : [www.safety.com.sg/products/brand/dewalt\\_footwear](http://www.safety.com.sg/products/brand/dewalt_footwear)

   @safety.com.sg

Follow us today on these following channels for your daily dose of safety :)

# SHOE SIZING CHART

**WORKSafe**<sup>®</sup>  
PEOPLE PROTECTION

## Sizing Chart

UK	3	4	5	6	6.5	7	8	9	10	10.5	11	12	13
EUROPE	36	37	38	39	40	41	42	43	44	45	46	47	48
US	4	5	6	7	7.5	8	9	10	11	11.5	12	13	14

\* Half sizes are only available for certain models

**WORKGard**<sup>®</sup>  
SAFETY MADE EASY

## Omega & Alpha Series Sizing Chart

Footbed length (mm)	241	250	255	265	275	283	289	293	305	313
Footbed width (mm)	84	85	87	89	92	93	96	99	102	106
UK	3	4	5	6	7	8	9	10	11	12
EUROPE	36	37	38	39	41	42	43	44	46	47
US	4	5	6	7	8	9	10	11	12	13

\* Factory size smaller than usual, please select 1 size bigger. Refer to size chart above.

# SHOE SIZING CHART



## Sizing Chart

UK	3	4	5	6	7	8	9	10	11	12	13
EUROPE	37	38	39	40	41	42	43	44	45	46	47
US				7	8	9	10	11	12	13	14



**BATA INDUSTRIALS**  
THE SAFETY SHOE

## Official size comparison mondopoint R2/ French sizes/ UK sizing/ American sizes

Mondopoint	255	232	240	247	255	262	270	277	285	292	300	307	315
French Size	36	37	38	39	40	41	42	43	44	45	46	47	48
UK	3	4	5	6	6.5	7	8	9	9.5	10	11	12	13
Am women's	5	6	7	7.5	8	9	10						
Am men's	3	4	5	6	7	7.5	8	9	10	11	12	13	14



## Sizing Chart

UK (MEN)	3	4	5	6	7	8	9	10	11	12
EUR (MEN)	36	37	38	39/40	41	42	43	44/45	46	47
UK (LADY)	3	4	5	6	7	8				
EUR (LADY)	36	37	38	39	40	41				

# SHOE SIZING CHART



RESPIREX™

## Sizing Chart

UK	3	4	5	6	7	8	9	10	11	12	13	14	15
EUROPE	35	36	37	39	41	42	43	44	45	46	47	49	50
US	4	5	6	7	8	9	10	11	12	13	14	15	16

## Overboots

	MEDIUM	LARGE	EXTRA-LARGE
UK	6-8	9-11	12-15
EUROPE	39-42	43-45	46-50
US	7-9	10-12	13-16



# STEEL TOECAP

**RESPECTED.**  
**RUGGED.**  
**RELIABLE.**



**WORKGard**<sup>®</sup>  
SAFETY MADE EASY

# WORKGARD® OMEGA & ALPHA SERIES

## SAFETY SHOES



Anti-static



Shock Absorption



Penetration Resistant



Oil Resistant



Slip Resistant



Impact Resistant



Abrasion Resistant



Sleek and dependable, the WORKSafe Omega is the final word in reliable safety shoes.

The Omega is finished in brown suede, a flexible and rugged material. And because the shoe is light, it can be worn all day while minimising fatigue.

## FEATURES

### COMFORTABLE

- Wider toe box design provides a more relaxed fit
- Breathable lining to reduce moisture
- 360° inner padding & removable EVA footbed reduce muscle fatigue
- Soft heel counter to prevent blisters

### Comfort

**Better**

### Flexibility

**Better**

### Slip & Oil Resistance

**Better**

With grippy outsoles and a breathable lining, these shoes represent a no-compromise solution for the savvy consumer who demands durability without sacrificing comfort.

From logistics to F&B, the Omega excels in all types of light industry.

### DURABLE

- Made with lightweight and tough brown suede
- Bouncy dual-density polyurethane outsole for impact protection
- Durable outsole with high traction for better grip & stability on oily surfaces.

### Durability

**Good**

### Lightness

**Best**

### Water Resistance

**Good**

\* Factory size smaller than usual, please select 1 size bigger.

# STEEL TOECAP

## WORKGARD® OMEGA & ALPHA SERIES



BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
WORKGard®	Omega-L	800WGS8010SX	Low Cut, Brown Suede Leather Size (X): 36-47	EN ISO 20345 (S1P SRC), SS513
WORKGard®	Omega-M	800WGS8011SX	Mid Cut, Brown Suede Leather Size (X): 37-47	EN ISO 20345 (S1P SRC), SS513
WORKGard®	Alpha-L	800WGS8807SX	Low Cut, Black Barton Split Leather Size (X): 36-47	EN ISO 20345 (S1P SRC), SS513
WORKGard®	Alpha-M	800WGS8808SX	Mid Cut, Black Barton Split Leather Size (X): 37-47	EN ISO 20345 (S1P SRC), SS513

\* Factory size smaller than usual, please select 1 size bigger.

# NEUKING - STEEL TOECAP

## DURABLE

Long-lasting & anti-slip

## HIGH VISIBILITY REFLECTIVE STRIPS

Be safe in low light conditions

## COMFORTABLE

Supports tired feet & absorbs impact

## BREATHABLE GENUINE LEATHER

Tough buffalo leather



# NEUKING - STEEL TOECAP

Safety footwear masters with decades of combined experience have teamed up to bring Neuking to life. Built upon user voices and industry knowledge from Asia Pacific and Europe, witness the perfect safety shoe that is comfortable, durable and affordable.



**Breathable Mesh Liner**



**Reinforced Heel Cup**



**Steel Toe**



**Dual Density PU Outsole**



**Anti-slip**



**Shock Absorbing Heel**



**Oil Resistant**



**Anti-Bacterial Footbed**



**Penetration Resistance**



**Tough Buffalo Leather**



**Antistatic**



**UK 4 - 11**



NK83



NK80



NK60

BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
NEUKING	NK83	800NEUNK83SX	Mid Cut Safety Shoe Size (X): 04-11	EN ISO 20345 ( <b>S1P</b> SRC)
NEUKING	NK80	800NEUNK80SX	Low Cut Safety Shoe Size (X): 03-12	EN ISO 20345 ( <b>S1P</b> SRC)
NEUKING	NK60	800NEUNK60SX	Black Safety Shoe Size (X): 03-12	EN ISO 20345 ( <b>S1P</b> SRC)

# COMPOSITE TOECAP SAFETY SHOES



## SPORTMATES® COLLECTION

Seriously safe. Seriously sporty.



**BATA INDUSTRIALS**  
THE SAFETY SHOE

# COMPOSITE TOECAP SAFETY SHOES

## BATA INDUSTRIALS

Bata Industrials is a specialized division of the Bata Shoe Organization which has been producing high quality footwear for over 100 years.

Bata Industrials has production facilities throughout the world and is present in over 40 countries across 5 continents with our company headquarters located in the Netherlands, Europe.



### FOOTWEAR TECHNOLOGY

1. Composite (non-metal) safety toe cap
2. Composite penetration resistant midsole
3. Comfort PU footbed insole with gel insert
4. Breathable moisture absorbing lining
5. Premium leather uppers
6. Padded collar
7. Padded tongue
8. Cushioned phylon midsole
9. Durable heat, abrasion, oil and acid-resistant rubber outsole
10. External TPU torsion stabilizing shank
11. Anti-static



MENDEL 3



NORFOLK 2

BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
BATA INDUSTRIALS	MENDEL 3	800BAT71165522SX	Black/Grey Lace Up Safety Shoe With Composite Toecap Size (X): 02-13	EN ISO 20345 <b>S1</b> , SS513
BATA INDUSTRIALS	NORFOLK 2	800BAT71561089SX	Safety Shoe Black Lace Up Shoe Size (X): 03-12	EN ISO 20345 <b>S3</b> , SS513

# COMPOSITE TOECAP SAFETY SHOES

## DEWALT AND NEUKING



CROSSFIRE  
LOW



NKL20

FOR  
LADIES



NKL29

FOR  
LADIES

BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
DEWALT	CROSSFIRE	800DWF50124SX/SX	Low Grey Black Pro Comfort PU Upper Kevlar Safety Shoe Size (X): 6-12	EN ISO 20345 ( <b>S3</b> SRA), SS513
NEUKING	NKL20	800NEUNKL20SX	Ladies Low Cut Laced Safety Shoe Size (X): 03-08	EN ISO 20345 ( <b>S3</b> SRC), SS513
NEUKING	NKL29	800NEUNKL29SX	Ladies Low Cut Velcro Safety Shoe Size (X): 03-08	EN ISO 20345 ( <b>S3</b> SRC), SS513



# COMPOSITE TOECAP SAFETY BOOTS

## DEWALT & BATA INDUSTRIALS



The **DeWalt** range of footwear is designed for the professional tradesman/craftsman, whether working inside where light weight, flexible, breathable footwear is needed or outside in the mud, water, snow and ice. We have a range of products tailored to your needs.



APPRENTICE 2



CROSSFIRE MID



TITAN 2



STOCKHOLM 2



KEPLER 3

BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
DEWALT	CROSSFIRE	800DWF50123SX/SX	Mid Grey Black Pro Comfort PU Upper Kevlar Safety Shoe Size (X): 6-12	EN ISO 20345 ( <b>S3</b> SRA), SS513
DEWALT	APPRENTICE 2	800DWF50216SX/SX	Honey Comp. Pro Comfort Pu Upper Nubuck Shoe Size (X): 3-13	EN ISO 20345 ( <b>S3</b> HRO, SRC), SS513
BATA INDUSTRIALS	TITAN 2	800BAT70681098SX	WALKMATES MF Safety Shoe Brown Lace Up Ankle Boots Size (X): 03-13	EN ISO 20345 <b>S3</b> , SS513
BATA INDUSTRIALS	STOCKHOLM 2	800BAT70561096SX	WALKMATE MF Safety Shoe Black Lace Up Ankle Boot Size (X): 03-13	EN ISO 20345 <b>S3</b> , SS513
BATA INDUSTRIALS	KEPLER 3	800BAT70165524SX	SPORTMATES Black/Grey Mid Cut Safety Shoe Size (X): 03-13	EN ISO 20345 <b>S1</b> , SS513

# SLIP ON SAFETY SHOES

## NEUKING



NK86



NK76



NK67

BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
NEUKING	NK86	800NEUNK86SX	Easy On Easy Off Zip-Up Boots Size (X): 04-12	EN ISO 20345 (S1P SRC)
NEUKING	NK76	800NEUNK76SX	Mid Cut Black Leather Slip-On Shoes Size (X): 03-12	EN ISO 20345 (S1P SRC)
NEUKING	NK67	800NEUNK67SX	Low Cut Black Action Slip-On Shoes Size (X): 03-12	EN ISO 20345 (S1P SRC)

## BATA INDUSTRIALS



WRIGHT 3

**FULL  
METAL  
FREE**

- Suede leather & mesh upper
- Dual density EVA/Rubber sole
- Composite safety toe
- Breathable mesh lining

BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
BATA INDUSTRIALS	WRIGHT 3	800BAT71165518SX	Black/Grey Slip On Safety Shoe With Composite Toecap Size (X): 02-13	EN ISO 20345 S1, SS513

# ESD SAFETY SHOES

**BATA INDUSTRIALS®**



BATA SWIFT



BATA ACT156



BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
BATA INDUSTRIALS	SWIFT	800BAT71615872SX	Swift White Anti Slip ESD Size (X): 2-12	EN ISO 20345 ( <b>S1</b> SRC)
BATA INDUSTRIALS	ACT156	800BATF1LMKPE53SX	ESD White Microfiber Shoes C/W Steel Toecap Size (X): 2-13	EN ISO 20345 ( <b>S3</b> SRC)

# ESD SAFETY SHOES



**BATA INDUSTRIALS**  
THE SAFETY SHOE



# RADIANCE COLLECTION

Seriously safe. Seriously boosting.

# ESD SAFETY SHOES

## BATA INDUSTRIALS®

- Seamless TPU film
- Abrasion resistant TPU overnose
- Punched eyelets
- Composite toecap
- FlexGuard® composite penetration resistant insert
- EVA /rubber outsole (Vibram®)
- EVA footbed
- Width W



SPARK ESD



ENERGY ESD



UP ESD

BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
BATA INDUSTRIALS	SPARK ESD	800BAT71966426SX	Radiance Spark Black/Red Low Cut Shoe Size (X): 2-11	EN ISO 20345 ( <b>S1P</b> SRC)
	UP ESD	800BAT70926418SX	Radiance Up Black/Blue High Cut Shoe Size (X): 7-10	EN ISO 20345 ( <b>S3</b> SRC)
	ENERGY ESD	800BAT71926417SX	Radiance Energy Black/Blue Low Cut Shoe Size (X): 7-10	EN ISO 20345 ( <b>S3</b> SRC)

# ESD SAFETY SHOES

## BATA INDUSTRIALS® SUMM Collection

SUMM<sup>+</sup>

No compromise.



# GIMME SUMM<sup>+</sup>

# SAFETY

# DURABILITY

# COMFORT

# STYLE

### SUMM<sup>+</sup> ONE



### SUMM<sup>+</sup> FIVE



The SUMM+ collection features lightweight, stable and slip resistant models. Designed with an eye for Italian style, these safety shoes look stylish and keep your feet protected even in the toughest work conditions. From leather to technical nylon, all materials in SUMM+ reflect their superior performance in extreme conditions.

- Ultimate Comfort
- Lightweight
- Strong Materials
- ESD S3 SRC



### SUMM<sup>+</sup> TWO



### SUMM<sup>+</sup> SIX



### SUMM<sup>+</sup> SEVEN



BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
BATA INDUSTRIALS	SUMM ONE	800BAT75963591SX	Summ+ One Black/Blue Flexguard Insert, Mid Cut Laces ESD S3 SRC. Size (X): 7-10	EN ISO 20345 (S3 SRC)
	SUMM TWO	800BAT71963592SX	Summ+ Two Black/Blue Flexguard Insert, Low Cut Laces ESD S3 SRC. Size (X): 7-10	EN ISO 20345 (S3 SRC)
	SUMM FIVE	800BAT75963595SX	Summ+ Five Black/Gray With Flexguard Insert, Mid Cut BOA ESD S3 SRC. Size (X): 7-10	EN ISO 20345 (S3 SRC)
	SUMM SIX	800BAT71963596SX	Summ+ Six Black/Red With Flexguard Insert, Low Cut Laces ESD S3 SRC. Size (X): 7-10	EN ISO 20345 (S3 SRC)
	SUMM SEVEN	800BAT71963597SX	Summ+ Seven Black/Gray With Flexguard Insert, Low Cut BOA ESD S3 SRC. Size (X): 7-10	EN ISO 20345 (S3 SRC)

# WORKSAFE® PVC VULCAN BOOTS

## HIGH-CUT VULCAN BOOTS



Water Resistant



Anti-static



Shock Absorption



Penetration Resistant



Oil Resistant



Slip Resistant



Impact Resistant



Abrasion Resistant

- Steel toecap
- Oil-resistant
- Anti-static
- Penetration-resistant



108BA

- Steel toecap
- Oil-resistant
- Penetration-resistant



108YN

BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
WORKSafe®	Vulcan Boots	810WSS108BASX	Black Vulcan Boots With Steel Toe Cap and Midsole Size (X): 3-12	EN ISO 20345 (S5 SRA)
WORKSafe®	Vulcan Boots	810WSS108YNSX	Yellow Vulcan Boots With Steel Toe Cap and Midsole Size (X): 3-12	EN ISO 20345 (S5 SRA)

### Size Chart Converter

Length (mm)	236	248	254	261	267	273	281	287	293
UK	4	5	6	7	8	9	10	11	12
US	5	6	7	8	9	10	11	12	13
EU	38	39	40	41	42	43	44	45	46



Mondopoint: L

# HIGH CUT RIGGER BOOTS



NK85



NK85K



NK65

BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
NEUKING	NK85	800NEUNK85SX	Black Slip On Rigger Boot Size (X): 04-12	EN ISO 20345 (S1P SRC)
NEUKING	NK85K	800NEUNK85KSX	Orange Slip On Rigger Boot Size (X): 04-12	EN ISO 20345 (S1P SRC)
NEUKING	NK65	800NEUNK65SX	Black Action Leather Rigger Boot Size (X): 03-12	EN ISO 20345 (S1P SRC)



# COLD-RESISTANT SHOES

## PROTECTION FROM SPLASHES AND CONTACT COLD



For ultra-cold applications  
down to  $-196^{\circ}\text{C}$  ( $-320^{\circ}\text{F}$ )

**TEMPSHIELD®**  
CRYO-PROTECTION®

BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
TEMPSHIELD	CRYO-PROTECTION	850TSICPGR	Cryo-Gaiter	EN 511, EN 388, EN ISO 13688:2013

# DIELECTRIC BOOTS



## RESPIREX



RILB009



RILB017



RILB011

BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
RESPIREX	RILB009	810RILB009X	Dielectric Boots With Steel Toe Cap and Rubber Sole (Mark to 20KV) Size: 3-12 (X): 50-59	EN ISO 20345, EN ISO 50321 and EN ISO 50345
RESPIREX	RILB017	810RILB017X	Dielectric HV3 Moulded Sole Size: 6-10 (X): 26-30	EN50321, EN ISO 20345, ASTM 1117
RESPIREX	RILB011	810RILB011X	Dielectric Overboots Size: Medium/Large (X): 70-71	EN50321, EN ISO 20347, ASTM F-2413, ASTM F1117, CSA Z195

# CHEMICAL-RESISTANT BOOTS



## RESPIREX

A chemically protective anti-static boot with an integral steel toe cap and vulcanized rubber sole for superior slip resistance.



RILB008



RILB01160/61



RILB012

BRAND	TYPE	PRODUCT CODE	DESCRIPTION	STANDARD
RESPIREX	HAZMAX	810RILB008X	Chemical Resistant Safety Boots Size: 5-13 (X): 49-57	EN ISO 20345 <b>S5</b> , EN 13832-3, EN943
RESPIREX	HAZMAX	810RILB01160/61	Hazmax Chemical-Resistant Overboots Size: Medium / Large	EN ISO 20347, EN943, NFPA 1991 ASTM F 2413, CSA Z195
RESPIREX	HAZMAX	810RILB012X	Workmaster ESD Boots Size: 39-42 (X): 90-92	EN ISO 20345 <b>S5</b> , EN 13832, EN943, NFPA 1991, EN 61340-5

# MYSOLE™ WORK INSOLES & SOCKS

## FOOT SUPPORT

MYSOLE™ insoles are made from Polyurethane, comfortable, shock-absorbing and solid. The insoles have a strong Climatex® cover to minimise friction. Together with the Polyurethane, Climatex® offers the best solution for hot and sensitive feet.

## FEATURES

- Anatomical-shaped
- Anti-bacterial
- Anti-static
- Carbon: prevents foot odour
- Comfortable
- Shock absorbent
- Thermal control



BRAND	TYPE	PRODUCT CODE	DESCRIPTION	Standard
MYSOLE	LOW ARCH	890FGBNL757X	Mysole Work Arch Low Size (X): 37-43	-
MYSOLE	MEDIUM ARCH	890FGBNL758X	Mysole Work Arch Medium Size (X): 37-46	-
MYSOLE	HIGH ARCH	890FGBNL759X	Mysole Work Arch High Size (X): 38-43	-

## WORKSafe® TUFFSOX

- Work can get rough, and these TUFFSOX can stand up to the challenge.
- These durable and work-ready socks that are great to wear with any safety or casual shoe!
- Made in with LYCRA® fiber and COOLMAX® CORE technology, these socks wick moisture, keeping you comfortable all day.
- Helps keep the wearer cool, dry and comfortable during any activity.

COOLMAX®



Heel and Toe Reinforcement  
• Double Thickness

LYCRA® and COOLMAX® are the trademarks of The LYCRA Company.

BRAND	TYPE	PRODUCT CODE	DESCRIPTION	Standard
WORKSafe®	SOCKS	830WSSTUFFSOX	Tuffsox Coolmax® & Lycra® Black/Grey Ankle Socks Size: Free	-